

ALLTRACK R FOOT

Versatile power wheelchair dedicated to the practice of Foot-wheelchair

Use: indoor and outdoor

Modular seat and various options available

Max. weight user: 136 kg

Width: 710 mm / Length: 890 mm without cages

Autonomy: 25 km (non-football mode)

Battery: 70A

Motors: 2 AMT x 350W (10 km/h)

Two year warranty (except for wearing parts)

Except battery warranty 1 year



Professional order form - N° :

Date :

Billing address	Delivery address
Store:	Store:
Street:	Street:
PC:	PC:
City:	City:
Email :	Email :
Phone:	Phone:

User body for chair adjustments

Weight (kg):	Size (m.):	Comments :

Article	Designation	Public price excl. VAT
<input type="checkbox"/> IATR00000001	ALLTRACK R wheelchair without option	7 845,99 €
Standard options included		
WCA3	Maximum user weight: 136kg (300lb)	FC8PIMB Black pneumatic casters 205mm / 8"
TTD4	Wheelchair transport brackets	JSMFH Joystick mount support bracket
BCOB	Offboard battery charger	ECR120 R-Net 120 Amp expandable controller
SFE-0	0° pre-set frame seat angle	ECRNH R-Net Harness for expandable controller
Foot options		+ 3 088,30 €
Removable front and rear cages		MP85 motor and Rnet controller ventilation
Changing the battery tray		FOOT Program
70Ah battery support - Total chassis width: 710mm		Gel power battery CG - Group 24 - 70Ah

New colors			
<input type="checkbox"/> SCMOBM	Onyx black matte	<input type="checkbox"/> SCMCRE	Candy red
<input type="checkbox"/> SCMCTB	Cobalt blue	<input type="checkbox"/> SCMHAB	Habanero
<input type="checkbox"/> SCMIOB	Indigo blue	<input type="checkbox"/> SCMCAB	Cabernet
		<input type="checkbox"/> SCMLIM	Sublime
		<input type="checkbox"/> SCMBGM	Bubble gum metallic
Standard			

Optional hydrographics colors			
<input type="checkbox"/> FCHDD	Desert digital camo	<input type="checkbox"/> FCHWL	Woodland camo
<input type="checkbox"/> FCHCF	Carbon fiber		
+ 895,00 €			

Transport option		
<input type="checkbox"/> TTD4	4-Point wheelchair transport brackets	Standard

Assistive driving package		
<input type="checkbox"/> SMARTT	Smart-Track (This option requires the MP65-OPT)	+ 1 260,67 €
<p>▲ Smart-Track technology provides increased tracking capabilities with enhanced traction and steering precision. This is ideal for those with marginal hand function or switch control. ▲ Requires the R-net PM 120 Amp Expandable Controller (ECR120)</p>		

Drive wheel		Public price excl. VAT
<input type="checkbox"/> DWI2PTG	305mm (12") - Cast wheel pneumatic tire - Grey	Without supplement
<input type="checkbox"/> DWI2PIG	305mm (12") - Cast wheel pneumatic with foam filled - Grey	
<input type="checkbox"/> DWI2PLG	305mm (12") - XL cast wheel pneumatic with foam filled - Grey	Standard

Front casters		Public price excl. VAT
<input type="checkbox"/> FC6PIG	150mm (6") Pneumatic casters with foam filled - Grey	Without supplement
<input type="checkbox"/> FC8PTR	205mm (8") Pneumatic casters - Black	Standard
<input type="checkbox"/> FC8PIR	205mm (8") Pneumatic casters with foam filled - Black	Without supplement

Seat to floor height (Measurement to top of seat pan)		
▶ Options for a power tilt or a power elevating seat		
<input type="checkbox"/> STFHI55 (39.5cm)	<input type="checkbox"/> STFHI775 (45.0cm)	Standard
<input type="checkbox"/> STFHI625 (41.5cm)	<input type="checkbox"/> STFHI825 (46.5cm)	
<input type="checkbox"/> STFHI725 (44.0cm)	<input type="checkbox"/> STFHI875 (47.5cm)	
▶ Options for a combination power tilt with a standard power elevating seat		
<input type="checkbox"/> STFHI825 (46.5cm)		Standard
▶ Seat to floor height specification other than standard		
<input type="checkbox"/> SOMHSS	Specific seat to floor height requirement other than standard Required at:	Without supplement

Lighting package		
<input type="checkbox"/> EOLP	LED Light Package (front beams, side flashers, rear tail light with flashers & brake light)	+ 440,17 €
▲ Requires the upgraded Joystick with Light Operation or the OMNI 2 (ECELJL, ECRJCL, ECRJC35B or EDIB).		

Joysticks		
▶ Selection of one joystick option below is required with the expandable controller ECR120		
<input type="checkbox"/> ECO	Omit joystick (Requires the OMNI 2 display - see EDIB option)	Without supplement
<input type="checkbox"/> ECRJC	R-Net joystick with colour screen	Standard
<input type="checkbox"/> ECRJCL	R-Net joystick (LCD) with colour screen and lighting operation	+ 197,77 €
<input type="checkbox"/> ECRJC35B	R-Net Bluetooth joystick full option (90mm / 3 1/2" screen) lighting kit, switches and sockets	+ 272,82 €

Joystick mount		
<input type="checkbox"/> JSMSA	Swing-away joystick mount - Height adjustable, angle adjustable and multi-axis <input type="checkbox"/> Set-up with standard installation to swing-away sideways <input type="checkbox"/> Set-up at 35° to swing-away sideways and downwards Indicate: <input type="checkbox"/> HML (left hand side) <input type="checkbox"/> HMR (right hand side)	Without supplement

Joystick handle		
<input type="checkbox"/> JSH	Standard joystick gimble	Standard
<input type="checkbox"/> JBAT	Stick handle 75mm / 3" in length	+ 51,73 €
<input type="checkbox"/> JFBH	Foam ball handle	
<input type="checkbox"/> JMUSH	Bodypoint - Mushroom Handle	+ 79,11 €

Attendant drive control option		
<input type="checkbox"/> EADC	Attendant hand control Indicate: <input type="checkbox"/> EADCL (left hand side) <input type="checkbox"/> EADCR (right hand side)	+ 677,73 €

Enhanced digital displays OMNI 2		
<input type="checkbox"/> EDIB	OMNI 2 - enhanced display & digital interface box with infrared	+ 1 568,00 €

Enhanced display mount OMNI 2		Public price excl. VAT
<input type="checkbox"/> EDSAM	User swing away mount Indicate: <input type="checkbox"/> EDML (left hand side) <input type="checkbox"/> EDMR (right hand side)	Without supplement

Environmental control module		
<input type="checkbox"/> ECU	Environmental control module	+ 695,75 €

Power options and seating		
<input type="checkbox"/> SAABA - STD	Adjustable Amyseat seat structure	Standard
<input type="checkbox"/> ADDPESX	28cm / 11" Power elevating seat	+ 1 560,88 €
<input type="checkbox"/> PTSX-A300	Power elevating seat recline (0 to 50°)	+ 2 168,40 €
<input type="checkbox"/> PRX-300	Power backrest recline with integrated shear reduction	+ 1 190,70 €
▲ It is recommended to use the NXT backrest option with power recline. (NXTOPT or NXTPTD)		

Electronics - (requires EJRJC35B)		
<input type="checkbox"/> MAC-SWPUSH5	Multiple power seat function controller (5 actuators) to interface through R-Net electronics Indicate: <input type="checkbox"/> User activation <input type="checkbox"/> Attendant activation <input type="checkbox"/> TSML (left) <input type="checkbox"/> TSMR (right) <input type="checkbox"/> Push buttons <input type="checkbox"/> Toggle	+ 698,00 €
<input type="checkbox"/> EBXMAC	EBX electric seat controller with smart actuators (temporarily unavailable) Indicate: <input type="checkbox"/> SWKEYPAD-T 5 rocker switch keypad <input type="checkbox"/> SWKEYPAD-P Keypad with 5 push-button switches <input type="checkbox"/> SWMEMORY Program for memorizing seat positions Indicate: <input type="checkbox"/> User activation <input type="checkbox"/> Attendant activation <input type="checkbox"/> TSML (left) <input type="checkbox"/> TSMR (right)	On request

Standard adjustable seat width range between 380-510mm(15-20")			
<input type="checkbox"/> SOWN15-20-19	Width adjustment from 380-510mm (15-20") with a maximum depth of 485mm (19")	Without supplement	
<input type="checkbox"/> SOWN15-20-22	With adjustment from 380-510mm (15-20") with a maximum depth of 560mm (22")		
<input type="checkbox"/> SOWN15 (380mm / 15")	<input type="checkbox"/> SOWN17 (430mm / 17")	<input type="checkbox"/> SOWN19S (485mm / 19")	Standard
<input type="checkbox"/> SOWN16 (405mm / 16")	<input type="checkbox"/> SOWN18 (455mm / 18")	<input type="checkbox"/> SOWN20S (510mm / 20")	

Large adjustable seat width range between 485-610mm (19-24")			
<input type="checkbox"/> SOWN19-24-22	Width adjustment from 485-610mm (19-24") and depth range of 560mm (22")	Without supplement	
<input type="checkbox"/> SOWN19L (485mm / 19")	<input type="checkbox"/> SOWN21 (535mm / 21")	<input type="checkbox"/> SOWN23 (585mm / 23")	Standard
<input type="checkbox"/> SOWN20L (510mm / 20")	<input type="checkbox"/> SOWN22 (560mm / 22")	<input type="checkbox"/> SOWN24 (610mm / 24")	

Adjustable seat depth range between 380-560mm (15-22")			
<input type="checkbox"/> SODN15 (380mm / 15")	<input type="checkbox"/> SODN18 (455mm / 18")	<input type="checkbox"/> SODN21 (535mm / 21")	Standard
<input type="checkbox"/> SODN16 (405mm / 16")	<input type="checkbox"/> SODN19 (485mm / 19")	<input type="checkbox"/> SODN22 (560mm / 22")	
<input type="checkbox"/> SODN17 (430mm / 17")	<input type="checkbox"/> SODN20 (510mm / 20")		

Back cane height			
▲ The back cane height measurement is taken from the seat pan to the top of the push handles			
<input type="checkbox"/> SOBCH22 (560mm / 22")	<input type="checkbox"/> SOBCH24 (610mm / 24")	<input type="checkbox"/> SOBCH26 (660mm / 26")	Standard
▲ 560 mm is the minimum back cane height required with a power recline			

Type of backrest		Public price excl. VAT
▲ The minimum space between the back and seat pan is 75mm/3" with a fixed back and 155mm/6" with a reclining back.		
<input type="checkbox"/> STDSB	Standard backrest (380-610mm/15-24" wide with a maximum shell height of 560mm/22")	Standard
<input type="checkbox"/> NXTOPT-	NXT Optima Ergo backrest with 8cm/3" profile - 380-535mm/15-21" wide	+ 581,15 €
<input type="checkbox"/> NXTOPTD-	NXT Optima Ergo Backrest with 15cm/6" profile - 380-535mm/15-21" wide	
<input type="checkbox"/> NXTOPT-	NXT Optima Ergo Backrest with 8cm/3" profile - 560-610mm/22-24" wide	+ 620,70 €
<input type="checkbox"/> NXTOPTD-	NXT Optima Ergo Backrest with 15cm/6" profile - 560-610mm/22-24" wide	
▲ The actual heights of the back shell only come to 330mm (13"), 405mm (16") or 485mm (19").		
<input type="checkbox"/> STDSBO	Backrest omission, specify the backrest model:	Without supplement
▲ It is recommended to use the Ergo backrest option with the power recline		

Back support total height		
<input type="checkbox"/> SOBH16 (405mm / 16")	<input type="checkbox"/> SOBH20 (510mm / 20")	<input type="checkbox"/> SOBH24 (610mm / 24")
<input type="checkbox"/> SOBH18 (455mm / 18")	<input type="checkbox"/> SOBH22 (560mm / 22")	<input type="checkbox"/> SOBH26 (660mm / 26")
▲ 560 mm is the minimum back cane height required with a power recline		
<input type="checkbox"/> SOBH28 (710mm / 28")		
▲ This height is not available with the NXT Optima option (NXTOPT and NXTOPTD)		
		Standard

Seat Cushions		
<input type="checkbox"/> SCPSC	Standard padded foam cushion	Standard
<input type="checkbox"/> CGAIR	Therapeutic air cushion - CGAIR	On request
▲ Please complete and attach the CG AIR measurement sheet		
<input type="checkbox"/> NXTBIOFIT	NXT BIO FIT Cushion - 380-535mm (15-21") wide	+ 334,69 €
<input type="checkbox"/> NXTBIOFIT	NXT BIO FIT Cushion - 560-610mm (22-24") wide	+ 365,12 €

Armrests		
▼ Only for power backrest		
<input type="checkbox"/> SOANIFH	Type "i" armrest for reclining backrest Indicate: <input type="checkbox"/> Left side <input type="checkbox"/> Right side	Standard
▼ Only for manual backrest		
<input type="checkbox"/> SOADPFH	Retractable "u" type armrest Indicate: <input type="checkbox"/> Left side <input type="checkbox"/> Right side	Standard
Armrest height adjustment		
Please set the armrest height at:		Without supplement
▲ The armrest height is taken from the seat pan to the top of the armpad.		

Armpads		
<input type="checkbox"/> SOGELF	Full length hybrid gel and foam flat armpad	<input type="checkbox"/> Left <input type="checkbox"/> Right
<input type="checkbox"/> SOGELD	Desk length hybrid gel and foam flat armpad	<input type="checkbox"/> Left <input type="checkbox"/> Right
<input type="checkbox"/> SOWGELF	Full length hybrid gel and foam waterfall armpad	<input type="checkbox"/> Left <input type="checkbox"/> Right
<input type="checkbox"/> SOWGELD	Desk length hybrid gel and foam waterfall armpad	<input type="checkbox"/> Left <input type="checkbox"/> Right
<input type="checkbox"/> I000522	Desk length large foam cushion	<input type="checkbox"/> Left <input type="checkbox"/> Right
<input type="checkbox"/> I000523	Full length large foam cushion	<input type="checkbox"/> Left <input type="checkbox"/> Right
<input type="checkbox"/> I000524	Desk length large gel cushion	<input type="checkbox"/> Left <input type="checkbox"/> Right
<input type="checkbox"/> I000525	Full length large gel cushion	<input type="checkbox"/> Left <input type="checkbox"/> Right
▲ The waterfall armpads may interfere with flipping back the armrests when combined with lateral trunk supports		
<input type="checkbox"/> SOCAR	Armpad trough with hand support 455 x 118 mm (18" x 4 1/2")	<input type="checkbox"/> Left <input type="checkbox"/> Right
▲ Arm trough armpads may interfere with Armrests flipping back.		+ 106,49 €

Individual legrests and accessories		Public price excl. VAT
<input type="checkbox"/> MCELR	Manual adjustable legrest without tools Indicate the dimension of the leg segment:	+ 730,00 €
▲ Minimum height from floor to seat: 45 cm		
<input type="checkbox"/> SOAAF	Manual adjustable legrests with tools Indicate inclination: <input type="checkbox"/> 60° <input type="checkbox"/> 70° Indicate the length: <input type="checkbox"/> SOFLHD12 (318-395mm) <input type="checkbox"/> SOFLHD14 (368-495mm)	Standard
<input type="checkbox"/> ADDPL	Power retractable compensated legrests with calf pads Indicate function: <input type="checkbox"/> Individual <input type="checkbox"/> Combined Indicate the length: <input type="checkbox"/> SOFLPW12 (318-395mm) <input type="checkbox"/> SOFLPW14 (368-495mm)	+ 1 296,17 €
▲ Minimum height from floor to seat: 45 cm		
<input type="checkbox"/> SOSFAF	Flip-up footplates	Standard
<input type="checkbox"/> SOAFP	Angle adjustable and flip-up footplates	Without supplement
<input type="checkbox"/> SOAHL	Heel loops	

Central legrest and accessories		
<input type="checkbox"/> SOAAF 90	Adjustable manual central legrest with tools (90 ° tilt) Indicate the dimension of the leg segment:	Standard
<input type="checkbox"/> SOFUFP	Flip-up one piece foot platform	Without supplement
<input type="checkbox"/> SOAFPFB	Angle adjustable and flip-up split footplates for center mount	

Security options		
<input type="checkbox"/> SOAUTO	Seatbelt, auto-buckle (140 cm / 55")	Standard
<input type="checkbox"/> SOAUTO-LGS	Retractable seatbelt, auto-buckle (140 cm / 55")	+ 48,00 €
<input type="checkbox"/> SOBPHP2C	Pelvic belt, 32 cm / 12" cushion, 2 central adjustment points, bodypoint	+ 143,00 €
<input type="checkbox"/> SOPHB	Pelvic belt, padded, seat 35-43 cm, central magnetic attachment	+ 175,00 €
<input type="checkbox"/> SOBPCS	Chest belt, cushion 31 cm / 12", bodypoint	+ 206,00 €
<input type="checkbox"/> SOPCS	Chest belt, padded, seat 35-43 cm / 14-17", central magnetic attachment	+ 175,00 €

Headrests		
▼ Please select one of the headrest options with the mounting hardware and specify where the headrest will be installed		
<input type="checkbox"/> SOMAH	Multi-axis removable mounting hardware	Standard
<input type="checkbox"/> SOFHRS	Small curved headrest pad (100x230mm / 4x9")	
<input type="checkbox"/> SOFHRM	Medium curved headrest pad (125x255mm / 5x10")	
<input type="checkbox"/> SOFHRL	Large curved headrest pad (155x280mm / 6x11")	
<input type="checkbox"/> SOHRPR	To mount on the seat frame	

Trunk supports		
▼ Please select one of the lateral pads and the adjustable and removable hardware.		
<input type="checkbox"/> SOSLHM	Adjustable swing-away hardware mounts	+ 200,82 €
<input type="checkbox"/> SOSLS3	Adjustable laterals with small curved pads - 75x125mm/3x5"	+ 93,31 €
<input type="checkbox"/> SOSLM4	Adjustable laterals with medium curved pads - 100x155mm/4x6"	
<input type="checkbox"/> SOSLL5	Adjustable laterals with large curved pads - 125x180mm/5x7"	

Thigh supports		
▼ Please select one of the lateral pads and the adjustable and removable hardware.		
<input type="checkbox"/> SOHTSARH	Adjustable and removable hip and thigh support hardware	+ 200,82 €
<input type="checkbox"/> SOHTSS10	Adjustable hip and thigh support pads - Small 255x100mm/10x4"	+ 93,31 €
<input type="checkbox"/> SOHTSM12	Adjustable hip and thigh support pads - Medium 305x125mm/12x5"	
<input type="checkbox"/> SOHTSL14	Adjustable hip and thigh support pads - Large 355x155mm/14x6"	

Accessories		Public price excl. VAT
<input type="checkbox"/> SOCH	Cup holder (self-leveling)	+ 74,04 €
<input type="checkbox"/> SOCPH	Ram mounts X-Grip mobile phone holder	+ 100,41 €
<input type="checkbox"/> SOTHS	Ram mounts X-Grip small tablet holder	+ 143,00 €
<input type="checkbox"/> SOTHL	Ram mounts X-Grip large tablet holder	+ 226,17 €
<input type="checkbox"/> SOBP	Backpack (Comes with durable straps that can be hooked around the back canes)	+ 65,92 €
<input type="checkbox"/> SOAP	Armrest side pouch <input type="checkbox"/> Left side <input type="checkbox"/> Right side	+ 47,67 €
<input type="checkbox"/> REFLECT	Red and white reflector kit stickers	Standard
▲ They will not be installed - Included in a bag with the owner's manual		

Switches and options		
<input type="checkbox"/> ASCPCP	PGDT RNET Dongle and PC programmer kit	+ 290,07 €
<input type="checkbox"/> SSBS	Buddy Button switch	+ 124,75 €
<input type="checkbox"/> SSES	Egg switch - black	
<input type="checkbox"/> SSML	Ultra light switch	+ 129,82 €

Specialty driver control options	
▼ Specialty driver control options all require the OMNI 2 enhanced display and digital interface box (EDIB).	

▼ Switch-It proximity head array		
<input type="checkbox"/> SCSIHAA	Adult - 3 switch proximity head array with 1/8" mono jack for mode/reverse	+ 3 440,23 €
<input type="checkbox"/> SCSRM	Stealth rock-n-lock swingaway mount for mode switch Indicate: <input type="checkbox"/> SWL swings left <input type="checkbox"/> SWR swings right	+ 332,66 €
<input type="checkbox"/> SSES-STD	Egg switch for changing modes - black Indicate: <input type="checkbox"/> MLH mount on left <input type="checkbox"/> MRH mount on right	Without supplement
▲ Required with the stealth rock-n-lock swingaway mount. The mode switch type can be changed from this selection in the SWITCHES & OPTIONS section.		
<input type="checkbox"/> SSBS-STD	Buddy button switch - (stop switch) - red	
▲ Required with the Switch-It proximity head array.		
<input type="checkbox"/> SOMAH	Multi axis headrest removable mounting hardware	
▲ Required with the Switch-It proximity head array.		

▼ Proportional RIM head control		
<input type="checkbox"/> SCPHC	3-axis proportional RIM head control package	On request
<input type="checkbox"/> SCSRM	Stealth rock-n-lock swing away mount for mode switch	
<input type="checkbox"/> SSES-STD	Egg switch for changing modes - Black	
▲ Required with the stealth rock-n-lock swing away mount. The Mode Switch type can be changed from this selection in the SWITCHES & OPTIONS section.		
<input type="checkbox"/> SOMAH	Multi-axis headrest removable mounting hardware	
▲ Required with the proportional RIM head control.		

▼ Switch-It micro-pilot light touch proportional Mini-joystick for chin / lip control		Public price excl. VAT
<input type="checkbox"/> SCSIMP	MicroPilot light touch mini proportional joystick	+ 3 074,09 €
<input type="checkbox"/> SCSRMMP	Stealth rock-n-lock swingaway mount for chin MP Indicate: <input type="checkbox"/> SWL swings left <input type="checkbox"/> SWR swings right	+ 332,66 €
▲ Required with the Switch-It proximity micro-pilot		
<input type="checkbox"/> SCSRM	Stealth rock-n-lock swing away mount for switch Indicate: <input type="checkbox"/> SWL swings left <input type="checkbox"/> SWR swings right	+ 124,75 €
<input type="checkbox"/> SSES	Egg switch - black Indicate: <input type="checkbox"/> MLH mount on left <input type="checkbox"/> MRH mount on right	
▲ Required with the stealth rock-n-lock swingaway mount. The mode switch type can be changed from this selection in the SWITCHES & OPTIONS section.		
<input type="checkbox"/> JCC	Chin cup	+ 45,64 €
<input type="checkbox"/> SOMAH	Multi-axis headrest removable mounting hardware	On request
▲ Required with the Switch-It proximity micro-pilot ▼ Choose one (1) headrest pad		
<input type="checkbox"/> SOFHRS	Small curved headrest pad	
<input type="checkbox"/> SOPHRM	Medium curved headrest pad	
<input type="checkbox"/> SOPHRL	Large curved headrest pad	

▼ Proportional compact or mini joystick for midline mount		
<input type="checkbox"/> SCPGMJS	PG Drives JC200 Proportional compact remote joystick for midline mount	On request
<input type="checkbox"/> SCGMJSM	Gatlin midline swing-away mount for JC200	
▲ Must be selected for use with the PG Drives JC200 mini joystick		
<input type="checkbox"/> SCSIMP	Switch-It MicroPilot light touch mini proportional joystick	
<input type="checkbox"/> SCGMPPM	Gatlin midline swing-away mount for MicroPilot	
▲ Must be selected for use with the Switch-It MicroPilot		
<input type="checkbox"/> SCBTM	Bullet hand tray for MicroPilot	
▲ This option is only compatible with the Switch-It MicroPilot		

▼ Proportional compact or mini joystick for armrest mount		
<input type="checkbox"/> SCPGMJS	PG Drives JC200 proportional compact remote joystick for armrest mount	On request
<input type="checkbox"/> SCARMJSM	Swing-away and multi-axis armrest mount	
▲ Must be selected for use with the PG Drives JC200 mini joystick		
<input type="checkbox"/> SCSIMP	Switch-It MicroPilot light touch mini proportional joystick	
<input type="checkbox"/> SCARMPM	Swing-away and multi-axis armrest mount	
▲ Must be selected for use with the Switch-It MicroPilot		
<input type="checkbox"/> SCBTM	Bullet hand tray for MicroPilot	
▲ This option is only compatible with the Switch-It MicroPilot		

Scustom section
▼ Lead times will increase depending on the custom order pipeline at the time the purchase order is received. Please call for quote and specifications.

Notes