NEW GENERATION ELECTRIC WHEELCHAIRS





www.logo-silver.fr

OUR MISSION

WE DESIGN, MANUFACTURE AND SELL POWER WHEELCHAIRS FOR PEOPLE WITH REDUCED **MOBILITY OR DEPENDENTS.**

In a concern for constant improvement, we develop innovative products intended for the new generation of users and pursue our mission to improve the quality of life of people with reduced mobility or dependents.

OUR KNOW-HOW MADE IN FRANCE: THE GUARANTEE OF A QUALITY SERVICE


All our products are assembled and tested in our workshop in France. Registered in the EUDAMED database, they meet the requirements of European regulation MDR 2017/745 relating to class I medical devices and are certified by CERAH. They are guaranteed for 2 years, excluding corrosion and wear parts. The batteries are guaranteed for 1 year.

Our after-sales service responds to requests within 24/48 hours. We also offer training modules to better know our products and progress in their use.

Our products are distributed in France, but also throughout Europe and internationally.

We thank you for your trust and assure you that your satisfaction is our priority!





A DESTINATION OF



Contents

| • We work in the domain of V be sponsors of the Fédération | |
|--|--|
| | |

| TOPCHAIR | 2 |
|-------------------|----|
| OUTCHAIR S | 4 |
| ALLTRACK M | 6 |
| ALLTRACK M HD | 8 |
| ALLTRACK MASCENT | 10 |
| ALLTRACK R | 12 |
| ALLTRACK R FOOT | 14 |
| Options ALLTRACK | 16 |
| Couleurs ALLTRACK | 18 |
| LIGHTCHAIR NEW | 20 |
| LIGHTCHAIR II | 22 |
| LIGHTCHAIR III | 24 |
| IZYCHAIR | 26 |
| SCOOTER LGI | 28 |
| STELLA | 30 |
| STELLA II NEW | 32 |

Photo I : essai du Foot-Fauteuil Compétition Logo Silver par l'équipe de France © Thibault Warembourg - Photo 2 : Dimitri et Virgine, joueurs du G.F.F.E. © Anna Childeric - www.kalice.fr



IT CLIMBS STAIRS.

The TOPCHAIR electric wheelchair has two travel modes ; 'road' and 'stairs'. In 'road' mode it offers you completely autonomous movement inside or out, in town or the countryside.

In 'stairs' mode it automatically takes control of the wheels and tracks, and simplifies user manipulations. It is therefore possible to surmount all obstacles: doorways, footpaths and climbing stairs in complete security.



> 'Stairs' mode



Surmounting obstacles 33° / 65 % and 20 cm for a unique obstacle.

Intuitive control



Optimal control: LCD display and joystick on a pantograph.

Dipping mode



Forward seat inclination of 15° allows simple transfers.





Independent front shock absorbers to maximise comfort on the road or on pathways.





> Technical characteristics

| Accessibility | inside, outside and stairs |
|--|--|
| Configuration | 2 motorised rear wheels and tracks |
| General dimensions | length: 980 mm without legrest |
| | width: 690 mm |
| | height: 1070 mm to 1280 mm |
| Seat height | from 500 to 630 mm |
| Seat width | from 430 to 500 mm |
| Seat depth | from 440 to 500 mm |
| Armrest height | from 50 mm to 250 mm |
| Backrest height | from 450 to 600 mm |
| Battery weight | 21,5 kg each |
| Wheelchair weight | 160 kg with batteries |
| Maximum user weight | 110 kg |
| Speed | 10 km/h |
| Braking distance | 210 cm |
| Turning radius | 85 cm |
| Turn-around width | 210 cm |
| Static stability (on wheels) | 9° |
| Dynamic stability (on wheels) | 6° |
| Inclination capacity (on wheels) | 6° |
| Maximum inclination (on tracks) | 33° |
| Surmounting obstacles | from 3 to 6 cm (wheels) / 20 cm (tracks) |
| Autonomy | 35 km |
| Motors | 2 x 350W (wheels) / 2 x 400W (tracks) |
| Gel Batteries | 24V 60Ah x 2 |
| Electronics | R-Net |
| Electric seat adjustment | from -3° to +40° |
| Electric backrest and legrest adjustment | optional |
| Battery charging | via joystick |
| Front wheels | 220 mm |
| Rear wheels | 350 mm |
| Suspension | front wheel shock-absorbers |

In 'stairs' mode, the tracks allow climbing and descending stairs in complete security.



<u> Outo</u>hair, s

HIGH PERFORMANCE 4X4.

OUTCHAIR S is a compact, all-terrain electric wheelchair, high-performing and blessed with great climbing capacities, ideal for outdoor excursions, cobblestones, gravel, roads, paths, forests, sand and snow...

It will accompany you everywhere on your urbain trips, nature outings or your sporting activities.



> 4X4 mode



Equipped with 4 350W motorised wheels, can obtain 10 km/h.



With its LCD screen and joystick, you can intuitively switch between two driving modes and easily manage 35 km on flat ground. the settings of the wheelchair.

Autonomy



With its two large capacity batteries, the OUTCHAIR can travel up to



Adjustable shock-absorbers

Its two air shock-absorbers are adjustable and adapt the suspension depending on the user's needs.









High-performing and blessed with great climbing capacities, it's ideal for outdoor excursions: cobblestones, gravel, roads, paths, forests, sand and snow...





| Accessibility | inside, outside and all-terrain |
|---|---------------------------------|
| Configuration | 4 motorised wheels |
| General dimensions | length : 1000 mm with legrests |
| | width : 680 mm |
| | height : 1430 mm |
| Seat height | from 550 to 610 mm |
| Seat width | from 380 to 610 mm |
| Seat depth | from 380 to 560 mm |
| Armrest height | from 150 to 370 mm |
| Backrest height | from 400 to 710 mm |
| Battery weight | 66 kg (110Ah) |
| Wheelchair weight | 220 kg with batteries |
| Maximum user weight | 140 kg |
| Speed | 10 km / h |
| Braking distance | 210 cm |
| Turning radius | 110 cm |
| Turn-around width | 240 cm |
| Static stability | 15° |
| Dynamic stability | 10° |
| Inclination capacity | 10° |
| Maximum slope | 10° |
| Obstacle surmounting | 15 cm |
| Autonomy | 35 km |
| Motors | 350W x 4 |
| Gel batteries | 12V 110Ah x 2 |
| Electronics | R-Net |
| Electric seat adjustment | from 0° to 23° |
| Electric backrest adjuster and legrest adjustment | optional |
| Battery charging | via joystick |
| Front wheels | 350 mm |
| Rear wheels | 350 mm |
| Suspension | front wheel air shock absorbers |

- **AI**TRACK M, -

THE HIGH-END SIX WHEELER.

ALLTRACK M is a median traction electric wheelchair which allows the user to easily bypass everyday obstacles all the while offering an unequaled stability and high-end comfort.

It is dedicated to people who enjoy spending time outdoors, and still comfortably maneuvering indoors.



> Maneuverability

> High-end comfort



Median traction configuration.



Interactive suspension for the 6 wheels and the seat provide greater stability, mobility and comfort.

> Control



CJSM2 Joystick and keyboard (optional) to facilitate driving and secure the use of different positions.



> Ebox technology

Mastery of intelligent cylinders and positional programming of the wheelchair.







| Accessibility | indoors and outdoors |
|------------------------------------|---|
| Configuration | 2 motorised central wheels |
| General dimensions | length: 910 mm without legrest |
| | width : 600 or 640 mm |
| | height: 1140 mm |
| Seat ground clearance | from 395 to 475 mm |
| Seat width | from 380 to 610 mm |
| Seat depth | from 380 to 560 mm |
| Armrest height | from 280 mm to 370 mm |
| Backrest height | from 405 to 710 mm |
| Battery weight | 34 kg (50Ah) and 49 kg (70Ah) |
| Wheelchair weight | approximately 180 kg depending on options |
| Maximum user weight | 136 kg |
| Speed | 10 km / h |
| Braking distance | 210 cm |
| Turning radius | 51 cm |
| Static stability | 9° |
| Dynamic stability | 6° |
| Slope capacity | 6° |
| Maximum inclination | 6° |
| Surmounting obstacles | 6 cm |
| Autonomy | 20 km (50Ah) / 25 km (70Ah) |
| Motors | 2 x 350 W |
| Gel batteries | 2 x 12V 50Ah or 12V |
| Electronics | R-Net |
| Electric seat adjustment | 50° |
| Electric seat elevation (optional) | 28 cm |
| Electric backrest adjustment | from 90° to 160° |
| Electric legrest adjustment | 60°, 70° and 80° |
| Battery charging | via joystick |
| Front wheels | 150 or 205 mm |
| Rear wheels | 150 mm |
| Motorised wheels | 320 or 355 mm |
| Suspension | 6 wheel and seat GC3 double action |
| Assisted driving | Smart-Track |
| Special commands | Switch-it, Stealth, ASL, MO-VIS |

_ AITRACK M, HD _

THE ROBUST HIGH-END SIX WHEELER.

ALLTRACK M HD is a median traction electric wheelchair which allows the user to easily bypass everyday obstacles all the while offering an unequaled stability and high-end comfort.

It is dedicated to people of a strong build who enjoy spending time outdoors, and still comfortably maneuvering indoors.





> High-end comfort



CJSM2 Joystick and keyboard (optio-

nal) to facilitate driving and secure

the use of different positions.







Median traction configuration.



Interactive suspension for the 6 wheels and the seat provide greater stability, mobility and comfort.



Mastery of intelligent cylinders and positional programming of the wheelchair.





| Accessibility | indoors and outdoors |
|------------------------------|---|
| Configuration | 2 motorised central wheels |
| General dimensions | length: 890 mm without legrest |
| | width: 645 mm |
| | height: 1140 mm |
| Seat ground clearance | from 445 to 495 mm |
| Seat width | from 485 to 660 mm |
| Seat depth | from 455 to 560 mm |
| Armrest height | ajustable |
| Backrest height | from 405 to 710 mm |
| Battery weight | 49 kg |
| Wheelchair weight | approximately 180 kg depending on options |
| Maximum user weight | 180 kg |
| Speed | 10 km / h |
| Braking distance | 210 cm |
| Turning radius | 52 cm |
| Static stability | 9° |
| Dynamic stability | 6° |
| Slope capacity | 6° |
| Maximum inclination | 6° |
| Surmounting obstacles 6 | 6 cm |
| Autonomy | 25 km |
| Motors | 2 × 350 W |
| Gel batteries | 2 × 12V 70 Ah |
| Electronics | R-Net |
| Electric seat adjustment | 45° |
| Electric backrest adjustment | from 90° to 160° |
| Electric legrest adjustment | 60°and 70° |
| Battery charging | via joystick |
| Front wheels | 205 mm |
| Rear wheels | 150 mm |
| Motorised wheels | 355 mm |
| Suspension | 6 wheel and seat GC3 double action |
| Assisted driving | Smart-Track |
| Special commands | Switch-it, Stealth, ASL, MO-VIS |



____AITRACK M, ASCENT _____

THE TOP OF THE RANGE FOR ACTIVE PEOPLE COMPLETE WITH STANDING MODULE*.

The Alltrack M series is an electric wheelchair with median traction which allows the user to easily bypass everyday obstacles while offering unparalleled stability and top-of-the-range comfort. For even more comfort, the ASCENT version is equipped with a vertacilising module for an upright position, fluidly and safely. Thanks to the upright position, the user improves their face to face exchanges, and also improves health: better blood circulation, skin and pressure management, an improvement of posture, digestion, respiration, intestinal activity...

*The option of this feature should only be prescribed by a healthcare professional. Learning to use the standing position should be accompanied by a qualified therapist.



> High end comfort

> Standing module



Median tension configuration and 6-wheel interactive suspension of wheels and seat for more stability, 0 mobility and comfort.



Programmed electronic module to switch from seated to upright position fluidly and safely.

> Ebox technology

Mastery of intelligent cylinders and

programming of the wheelchair.





> Safety

Chest belt, pelvic belt and knee supports for maximum support.







| Accessibility | indoors and outdoors |
|--|--|
| Configuration | 2 motorised central wheels and standing module |
| General dimensions | length: 890 mm without legrests |
| | width: 645 mm |
| Seat ground clearance (without lift seat) | from 425 to 450 mm |
| Seat ground clearance (with lift seat) | from 470 to 495 mm |
| Seat width | from 380 to 610 mm |
| Seat depth | from 380 to 560 mm |
| Armrest height | from 280 mm to 355 mm |
| Backrest height | from 405 to 710 mm |
| Batteries weight | 2x24,5 kg (70Ah) |
| Wheelchair weight | approximately 180 kg depending on options |
| Maximum user weight | 113 kg |
| Speed | 10 km / h |
| Braking distance | 55 cm |
| Turning radius | 51 cm |
| Static stability in a seated position | 9° |
| Dynamic stability in a seated position | 6° (standing position prohibited on a slope) |
| Slope capacity in a seated position | 6° (standing position prohibited on a slope) |
| Maximum slope in a seated position | 6° (standing position prohibited on a slope) |
| Surmounting obstacles in a seated position | 7cm (standing position prohibited when crossing) |
| Autonomy | 25 km (70Ah) |
| Motors | 350W x 2 |
| Gel batteries | 70Ah x 2 |
| Electronics | R-Net |
| Electric seat adjustment | 50° |
| Electric seat elevation (optional) | 28 cm |
| Electric backrest adjustment | from 90° to 160° |
| Electric legrest adjustment | 60°, 70° and 80° |
| Battery charging | via joystick |
| Front wheels | 150 or 205 mm |
| Rear wheels | 150 mm |
| Motorised wheels | 320 or 355 mm |
| Suspension | 6 wheel and seat GC3 double action |
| Assisted driving | Smart-Track |
| Special commands | Switch-it, Stealth, ASL, MO-VIS |



THE HIGH-END HYBRID PROPULSION FOR ACTIVE PEOPLE.

ALLTRACK R Hybrid is a hybrid propulsion electric wheelchair which combines the best characteristics of both the mid and rear wheel drive models.

Modularity, speed, stability and comfort make it a high-end wheelchair for those who enjoy spending time outdoors all the while comfortably maneuvering indoors.



2019 winner of the American Mobility Awards competition.



> Maneuverability

> High-end comfort



Hybrid configuration which combines the characteristics of median traction and rear wheel propulsion.



Interactive 6-wheel and seat suspension providing a greater stability, mobility and comfort.



> Control

CJCSM2 joystick and optional keyboard facilitate driving and secure the use of different positions.



> Ebox technology

Mastery of intelligent cylinders and positional programming of the wheelchair.





> Technical characteristics

| Accessibility | indoors and outdoors |
|------------------------------------|---|
| Configuration | 2 hybrid motorised wheels |
| General dimensions | length: 910 mm without legrests |
| | width: 600 mm or 640 mm |
| | height: 1100 mm |
| Seat ground clearance | from 395 to 475 mm |
| Seat width | from 380 to 610 mm |
| Seat depth | from 380 to 560 mm |
| Armrest height | from 280 mm to 370 mm |
| Backrest height | from 400 to 710 mm |
| Battery weight | 34 kg (50Ah) and 49 kg (70Ah) |
| Wheelchair weight | approximately 180 kg depending on options |
| Maximum user weight | 136 kg |
| Speed | 10 km / h |
| Braking distance | 210 cm |
| Turning radius | 55 cm |
| Static stability | 9° |
| Dynamic stability | 6° |
| Inclination capacity | 6° |
| Maximum slope | 6° |
| Obstacle surmounting | 6 cm |
| Autonomy | 20 km (50Ah) / 25 km (70Ah) |
| Motors | 2 x 350 W |
| Gel batteries | 2 x 12V 50Ah ou 12V 70Ah |
| Electronics | R-Net |
| Electric seat adjustment | 50° |
| Electric seat elevation (optional) | 28 cm |
| Electric backrest inclination | from 90° to 160° |
| Electric legrest inclination | 60° and 70° |
| Battery charging | via joystick |
| Front wheels | 205 or 230 mm |
| Rear wheels | 150 mm |
| Motorised wheels | 320 mm or 355 mm |
| Suspension | 6 wheel and seat GC3 double action |
| Assisted driving | Smart-Track |
| Special commandes | Switch-it, Stealth, ASL, MO-VIS |



Individual legrest elevators for articulation. (available in sets or individually)

50°

Electric seat inclination

- AITRACK R, FOOT -

THE HIGH-END VERSATILE WHEELCHAIR-FOOTBALL SPECIALIST.

ALLTRACK R FOOT is a hybrid propulsion electric wheelchair which allows the user to maneuver comfortably in daily life and to enjoy high performing equipment for the purpose of wheelchair-football.

Entirely adjustable, it adapts perfectly to the individual needs of its user.

Versatility, adjustability, speed, stability and comfort make a high end wheelchair dedicated to practitioners of wheelchair-football.



> Football equipment



Removable front and rear cages, anti-rocking wheel.

> Cooling



Motor and controller cooling system with hand-held potentiometer.



> Football program

Specific programming for adjusting different performance parameters.



> Stability

The interactive 6 wheel suspension and seat suspension improve the stability, mobility and user comfort.





14





> Technical characteristics

| Accessibility | indoors and outdoors |
|------------------------------------|---|
| Configuration | 2 hybrid motorised wheels |
| General dimensions | length: 890 mm without cages |
| | width: 710 mm |
| | height: 1100 mm |
| Seat ground clearance | from 395 to 475 mm |
| Seat width | from 380 to 610 mm |
| Seat depth | from 380 to 560 mm |
| Armrest height | from 280 to 370 mm |
| Backrest height | from 405 to 710 mm |
| Battery weight | 49 kg |
| Wheelchair weight | approximately 180 kg depending on options |
| Maximum user weight | 136 kg |
| Speed | 10 km / h |
| Braking distance | 210 cm |
| Turning radius | 55 cm without cages |
| Static stability | 9° |
| Dynamic stability 6° | 6° |
| Inclination capacity | 6° without cages |
| Maximum slope | 6° without cages |
| Obstacle surmounting | 6 cm without cages |
| Autonomy | 25 km when not in football mode |
| Motors | 2 x 350 W |
| Gel batteries | 2 x 12V 70Ah |
| Electronics | R-Net |
| Electric seat adjustment | 50° |
| Electric seat elevation (optional) | 28 cm |
| Electric backrest inclination | from 90° to 160° |
| Electric legrest inclination | 60° , 70° and 80° |
| Battery charging | via joystick |
| Front wheels | 150 mm or 205 mm |
| Rear wheels | 150 mm |
| Motorised wheels | 305 mm or 355 mm |
| Suspension | front wheel GC3 double action |
| Assisted driving | Smart-Track |
| Special commandes | Switch-it, Stealth, ASL, MO-VIS |

Photo : Virginie Colas, G.F.F.E. player © Anna Childeric - www.kalice.fr

_ AITRACK OPTIONS

EVERY MODEL IN THE ALLTRACK RANGE IS DISPOSED OF SEVERAL OPTIONS AND **ACCESSORIES, PROVIDING INFINITE CONFIGURATIONS...**

Some of these options can be adjusted in accordance to the evolving needs and capacities of the user.

> Options


| ١. | Inclining armrest | 10. 14"x 3" (355 mm x 75 mm) black motorised wheels |
|----|---|--|
| 2. | Two-post armrest | 11. 14"x 4" (355 mm x 100 mm) black motorised wheels |
| 3. | Solid, retractable armrest | 12. Seperate or combined elevating articulation legrests |
| 4. | R-NET joystick with a 3.5 inch screen | 13. Centrally mounted elevating articulation legrests |
| 5. | R-NET standard colour joystick | 14. Height, width and depth adjustable lateral torso support |
| 6. | R-NET standard joystick | 15. Height, width and depth adjustable hip and thigh support |
| 7. | Omni 2 | 16. Multi-axis headrest |
| 8. | Pivoting retractable joystick support (height, depth, angle and lateral support) installed at 35° | 17. Freestanding cup-holder |

18. Mobile phone and tablet support

- LED lighting kit (including front lights, 2 indicator lights and multi-function rear light.







- AITRACK COLOURS

YOUR CHOICE OF COLOUR...

There is now have a wide range of colours to customise your wheelchair.



> Colours

- I. Onyx mat black
- 2. Indigo blue
- 3. Cabernet
- 4. Cobalt blue
- 5. Habanero
- 6. Bubble-gum
- 7. Sublime
- 8. Bonbon red







> Hydrographic colours

- I. Military camouflage
- 2. Woodland camouflage
- 3. Carbon-fibre














<u> Light</u>HAIR, <u> </u>



THE LIGHTEST ON THE MARKET. 21 KG

LIGHTCHAIR is a very practical compact power wheelchair, particularly adapted to outdoor excursions on flat surfaces.

Thanks to its compact folding mechanism and its lightness, this chair can be transported in a car-boot. LIGHTCHAIR accompanies you everywhere and all the time.



removed.




> Joystik



21 kg and 900 x 600 x 880 mm.



Simple, intuitive driving.



> Practical

Manually folded in 5 seconds. Automatic crutch support.



> Rechargeable battery

Battery charging may be performed externally or via the joystick.





COSY OPTION

For more comfort, the LIGHTCHAIR, COZY option, has a depth-adjustable seat plate and a thermoformed modular backrest.

Equipped with pins, the backrest can be



Adjustable seat plate in depth.



| Accessibility | indoors and outdoors on flat surfaces |
|------------------------------|---------------------------------------|
| Configuration | 2 motorised rear wheels |
| General dimensions | length: 880 mm with legrests |
| | width: 600 mm |
| | height: from 770 mm to 960 mm |
| Folded wheelchair dimensions | 330 mm x 600 mm x 830 mm |
| Seat height | 400 mm |
| Seat width | 430 mm |
| Seat depth | 430 mm |
| Armrest height | 210 mm |
| Backrest height | 420 mm |
| Battery weight | 2,8 kg |
| Wheelchair weight | 21 kg without batteries |
| Maximum user weight | 120 kg |
| Speed | 6 km / h |
| Braking distance | 120 cm |
| Turning radius | 90 cm |
| Full turn width | 110 cm |
| Static stability | 6° |
| Dynamic stability | 6° |
| Inclination capacity | 6° |
| Maximum slope | 9° |
| Obstacle surmounting | 2,5 cm |
| Autonomy | 25 km |
| Motors | 2 × 120 W |
| Lithium batteries | 2 x 24V 10Ah |
| Electronics | MICON |
| Battery charging | external or via joystick |
| Front wheels | 178 mm |
| Rear wheels | 210 mm |
| Suspension | front wheel |
| Aeroplane flight battery | I or 2 x 24V 6Ah |

> Technical characteristics

LOGOSILVER

EUROPE

<u>Light</u>HAIR, II ____

LIGHT, PRACTICAL AND HIGH-PERFORMING

This electric wheelchair is constructed entirely with high quality aluminium alloy and weighs only 29 kg. Its conceptual characteristics and its performances make an every-day ally.

Thanks to its electric folding mechanism and its lightness, LIGHTCHAIR II is very practical to store or to transport.



> Aluminium alloy

> Joystick

> Electric folding

> Footrest



Constructed with aluminium alloy it Simple and intuitive driving is light and robust.





Folds and unfolds in 5 seconds via the joystick or the optional remote control.



Adjustable footrest.





> Technical characteristics

| Accessibility | indoors and outdoors on flat surfaces |
|------------------------------|---------------------------------------|
| Configuration | 2 motorised rear wheels |
| General dimensions | length: 1000 mm with legrests |
| | width: 630 mm |
| | height: 960 mm |
| Folded wheelchair dimensions | 370 mm x 630 mm x 770 mm |
| Seat height | 510 mm |
| Seat width | 470 mm |
| Seat depth | 450 mm |
| Armrest height | from 190 to 250 mm |
| Backrest height | 450 mm |
| Battery weight | 3,6 kg |
| Wheelchair weight | 25.4 kg without batteries |
| Maximum user weight | 150 kg |
| Speed | 6 km / h |
| Braking distance | 100 cm |
| Turning radius | 100 cm |
| Full turn width | 110 cm |
| Static stability | 9° |
| Dynamic stability | 6° |
| nclination capacity | 6° |
| Maximum slope | 9° |
| Obstacle surmounting | 4 cm |
| Autonomy | 20 km |
| Motors | 2 × 200 W |
| Lithium batteries | 2 x 24V 10Ah |
| Electronics | MICON |
| Battery charging | external or via joystick |
| Front wheels | 200 mm |
| Rear wheels | 300 mm |
| Suspension | front wheel |



Easy folding and unfolding for storage and transporting in the boot of a vehicle.

__ LightCHAIR, III ____

LIGHT, PRACTICAL AND COMFORTABLE.

This electric wheelchair is constructed entirely with high quality aluminium alloy and weighs only 32 kg. Its conceptual characteristics and its performances make an every-day ally.

Thanks to its electric folding mechanism and its lightness, LIGHTCHAIR III is very practical to store or to transport.



> Curved backrest

> Seat extensions



Curved rigid backrest for increased lateral support and comfort.



Adjustable seat plate (40 cm to 45 cm width)

Thermoforme gel cushion.

> Comfortable cushion



Folds and unfolds in 5 seconds via the remote control.

> Electric folding





> Technical characteristics

| Accessibility | indoors and outdoors on flat surfaces |
|------------------------------|---------------------------------------|
| Configuration | 2 motorised rear wheels |
| General dimensions | length: 1000 mm with legrests |
| | width: 630 mm |
| | height: 960 mm |
| Folded wheelchair dimensions | 370 mm x 630 mm x 770 mm |
| Seat height 510 mm | 510 mm |
| Seat width From | 400 mm to 450 mm |
| Seat depth | 450 mm |
| Armrest height | from 190 to 250 mm |
| Backrest height | 420 mm (NXT curved) |
| Battery weight | 3,6 kg |
| Wheelchair weight | 32 kg with batteries |
| Maximum user weight | 150 kg |
| Speed | 6 km / h |
| Braking distance | 100 cm |
| Turning radius | 100 cm |
| Full turn width | 110 cm |
| Static stability | 9° |
| Dynamic stability | 6° |
| Inclination capacity | 6° |
| Maximum slope | 9° |
| Obstacle surmounting | 4 cm |
| Autonomy | 20 km |
| Motors | 2 × 250 W |
| Lithium batteries | 2 x 24V 10Ah |
| Electronics | MICON |
| Battery charging | external or via joystick |
| Front wheels | 200 mm |
| Rear wheels | 300 mm |
| Suspension | front wheel |



Easily folds and unfolds for storage or for transporting in the boot of a vehicule.



ULTRA-LIGHT, COMPACT AND PRACTICAL.

IZYCHAIR is a particularly compact electric wheelchair, practical for your indoor movements, manually foldable it is easily stored or transported.

It accompanies you everywhere in daily life and while travelling.



> Ultra-light

> Joystick



Only 15.8 kg thanks to its high quality aluminium structure.



Simple and intuitive driving.

> Footrests

Individual, adjustable footrests.





Its 'cross' structure facilitates easy manual folding.







| Accessibility | indoors |
|------------------------------|--------------------------|
| Configuration | 2 motorised rear wheels |
| General dimensions | length: 890 mm |
| | width: 560 mm |
| | height: 890 mm |
| Folded wheelchair dimensions | 320 mm × 680 mm × 690 mm |
| Seat height | 460 mm |
| Seat width | 420 mm |
| Seat depth | 400 mm |
| Armrest height | 250 mm |
| Backrest height | 420 mm |
| Battery weight | l kg |
| Wheelchair weight | 15.8 kg with battery |
| Maximum user weight | 100 kg |
| Speed | 4,5 km / h |
| Braking distance | 100 cm |
| Turning radius | 90 cm |
| Full turn width | 100 cm |
| Static stability | 6° |
| Dynamic stability | 3° |
| Inclination capacity 3° | 3° |
| Maximum slope | 3° |
| Obstacle surmounting | 2,5 cm |
| Autonomy | 10 km |
| Motors | 2 x 150 W |
| Lithium battery | 24V 6Ah |
| Electronics | MICON |
| Battery charging | via joystick |
| Front wheels | 150 mm |
| Rear wheels | 300 mm |
| Suspension | front wheel |



<u>_Scooter_G</u>], _

TECHNOLOGY AND STYLE.

Its features and compact design make the SCOOTER LGI very useful on a daily basis and practical for voyages. Driving is simple and intuitive thanks to its sleek dashboard.

Equipped with a remote control it folds and unfolds for storage or stowing in a car boot.

Designed for indoor use but also adaptable to outdoor use on flat surfaces.





> Dashboard

> Practical

> Battery



Folds and unfolds in 5 seconds thanks to its remote control.



Simple and intuitive driving.



Transportable thanks to its handle and castors.



Battery charging and folding/unfolding switches.





> Technical characteristics

| Accessibility | indoors and on smooth outdoor surfaces |
|---------------------------------------|--|
| Configuration 2 motorised rear wheels | 2 roues motrices arrières |
| General dimensions Length: 1000 mm | longueur : 1000 mm |
| | width: 460 mm |
| | height: 950 mm |
| Folded scooter dimensions | 870 mm x 460 mm x 400 mm |
| Seat height | 520 mm |
| Seat width | 360 mm |
| Seat depth | 270 mm |
| Backrest height | 285 mm |
| Battery weight | 1,8 kg |
| Scooter weight | 23.8 kg with battery |
| Maximum user weight | 100 kg |
| Speed | 6 km / h |
| Braking distance | 160 cm |
| Turning radius | 110 cm |
| Full turn width | 200 cm |
| Static stability | 9° |
| Dynamic stability | 6° |
| Inclination capacity | 6° |
| Maximum slope | 6° |
| Obstacle surmounting | 2,5 cm |
| Autonomy | 10 km |
| Motors | 2 x 150 W |
| Lithium battery | 24V 10Ah |
| Electronics | MICON |
| Battery charging | external or via dashboard |
| Front wheels | 180 mm |
| Rear wheels | 200 mm |



Easily folds and unfolds for storage or for transporting in the boot of a vehicule.



LIGHT, ROBUST AND FOLDABLE.

The STELLA walking frame is ultra-light and equipped with very useful every-day accessories: 4 large stable wheels, reinforced seat, adjustable handles and back-support, removable bag, cane-holder, cup-holder. Thanks to its robust 'cross' structure it easily folds and unfolds for storing or transport in the boot of a vehicule.

It's an indoor product but equally adapted to outdoor use on smooth surfaces.

Designed for people who have difficulty walking or struggle to be comfortable standing up, the STELLA walker increases freedom, mobility and autonomy in complete safety. Comes in 4 sizes and 3 colours (red, blue and black)





> Braking assistance



Only 6.4 kg thanks to its high quality aluminium composition.



Rapid triggering braking system for increased safety.



> Urethane wheels

4 smooth 205 mm urethane wheels for greater mobility.



Easily folds and unfolds for storing or transport in the boot of a vehicule.







| Accessibility | indoors, smooth outdoor surfaces |
|-----------------------|----------------------------------|
| Material | aluminium |
| Front and rear wheels | 205 mm |
| Wheelbase | 725 mm |
| Weight | 6,4 kg |
| STELLA 18 | |
| Width | 610 mm |
| Seat height | 455 mm |
| Handle height | 750 - 850 mm |
| Seat width | 445 mm |
| Maximum user weight | 136 kg |
| STELLA 20 | |
| Width | 610 mm |
| Seat height | 510 mm |
| Handle height | 775 - 875 mm |
| Seat width | 445 mm |
| Maximum user weight | 136 kg |
| STELLA 23 | |
| Width | 610 mm |
| Seat height | 585 mm |
| Handle height | 850 - 950 mm |
| Seat width | 445 mm |
| Maximum user weight | 136 kg |
| STELLA HD | |
| Width | 660 mm |
| Seat height | 510 mm |
| Handle height | 775 - 870 mm |
| Seat width | 495 mm |
| Maximum user weight | 180 kg |







THE DUAL-FUNCTION ROLLATOR

The new STELLA rollator equipped with footrests is a 2-in-I walking aid convertible into a transfer chair. It is equipped with very useful accessories for everyday life: 4 large stable wheels, reinforced seat, backrest support and adjustable handles, removable bag, cane holder and cup holder. Thanks to its sturdy cross structure, it folds and unfolds easily for storage or storage in the trunk of a vehicle.

It is an indoor product also suitable for outdoor travel on smooth floors.

Intended for people who have difficulty walking and maintaining a comfortable standing position, the STELLA rollator allows greater freedom, mobility and autonomy, in complete safety. Available in 4 sizes and 3 colors (black, red and blue).





> Braking assistance



High quality aluminum composition.



Rapid triggering braking system for increased safety.



> Urethane wheels

4 smooth 205 mm urethane wheels for greater mobility.

> Practical



Easily folds and unfolds for storing or transport in the boot of a vehicule.







| Accessibility | indoors, smooth outdoor surfaces |
|----------------------------|----------------------------------|
| Material | aluminium |
| Front and rear wheels | 205 mm |
| Wheelbase without footrest | 725 mm |
| Weight | 8,2 kg |
| STELLA 18 | |
| Width / Length | 610 mm / 1010 mm |
| Seat height | 455 mm |
| Handle height | 750 - 850 mm |
| Seat width | 445 mm |
| Adjustable footrest length | 380 mm - 445 mm |
| Maximum user weight | 136 kg |
| STELLA 20 | |
| Width / Length | 610 mm / 1010 mm |
| Seat height | 510 mm |
| Handle height | 775 - 875 mm |
| Seat width | 445 mm |
| Adjustable footrest length | 430 mm - 495 mm |
| Maximum user weight | 136 kg |
| STELLA 23 | |
| Width / Length | 610 mm / 1010 mm |
| Seat height | 585 mm |
| Handle height | 850 - 950 mm |
| Seat width | 445 mm |
| Adjustable footrest length | 510 mm - 570 mm |
| Maximum user weight | 136 kg |
| STELLA HD | |
| Width / Length | 610 mm / 1010 mm |
| Seat height | 510 mm |
| Handle height | 775 - 870 mm |
| Seat width | 495 mm |
| Adjustable footrest length | 430 mm - 495 mm |
| Maximum user weight | 180 kg |





INTERNATIONAL SALES NETWORK.

You're a health professional and wish to know more about our products and services ? Contact us:

> Logo Silver Europe: 163 cours Berriat, 38000 Grenoble / France (+33) 4 76 21 22 19 contact@logo-silver.fr www.logo-silver.fr



