

ALLTRACK M HD - PUBLIC PRICE LIST

Power wheelchair (6 wheels)

Use: indoor and outdoor

Modular seat and various options available

Max. weight user: 180 kg

Width: 645 mm

Length: 890 mm sans repose-pieds
Autonomy (battery): 25 km (70Ah)
Motors: 2 AMT x 350W (10 km/h)

Two year warranty (except for wearing parts)

Except battery warranty I year











Professional order form - N°:		Date :					
Billing address			Delivery	/ addre	ess		
Store:			Store:				
Street:			Street:				
PC:			PC:				
City:			City:				
Email :			Email :				
Phone:			Phone:				
Article	Designation	1					Public price excl. VAT
☐ IATH00000	001 ALLTRACK	M HD wheelchair					18 873,00 €
Standard op	tions included						
WCA3	Maximum user weight: 180	lkg	ADI	OP	Power leg re	sts	
ВСОВ	Offboard battery charger		JSMI	FH .	Joystick mou	int support brad	ket
SFE-0	0° pre-set frame seat angle		ECR	120	R-Net 120 A	mp expandable	controller
FS24B	Battery holder for 70Ah ba	tteries	ECR	NH	R-Net Harness for expandable controller		
BAT24GEL	GEL Power Battery CG - 0	Group 24 - 70 Ah	SAA	BAHD-	-550-STD	Amyseat adjus	table seat structure
MAC	Multiple electric seat contr	roller (2 to 6 actua	tors) interfaced via Elec	tronics	R-net		
TTD4	4-Point wheelchair transpo	ort brackets					
SAPTPRXHD	Power seat tilt with compo	ensation (0 ° to 45	°) and backrest power t	ilt with	shear reductio	n	
	▲ It is recommended to use	the ergo NXT back	rest option with power ti	lt			
User body for	chair adjustments						
Weight (kg):		Size (m.):		Comments:			
New colors							
☐ SCMOBM	Onyx black matte	SCMCRE	Candy red	Ę	SCMHAB	Habanero	
☐ SCMCTB	Cobalt blue	☐ SCMCAB	Cabernet	Ţ	SCMLIM	Sublime	Standard
SCMIOB	Indigo blue	SCMBGM	Bubble gum metallic				
Optional hydrographics colors							
FCHDD	Desert digital camo	FCHWL	Woodland camo	[FCHCF	Carbon fiber	On request
Assistive driving package							
☐ SMARTT	Smart-Track	c (This option requi	res the MP65-OPT)				+ I 420,00 €
	k technology provides increased I. A Requires the R-net PM 120			steering	precision. This i	is ideal for those	with marginal hand function or



Drive wheel - black Public price excl. VAT					
	DWI4PTB	355mm pneumatic	Standard		
	DWI4PIB	355mm pneumatic tire	Without supplement		
	DWI2PTB	305mm x 100mm extra-large pneumatic			
	DWI 2PIB	305mm x 100mm extra-large pneumatic tire			
	DWI44PTB	355mm x 100mm extra-large pneumatic	+ 595,00 €		
	DWI 44PIB	355mm x 100mm extra-large pneumatic tire	+ 373,00 €		
	▲ Extra wide wheels increase	the overall width of the base by 65mm			
Fro	nt casters - black				
	FC6S	150mm (6") Pneumatic casters with foam filled	Without supplement		
	▲ Not compatible with DWI	44 tires			
	FC8PTMB	205mm (8") Pneumatic casters	\ \ \ \ \ \ \ \ \ \		
	FC8PIMB	205mm (8") Pneumatic casters with foam filled	Without supplement		
	▲ The 8" casters are NOT con	mpatible with the I $2^{1/2}$ " Drive wheel configuration. Please see details in the front rigging sections.			
_					
Sea	t to floor height (Meas	surement to top of seat pan)			
	► Options for a power tilt				
	STFH175 (44.5cm)	STFH185 (47.0cm)	Standard		
	STFH18 (45.7cm)	STFH19 (48.3cm)			
		ion power tilt with a standard power elevating seat			
	STFH185 (47cm) ► Requi	res 305mm drive wheels STFH1925 (49.5cm)	Standard		
	► Seat to floor height spec	cificationother than standard			
	SOMHSS	Specific seat to floor height requirement other than standard	Without supplement		
		Required at:			
Ligh	iting package				
	EOLP	LED Light Package (front beams, side flashers, rear tail light with flashers & brake light)	+ 937,00 €		
	▲ Requires the upgraded Joystick with Light Operation or the OMNI 2 (ECELJL, ECRJCL, ECRJC35B or EDIB).				
Joy	sticks				
	► Selection of one joystic	k option below is required with the expandable controller ECR120			
	ECO	Omit joystick (Requires the OMNI 2 display - see EDIB option)	Without supplement		
	ECRJC	R-Net joystick with colour screen	Standard		
	ECRJCL	R-Net joystick (LCD) with colour screen and lighting operation	+ 180,00 €		
	ECRJC35B	R-Net Bluetooth joystick full option (90mm / 3 ½" screen) lighting kit, switches and sockets	+ 1 105,00 €		
Joystick mount					
	JSMSA	Swing-away joystick mount - Height adjustable, angle adjustable and multi-axis			
Set-up with standard installation to swing-away sideways Set-up at 35° to swing-away sideways and downwards Without supplen			\Mithaut augelement		
			vvitnout supplement		
		Indicate: HML (left hand side) HMR (right hand side)			



Joystick handle			Public price excl. VAT	
☐ JSH	Standard joystick gimble		Standard	
☐ JBAT	Stick handle 75mm / 3" in length	+ 130,00 €		
јвн	Ball handle			
☐ JFBH	Foam ball handle		+ 70,00 €	
☐ JGP	Bodypoint 100mm/4" U-shaped handle		+ 210,00 €	
☐ JMUSH	Bodypoint - Mushroom Handle		+ 210,00 €	
☐ JTH	T-handle		+ 155,00 €	
Attendant drive contro	option			
EADC	Attendant hand control			
	Indicate: EADCL (left hand side)	EADCR (right hand side)	+ 677,73 €	
	<u>'</u>			
Enhanced digital displays	OMNI 2			
EDIB	OMNI 2 - enchanced display & digital interf	ace box with infared	+ 1 915,00 €	
Enhanced display moun	t OMNI 2			
☐ EDSAM	User swing away mount		Without supplement	
	Indicate: EDML (left hand side)	EDMR (right hand side)	vvicilout supplement	
Environmental control	module			
ECU	Environmental control module		+ 995,00 €	
Power option seating				
ADDPESXHD	28cm / I I" Power elevating seat		+ 3 995,00 €	
Electronics - (requires	EJRJC35B)			
EBXMAC	EBX electric seat controller with smart act	uators		
	Indicate: SWKEYPAD-T	5 rocker switch keypad	+ 445,00 €	
	SWKEYPAD-P	Keypad with 5 push-button switches		
■ MACMEMORY	Program for memorizing seat positions			
	Indicate: User activation	Attendant activation	+ 175,00 €	
	TSML (left)	TSMR (right)		
Large adjustable seat w	dth range between 485-660mm			
SOWN19-24-22	Width adjustment from 485-610mm (19-24	") and depth range of 560mm (22")	without supplement	
SOWN24-26-22	Width adjustment from 610-660mm and depth range of 560mm (22")			
SOWNI9L (485mm)	SOWN22 (560mm)	SOWN24HDL (610mm)		
SOWN20L (510mm)	SOWN23 (585mm)	SOWN25HDL (635mm)	standard	
SOWN21 (535mm)	SOWN24 (610mm)	SOWN26HDL (660mm)		
Adjustable seat depth r	ange between 455-560mm			
SODN18 (455mm)	SODN20 (510mm)	SODN22 (560mm)	standard	



Туг	oe of backrest			Public price excl. VAT	
		tween the back and seat pan is 75mm/3" with a fi	xed back and 155mm/6" with a reclining back		
	STDSB	inimum space between the back and seat pan is 75mm/3" with a fixed back and 155mm/6" with a reclining back. Standard backrest (380-610mm/15-24" wide with a maximum shell height of 560mm/22")			
ā	ADDMR	Manual fixed backrest	,	Without supplement	
ā	NOACB	Ergo NXT Optima backrest with 8cm profile	- 480-535mm wide	+ 639,25 €	
ā	NOPCB	Ergo NXT Optima backrest with 15cm profil			
ā	NOACB	Ergo NXT Optima backrest with 8cm profile			
_	NOPCB	Ergo NXT Optima backrest with 15cm profil		+ 682,75 €	
_		e back shell only come to 330mm (13"), 405mm			
	STDSBO	Backrest omission, specify the backrest mode		Without supplement	
ī		se the Ergo backrest option with the power recl			
		8			
Bac	k support total height				
	SOBH16 (405mm / 16")	SOBH20 (510mm / 20")	SOBH24 (610mm / 24")		
\bar{a}	SOBH18 (455mm / 18")	SOBH22 (560mm / 22")	SOBH26 (660mm / 26")		
	, ,	n back cane height required with a power recline		Standard	
	SOBH28 (710mm / 28")				
	, ,	ble with the NXT Optima option (NXTOPT and	INXTOPTD)		
			- ,		
Bac	k cane height				
		neasurement is taken from the seat pan to the top	of the push handles		
		SOBCH24 (610mm / 24")	SOBCH26 (660mm / 26")	Standard	
		n back cane height required with a power recline	_		
	a 500 min is the minimum	Toack care neight required with a power recinie			
Sea	t Cushions				
	SCPSC	Standard padded foam cushion		Standard	
=	CGAIR	Therapeutic air cushion - CGAIR			
_		he CG AIR measurement sheet		On request	
	NXTBIOFIT	NXT BIO FIT Cushion - 480-535mm wide		+ 368,16 €	
ī	NXTBIOFIT	NXT BIO FIT Cushion - 560-660mm wide		+ 401,60 €	
_	-			. ,	
Armrests					
	▼ Only for power backrest				
	SOANIFH	Type "i" armrest for reclining backrest		Standard	
_		Indicate: Left side	Right side		
	▼ Only for manual backre	_	- 0		
	SOADPFH	Retractable "u" type armrest		Standard	
_		Indicate: Left side	☐ Right side		
Δrı	Armrest height adjustment				
	Please set the armrest height at:				
	▲ The armrest height is taken from the seat pan to the top of the armpad.			Without supplement	



Arr	Armpads Public price excl. VAT				
	SOGELF	Full length hybrid gel and foam flat armpad	NA 6 - 1		
	SOGELD	Desk length hybrid gel and foam flat armpad	Without supplement		
	SOWGELF	Full length hybrid gel and foam waterfall armpad Left Right			
	SOWGELD	Desk length hybrid gel and foam waterfall armpad 🔲 Left 🔲 Right	+ 40,00 €		
	1000522	Desk length large foam cushion Left Right			
	1000523	Full lenght large foam cushion Left Left left	+ 95,00 €		
ā	1000524	Desk length large gel cushion Left Left Right			
	1000525	Full lenght large gel cushion	+ 114,00 €		
	▲ The waterfall armpads m	nay interfere with flipping back the armrests when combined with lateral trunk supports			
	SOCAR	Armpad trough with hand support 455 x 118 mm (18" x 4 ½") Left Right			
	▲ Arm trough armpads may	y interfere with Armrests flipping back.	+ 170,00 €		
Ind	ividual legrests and acc	essories			
	ADDPLHD	Power retractable compensated legrests with calf pads			
		Indicate function: Individual Combined	Standard		
		Indicate the length: SOFLPWI2 (318-395mm) SOFLPWI4 (368-495mm)			
	SOSFAFHD	Flip-up footplates	Standard		
ā	SOAFPHD	Angle adjustable and flip-up footplates			
	SOAHL	Heel loops	Without supplement		
		•			
Cei	ntral legrest and access	ories			
	ADDPFHD	Power centre mount elevating and articulating foot platform			
		Indicate the dimension of the leg segment:			
		Indicate the length: SOFBPW16 (318-420mm) SOFBPW18 (420-520mm)	Standard		
	▼ Please select the one pi	ece centre mount (SOFUFP) or the split footplates (SOAFPFB).			
	SOFUFP	Flip-up one piece foot platform			
ā	SOAFPFB	Angle adjustable and flip-up split footplates for center mount	Without supplement		
Sec	urity options				
	SOAUTO	Seatbelt, auto-buckle (140 cm / 55")	Standard		
ā	SOAUTO-LGS	Retractable seatbelt, auto-buckle (140 cm / 55")	+ 70,00 €		
	SOBPHP2C	Pelvic belt, 32 cm / 12" cushion, 2 central adjustment points, bodypoint	+ 170,00 €		
ā	SOPHB	Pelvic belt, padded, seat 35-43 cm, central magnetic attachment	+ 194,00 €		
ō	SOBPCS	Chest belt, cushion 31 cm / 12", bodypoint	+ 250,00 €		
_	SOPCS	Chest belt, padded, seat 35-43 cm / 14-17", central magnetic attachment	+ 262,00 €		
_	Chest bert, padded, seat 33-73 Chi / 17-17, Central magnetic attachment				
Headrests					
▼ Please select one of the headrest options with the mounting hardware and specify where the headrest will be installed					
	SOMAH	Multi-axis removable mounting hardware			
ō	SOFHRS	Small curved headrest pad (100x230mm / 4x9")			
ā	SOFHRM	Medium curved headrest pad (100x250mm/ 14x7) Medium curved headrest pad (125x255mm / 5x10")	Standard		
$\overline{}$	SOFHRL	Large curved headrest pad (125x280mm / 6x11")			
_	SOHRPR	To mount on the seat frame			
10 mount on the seathante					
Trunk supports					
▼ Please select one of the lateral pads and the adjustable and removable hardware.					
	SOSLHM	Adjustable swing-away hardware mounts	+ 220,00 €		
ō	SOSLS3	Adjustable laterals with small curved pads - 75×125mm/3×5"	+ 100,00 €		
ā	SOSLM4	Adjustable laterals with small curved pads - 73X1251111/3X5 Adjustable laterals with medium curved pads - 100x155mm/4x6"			
_	SOSLL5	Adjustable laterals with large curved pads - 125x180mm/5x7"			
		, apartare according friction to be control page 1250 1000 1111/300			



Thi	gh supports		Public price excl. VAT		
	▼ Please select one of the lateral pads and the adjustable and removable hardware.				
	SOHTSARH	Adjustable and removable hip and thigh support hardware	+ 136,00 €		
	SOHTSS10	Adjustable hip and thigh support pads - Small 255x100mm/10x4"			
	SOHTSM12	+ 130,00 €			
	SOHTSL14	Adjustable hip and thigh support pads - Medium 305x125mm/12x5" Adjustable hip and thigh support pads - Large 355x155mm/14x6"			
Acc	cessories				
	SOCH	Cup holder (self-leveling)	+ 115,00 €		
	SOCPH	Ram mounts X-Grip mobile phone holder	+ 190,00 €		
	SOTHS	Ram mounts X-Grip small tablet holder	+ 205,00 €		
	SOTHL	Ram mounts X-Grip large tablet holder	+ 360,00 €		
	SOBP	Backpack (Comes with durable straps that can be hooked around the back canes)	+ 90,00 €		
	SOAP	Armrest side pouch	+ 53,00 €		
	REFLECT	Red and white reflector kit stickers			
	▲They will not be installe	ed - Included in a bag with the owner's manual	Standard		
Swi	tches and options				
	ASCPCP	PGDT RNET Dongle and PC programmer kit	+ 600,00 €		
	SSBS	Buddy Button switch	+ 230,00 €		
	SSES	Egg switch - black	+ 116,00 €		
	SSML	Ultra light switch	+ 295,00 €		
Spe	cialty driver control o	ptions			
	•	l options all require the OMNI 2 enhanced display and digital interface box (EDIB).			
▼	Switch-It proximity he	ad array			
	SCSIHAA	Adult - 3 switch proximity head array with 1/8" mono jack for mode/reverse	+ 3 990,00 €		
	SCSRM	Stealth rock-n-lock swingaway mount for mode switch	. 510.00		
		Indicate: SWL swings left SWR swings right	+ 510,00 €		
	SSES-STD	Egg switch for changing modes - black			
		Indicate: MLH mount on left MRH mount on right			
	▲ Required with the steal	lth rock-n-lock swingaway mount. The mode switch type can be changed from this selection in			
	the SWITCHES & OPTIO	NS section.			
	SSBS-STD	Buddy button switch - (stop switch) - red	Without supplement		
	▲ Required with the Swit	cch-lt proximity head array.			
	SOMAH	Multi axis headrest removable mounting hardware			
	▲ Required with the Swit	cch-lt proximity head array.			
V	Proportional RIM hea	d control			
	SCPHC	3-axis proportional RIM head control package			
	SCSRM	Stealth rock-n-lock swing away mount for mode switch			
	SSES-STD	Egg switch for changing modes - Black			
	▲ Required with the steal	Ith rock-n-lock swing away mount. The Mode Switch type can be changed from this selection in	On request		
	the SWITCHES & OPTIONS section.				
	SOMAH	Multi-axis headrest removable mounting hardware			
	▲ Required with the prop	portional RIM head control.			



▼	Switch-It micro-pilot li	ght touch proportional Mini-joystick for chin / lip control	Public price excl. VAT	
	SCSIMP	MicroPilot light touch mini proportional joystick	+ 3 870,00 €	
	SCSRMMP	Stealth tock-n-lock swingaway mount for chin MP		
		Indicate: SWL swings left SWR swings right	+ 645,00 €	
	▲ Required with the Swit	ch-lt proximity micro-pilot		
	SCSRM	Stealth rock-n-lock swing away mount for switch		
		Indicate: SWL swings left SWR swings right	+ 510,00 €	
	SSES	Egg switch - black		
_		Indicate: MLH mount on left MRH mount on right		
	▲ Required with the steal the SWITCHES & OPTIO	th rock-n-lock swingaway mount. The mode switch type can be changed from this selection in NS section.	+116,00 €	
	JCC	Chin cup	+ 55,00 €	
	SOMAH	Multi-axis headrest removable mounting hardware		
	▲ Required with the Swit	ch-lt proximity micro-pilot		
	▼ Choose one(I) headres		_	
	SOFHRS	Small curved headrest pad	On request	
	SOPHRM	Medium curved heardrest pad		
	SOPHRL	Large curved headrest pad		
_		• · · · · · · · · · · · · · · · · · · ·		
▼	Proportional compact	t or mini joystick for midline mount		
	SCPGMJS	PG Drives JC200 Proportional compact remote joystick for midline mount		
	SCGMJSM	Gatlin midline swing-away mount for JC200		
	▲ Must be selected for us	e with the PG Drives JC200 mini joystick		
	SCSIMP	Switch-It MicroPilot light touch mini proportional joystick		
	SCGMPM	Gatlin midline swing-away mount for MicroPilot	On request	
	▲ Must be selected for us	e with the Switch-It MicroPilot		
	SCBTM	Bullet hand tray for MicroPilot		
		patible with the Switch-It MicroPilot		
▼	Proportional compact	t or mini joystick for armrest mount		
	SCPGMJS	PG Drives JC200 proportional compact remote joystick for armrest mount		
	SCARMJSM	Swing-away and multi-axis armrest mount		
	▲ Must be selected for us	e with the PG Drives JC200 mini joystick		
	SCSIMP	Switch-It MicroPilot light touch mini proportional joystick		
	SCARMPM	Swing-away and multi-axis armrest mount	On request	
	▲ Must be selected for us	e with the Switch-It MicroPilot		
	SCBTM	Bullet hand tray for MicroPilot		
	▲ This option is only com	patible with the Switch-It MicroPilot		
Shipping and packing costs on request				
		·		
Scustom section				
Lead times will increase depending on the custom order pipeline at the time the purchase order is received. Please call for quote and specifications.				
No	tes			