

## ALLTRACK M - PUBLIC PRICE LIST

### Power wheelchair (6 wheels)

Use: indoor and outdoor

Modular seat and various options available

Max. weight user: 136 kg

Width: 600 (50Ah) or 640 mm (70Ah)

Length: 910 mm without footrest

Autonomy (battery) : 20 km (50A) / 25 km (70A)

Motors: 2 AMT x 350W (10 km/h)

Two year warranty (except for wearing parts)

Except battery warranty 1 year



Professional order form - N° : \_\_\_\_\_ Date : \_\_\_\_\_

Billing address	Delivery address
Store:	Store:
Street:	Street:
PC:	PC:
City:	City:
Email :	Email :
Phone:	Phone:

Article	Designation	Public price excl. VAT
<input type="checkbox"/> IATM00000001	ALLTRACK M wheelchair	13 660,00 €
<b>Standard options included</b>		
<input type="checkbox"/> WCA3	Maximum user weight: 136kg (300lb)	<input type="checkbox"/> MCELR Manual adjustable leg supports without tools
<input type="checkbox"/> BCOB	Offboard battery charger	<input type="checkbox"/> JSMFH Joystick mount support bracket
<input type="checkbox"/> SFE-0	0° pre-set frame seat angle	<input type="checkbox"/> ECR120 R-Net 120 Amp expandable controller
<input type="checkbox"/> TTD4	4-Point wheelchair transport brackets	<input type="checkbox"/> ECRNH R-Net Harness for expandable controller
<input type="checkbox"/> SAABA-STD	Amyseat adjustable seat structure	
<input type="checkbox"/> MAC	Multiple electric seat controller (2 to 6 actuators) interfaced via Electronics R-net	
<input type="checkbox"/> PTSX-A300	Power seat tilt with compensation (0 ° to 50 °)	
<input type="checkbox"/> PRX-300	Power tilting of the backrest with reduction of mechanical shear	
▲ It is recommended to use the ergo NXT backrest option with power tilt		

User body for chair adjustments

Weight (kg): \_\_\_\_\_ Size (m.): \_\_\_\_\_ Comments : \_\_\_\_\_

New colors				
<input type="checkbox"/> SCMOBM	Onyx black matte	<input type="checkbox"/> SCMCRE	Candy red	Standard
<input type="checkbox"/> SCMCTB	Cobalt blue	<input type="checkbox"/> SCMCAB	Cabernet	
<input type="checkbox"/> SCMIOB	Indigo blue	<input type="checkbox"/> SCMBGM	Bubble gum metallic	
<input type="checkbox"/> SCMHAB	Habanero	<input type="checkbox"/> SCMLIM	Sublime	

Optional hydrographics colors				
<input type="checkbox"/> FCHDD	Desert digital camo	<input type="checkbox"/> FCHWL	Woodland camo	On request
<input type="checkbox"/> FCHCF	Carbon fiber			

Motor assembly		
<input type="checkbox"/> MP65B	4-pole motor unit at 10 km / h / with electro-brakes	Standard
<input type="checkbox"/> MP65-OPT	4-pole motor unit at 10 Km / h / with electro-brakes (requires the SMART-TRACK)	+ 395,00 €

Assistive driving package		Public price excl. VAT
<input type="checkbox"/> SMARTT	Smart-Track (This option requires the MP65-OPT)	+ 1 420,00 €
▲ Smart-Track technology provides increased tracking capabilities with enhanced traction and steering precision. This is ideal for those with marginal hand function or switch control. ▲ Requires the R-net PM 120 Amp Expandable Controller (ECR120)		

Battery holder and frame size		
<input type="checkbox"/> FS22B	Battery holder for 50Ah batteries - Total frame width: 600mm	Standard
<input type="checkbox"/> FS24B	Battery holder for 70Ah batteries - Total frame width: 640mm	Without supplement

Batteries		
<input type="checkbox"/> BAT22NFGEL	GEL Power Battery CG - Group 22NF - 50 Ah	Without supplement
<input type="checkbox"/> BAT24GEL	GEL Power Battery CG - Group 24 - 70 Ah	

Drive wheel - black		
<input type="checkbox"/> DWI4PTB	355mm pneumatic	Standard
<input type="checkbox"/> DWI4PIB	355mm pneumatic tire	Without supplement
<input type="checkbox"/> DWI2PTB	305mm x 100mm extra-large pneumatic	
<input type="checkbox"/> DWI2PIB	305mm x 100mm extra-large pneumatic tire	+ 595,00 €
<input type="checkbox"/> DWI44PTB	355mm x 100mm extra-large pneumatic	
<input type="checkbox"/> DWI44PIB	355mm x 100mm extra-large pneumatic tire	
▲ Extra wide wheels increase the overall width of the base by 65mm		

Front casters - black		
<input type="checkbox"/> FC6S	150mm (6") Pneumatic casters with foam filled	Without supplement
▲ Not compatible with DWI44 tires		
<input type="checkbox"/> FC8PTMB	205mm (8") Pneumatic casters	Without supplement
<input type="checkbox"/> FC8PIMB	205mm (8") Pneumatic casters with foam filled	

Seat to floor height (Measurement to top of seat pan)		
► Options for a power tilt or a power elevating seat		
<input type="checkbox"/> STFHI55 (39.5cm) ► Requires DWI2 wheels	<input type="checkbox"/> STFHI775 (45.0cm)	Standard
<input type="checkbox"/> STFHI625 (41.5cm)	<input type="checkbox"/> STFHI825 (46.5cm)	
<input type="checkbox"/> STFHI725 (44.0cm)	<input type="checkbox"/> STFHI875 (47.5cm)	
► Options for a combination power tilt with a standard power elevating seat		
<input type="checkbox"/> STFHI825 (46.5cm)		Standard
► Seat to floor height specification other than standard		
<input type="checkbox"/> SOMHSS	Specific seat to floor height requirement other than standard Required at:	Without supplement

Lighting package		
<input type="checkbox"/> EOLP	LED Light Package (front beams, side flashers, rear tail light with flashers & brake light)	+ 937,00 €
▲ Requires the upgraded Joystick with Light Operation or the OMNI 2 (ECELJL, ECRJCL, ECRJC35B or EDIB).		

Joysticks		
► Selection of one joystick option below is required with the expandable controller ECR120		
<input type="checkbox"/> ECO	Omit joystick (Requires the OMNI 2 display - see EDIB option)	Without supplement
<input type="checkbox"/> ECRJC	R-Net joystick with colour screen	Standard
<input type="checkbox"/> ECRJCL	R-Net joystick (LCD) with colour screen and lighting operation	+ 180,00 €
<input type="checkbox"/> ECRJC35B	R-Net Bluetooth joystick full option (90mm / 3 1/2" screen) lighting kit, switches and sockets	+ 1 105,00 €

Joystick mount		Public price excl. VAT
<input type="checkbox"/> JSMSA	Swing-away joystick mount - Height adjustable, angle adjustable and multi-axis <input type="checkbox"/> Set-up with standard installation to swing-away sideways <input type="checkbox"/> Set-up at 35° to swing-away sideways and downwards Indicate: <input type="checkbox"/> HML (left hand side) <input type="checkbox"/> HMR (right hand side)	Without supplement

Joystick handle		
<input type="checkbox"/> JSH	Standard joystick gimble	Standard
<input type="checkbox"/> JBAT	Stick handle 75mm / 3" in length	+ 130,00 €
<input type="checkbox"/> JBH	Ball handle	+ 85,00 €
<input type="checkbox"/> JFBH	Foam ball handle	+ 70,00 €
<input type="checkbox"/> JGP	Bodypoint 100mm/4" U-shaped handle	+ 210,00 €
<input type="checkbox"/> JMUSH	Bodypoint - Mushroom Handle	+ 210,00 €
<input type="checkbox"/> JTH	T-handle	+ 155,00 €

Attendant drive control option		
<input type="checkbox"/> EADC	Attendant hand control Indicate: <input type="checkbox"/> EADCL (left hand side) <input type="checkbox"/> EADCR (right hand side)	+ 677,73 €

Enhanced digital displays OMNI 2		
<input type="checkbox"/> EDIB	OMNI 2 - enhanced display & digital interface box with infrared	+ 1 915,00 €

Enhanced display mount OMNI 2		
<input type="checkbox"/> EDSAM	User swing away mount Indicate: <input type="checkbox"/> EDML (left hand side) <input type="checkbox"/> EDMR (right hand side)	Without supplement

Environmental control module		
<input type="checkbox"/> ECU	Environmental control module	+ 995,00 €

Power option seating		
<input type="checkbox"/> ADDPESX	28cm / 11" Power elevating seat	+ 2 148,00 €

Electronics - (requires EJRJC35B)		
<input type="checkbox"/> EBXMAC	EBX electric seat controller with smart actuators Indicate: <input type="checkbox"/> SWKEYPAD-T 5 rocker switch keypad <input type="checkbox"/> SWKEYPAD-P Keypad with 5 push-button switches	+ 445,00 €
<input type="checkbox"/> MACMEMORY	Program for memorizing seat positions Indicate: <input type="checkbox"/> User activation <input type="checkbox"/> Attendant activation <input type="checkbox"/> TSML (left) <input type="checkbox"/> TSMR (right)	+ 175,00 €

Width adjustable seat width range between 380-510mm			
<input type="checkbox"/> SOWNI5-20-19	Width adjustment of 380-510mm with maximum depth of 485mm		Without supplement
<input type="checkbox"/> SOWNI5-20-22	Width adjustment of 380-510mm with maximum depth of 560mm		
<input type="checkbox"/> SOWNI5 (380mm)	<input type="checkbox"/> SOWNI7 (430mm)	<input type="checkbox"/> SOWNI9S (485mm)	Standard
<input type="checkbox"/> SOWNI6 (405mm)	<input type="checkbox"/> SOWNI8 (455mm)	<input type="checkbox"/> SOWN20S (510mm)	

Width adjustable seat width range between 485-610mm			
<input type="checkbox"/> SOWNI9-24-22	Width adjustment of 485-610mm with maximum depth of 560mm		Without supplement
<input type="checkbox"/> SOWNI9L (485mm)	<input type="checkbox"/> SOWN21 (535mm)	<input type="checkbox"/> SOWN23 (585mm)	Standard
<input type="checkbox"/> SOWN20L (510mm)	<input type="checkbox"/> SOWN22 (560mm)	<input type="checkbox"/> SOWN24 (610mm)	

Adjustable seat depth range between 380-560mm			Public price excl. VAT
<input type="checkbox"/> SODNI5 (380mm)	<input type="checkbox"/> SODNI8 (455mm)	<input type="checkbox"/> SODN21 (535mm)	Standard
<input type="checkbox"/> SODNI6 (405mm)	<input type="checkbox"/> SODNI9 (485mm)	<input type="checkbox"/> SODN22 (560mm)	
<input type="checkbox"/> SODNI7 (430mm)	<input type="checkbox"/> SODN20 (510mm)		

Back cane height			
▲ The back cane height measurement is taken from the seat pan to the top of the push handles			Standard
<input type="checkbox"/> SOBCH22 (560mm / 22")	<input type="checkbox"/> SOBCH24 (610mm / 24")	<input type="checkbox"/> SOBCH26 (660mm / 26")	
▲ 560 mm is the minimum back cane height required with a power recline			

Type of backrest			
▲ The minimum space between the back and seat pan is 75mm/3" with a fixed back and 155mm/6" with a reclining back.			
<input type="checkbox"/> STDSB	Standard backrest (380-610mm/15-24" wide with a maximum shell height of 560mm/22")		Standard
<input type="checkbox"/> ADDMR	Manual fixed backrest		Without supplement
<input type="checkbox"/> NOACB	Ergo NXT Optima backrest with 8cm profile - 480-535mm wide		+ 639,25 €
<input type="checkbox"/> NOPCB	Ergo NXT Optima backrest with 15cm profile - 480-535mm wide		
<input type="checkbox"/> NOACB	Ergo NXT Optima backrest with 8cm profile - 560-660mm wide		+ 682,75 €
<input type="checkbox"/> NOPCB	Ergo NXT Optima backrest with 15cm profile - 560-660mm wide		
▲ The actual heights of the back shell only come to 330mm (13"), 405mm (16") or 485mm (19").			
<input type="checkbox"/> STDSBO	Backrest omission, specify the backrest model:		Without supplement
▲ It is recommended to use the Ergo backrest option with the power recline			

Back support total height			
<input type="checkbox"/> SOBH16 (405mm / 16")	<input type="checkbox"/> SOBH20 (510mm / 20")	<input type="checkbox"/> SOBH24 (610mm / 24")	Standard
<input type="checkbox"/> SOBH18 (455mm / 18")	<input type="checkbox"/> SOBH22 (560mm / 22")	<input type="checkbox"/> SOBH26 (660mm / 26")	
▲ 560 mm is the minimum back cane height required with a power recline			
<input type="checkbox"/> SOBH28 (710mm / 28")			
▲ This height is not available with the NXT Optima option (NXTOPT and NXTOPTD)			

Seat Cushions			
<input type="checkbox"/> SCPSC	Standard padded foam cushion		Standard
<input type="checkbox"/> CGAIR	Therapeutic air cushion - CGAIR		On request
▲ Please complete and attach the CG AIR measurement sheet			
<input type="checkbox"/> NXTBIOFIT	NXT BIO FIT Cushion - 480-535mm wide		+ 368,16 €
<input type="checkbox"/> NXTBIOFIT	NXT BIO FIT Cushion - 560-660mm wide		+ 401,60 €

Armrests			
▼ Only for power backrest			Standard
<input type="checkbox"/> SOANIFH	Type "i" armrest for reclining backrest Indicate: <input type="checkbox"/> Left side <input type="checkbox"/> Right side		
▼ Only for manual backrest			Standard
<input type="checkbox"/> SOADPFH	Retractable "u" type armrest Indicate: <input type="checkbox"/> Left side <input type="checkbox"/> Right side		
Armrest height adjustment			
Please set the armrest height at:			Without supplement
▲ The armrest height is taken from the seat pan to the top of the armpad.			

Armpads				Public price excl. VAT
<input type="checkbox"/> SOGELF	Full length hybrid gel and foam flat armpad	<input type="checkbox"/> Left	<input type="checkbox"/> Right	Without supplement
<input type="checkbox"/> SOGELD	Desk length hybrid gel and foam flat armpad	<input type="checkbox"/> Left	<input type="checkbox"/> Right	
<input type="checkbox"/> SOWGELF	Full length hybrid gel and foam waterfall armpad	<input type="checkbox"/> Left	<input type="checkbox"/> Right	+ 40,00 €
<input type="checkbox"/> SOWGELD	Desk length hybrid gel and foam waterfall armpad	<input type="checkbox"/> Left	<input type="checkbox"/> Right	
<input type="checkbox"/> I000522	Desk length large foam cushion	<input type="checkbox"/> Left	<input type="checkbox"/> Right	+ 95,00 €
<input type="checkbox"/> I000523	Full length large foam cushion	<input type="checkbox"/> Left	<input type="checkbox"/> Right	
<input type="checkbox"/> I000524	Desk length large gel cushion	<input type="checkbox"/> Left	<input type="checkbox"/> Right	+ 114,00 €
<input type="checkbox"/> I000525	Full length large gel cushion	<input type="checkbox"/> Left	<input type="checkbox"/> Right	
▲ The waterfall armpads may interfere with flipping back the armrests when combined with lateral trunk supports				
<input type="checkbox"/> SOCAR	Armpad trough with hand support 455 x 118 mm (18" x 4 1/2")	<input type="checkbox"/> Left	<input type="checkbox"/> Right	+ 170,00 €
▲ Arm trough armpads may interfere with Armrests flipping back.				

Individual legrests and accessories		
<input type="checkbox"/> MCELR	Manual adjustable leg supports without tools Indicate the dimension of the leg segment:	Standard
<input type="checkbox"/> SOAAF	Adjustable manual leg supports with tools Indicate inclination: <input type="checkbox"/> 60° <input type="checkbox"/> 70° Indicate the length: <input type="checkbox"/> SOFLHD12 (318-395mm) <input type="checkbox"/> SOFLHD14 (368-495mm)	Without supplement
<input type="checkbox"/> ADDPL	Power retractable compensated legrests with calf pads Indicate function: <input type="checkbox"/> Individual <input type="checkbox"/> Combined Indicate the length: <input type="checkbox"/> SOFLPW12 (318-395mm) <input type="checkbox"/> SOFLPW14 (368-495mm)	+ 1 452,00 €
<input type="checkbox"/> SOSFAF	Flip-up footplates	Standard
<input type="checkbox"/> SOAFP	Angle adjustable and flip-up footplates	Without supplement
<input type="checkbox"/> SOAHL	Heel loops	

Central legrest and accessories		
<input type="checkbox"/> SOAAF 90	Adjustable manual central legrest (90 °) with tools Indiquer la dimension du segment jambier :	Without supplement
<input type="checkbox"/> ADDPF	Power centre mount elevating and articulating foot platform Indicate the dimension of the leg segment: Indicate the length: <input type="checkbox"/> SOFBPW16 (318-420mm) <input type="checkbox"/> SOFBPW18 (420-520mm)	+ 1 452,00 €
▼ Please select the one piece centre mount (SOFUFP) or the split footplates (SOAFPFB).		
<input type="checkbox"/> SOFUFP	Flip-up one piece foot platform	Without supplement
<input type="checkbox"/> SOAFPFB	Angle adjustable and flip-up split footplates for center mount	

Security options		
<input type="checkbox"/> SOAUTO	Seatbelt, auto-buckle (140 cm / 55")	Standard
<input type="checkbox"/> SOAUTO-LGS	Retractable seatbelt, auto-buckle (140 cm / 55")	+ 75,00 €
<input type="checkbox"/> SOBPHP2C	Pelvic belt, 32 cm / 12" cushion, 2 central adjustment points, bodypoint	+ 170,00 €
<input type="checkbox"/> SOPHB	Pelvic belt, padded, seat 35-43 cm, central magnetic attachment	+ 194,00 €
<input type="checkbox"/> SOBPCS	Chest belt, cushion 31 cm / 12", bodypoint	+ 250,00 €
<input type="checkbox"/> SOPCS	Chest belt, padded, seat 35-43 cm / 14-17", central magnetic attachment	+ 262,00 €

Headrests		Public price excl. VAT
▼ Please select one of the headrest options with the mounting hardware and specify where the headrest will be installed		
<input type="checkbox"/> SOMAH	Multi-axis removable mounting hardware	Standard
<input type="checkbox"/> SOFHRS	Small curved headrest pad (100x230mm / 4x9")	
<input type="checkbox"/> SOFHRM	Medium curved headrest pad (125x255mm / 5x10")	
<input type="checkbox"/> SOFHRL	Large curved headrest pad (155x280mm / 6x11")	
<input type="checkbox"/> SOHRPR	To mount on the seat frame	

Trunk supports		
▼ Please select one of the lateral pads and the adjustable and removable hardware.		
<input type="checkbox"/> SOSLHM	Adjustable swing-away hardware mounts	+ 220,00 €
<input type="checkbox"/> SOSLS3	Adjustable laterals with small curved pads - 75x125mm/3x5"	+ 100,00 €
<input type="checkbox"/> SOSLM4	Adjustable laterals with medium curved pads - 100x155mm/4x6"	
<input type="checkbox"/> SOSLL5	Adjustable laterals with large curved pads - 125x180mm/5x7"	

Thigh supports		
▼ Please select one of the lateral pads and the adjustable and removable hardware.		
<input type="checkbox"/> SOHTSARH	Adjustable and removable hip and thigh support hardware	+ 136,00 €
<input type="checkbox"/> SOHTSS10	Adjustable hip and thigh support pads - Small 255x100mm/10x4"	+ 130,00 €
<input type="checkbox"/> SOHTSM12	Adjustable hip and thigh support pads - Medium 305x125mm/12x5"	
<input type="checkbox"/> SOHTSL14	Adjustable hip and thigh support pads - Large 355x155mm/14x6"	

Accessories		
<input type="checkbox"/> SOCH	Cup holder (self-leveling)	+ 115,00 €
<input type="checkbox"/> SOCPH	Ram mounts X-Grip mobile phone holder	+ 190,00 €
<input type="checkbox"/> SOTHS	Ram mounts X-Grip small tablet holder	+ 205,00 €
<input type="checkbox"/> SOTHL	Ram mounts X-Grip large tablet holder	+ 360,00 €
<input type="checkbox"/> SOBP	Backpack (Comes with durable straps that can be hooked around the back canes)	+ 90,00 €
<input type="checkbox"/> SOAP	Armrest side pouch <input type="checkbox"/> Left side <input type="checkbox"/> Right side	+ 53,00 €
<input type="checkbox"/> REFLECT	Red and white reflector kit stickers	Standard
▲ They will not be installed - Included in a bag with the owner's manual		

Switches and options		
<input type="checkbox"/> ASCPCP	PGDT RNET Dongle and PC programmer kit	+ 600,00 €
<input type="checkbox"/> SSBS	Buddy Button switch	+ 230,00 €
<input type="checkbox"/> SSES	Egg switch - black	+ 116,00 €
<input type="checkbox"/> SSML	Ultra light switch	+ 295,00 €

Specialty driver control options	Public price excl. VAT
▼ Specialty driver control options all require the OMNI 2 enhanced display and digital interface box (EDIB).	

▼ Switch-It proximity head array		
<input type="checkbox"/> SCSIHAA	Adult - 3 switch proximity head array with 1/8" mono jack for mode/reverse	+ 3 990,00 €
<input type="checkbox"/> SCSRМ	Stealth rock-n-lock swingaway mount for mode switch Indicate: <input type="checkbox"/> SWL swings left <input type="checkbox"/> SWR swings right	+ 510,00 €
<input type="checkbox"/> SSES-STD	Egg switch for changing modes - black Indicate: <input type="checkbox"/> MLH mount on left <input type="checkbox"/> MRH mount on right	Without supplement
▲ Required with the stealth rock-n-lock swingaway mount. The mode switch type can be changed from this selection in the SWITCHES & OPTIONS section.		
<input type="checkbox"/> SSBS-STD	Buddy button switch - (stop switch) - red ▲ Required with the Switch-It proximity head array.	
<input type="checkbox"/> SOMAH	Multi axis headrest removable mounting hardware ▲ Required with the Switch-It proximity head array.	

▼ Proportional RIM head control		
<input type="checkbox"/> SCPHC	3-axis proportional RIM head control package	On request
<input type="checkbox"/> SCSRМ	Stealth rock-n-lock swing away mount for mode switch	
<input type="checkbox"/> SSES-STD	Egg switch for changing modes - Black	
▲ Required with the stealth rock-n-lock swing away mount. The Mode Switch type can be changed from this selection in the SWITCHES & OPTIONS section.		
<input type="checkbox"/> SOMAH	Multi-axis headrest removable mounting hardware ▲ Required with the proportional RIM head control.	

▼ Switch-It micro-pilot light touch proportional Mini-joystick for chin / lip control		
<input type="checkbox"/> SCSIMP	MicroPilot light touch mini proportional joystick	+ 3 870,00 €
<input type="checkbox"/> SCSRМMP	Stealth rock-n-lock swingaway mount for chin MP Indicate: <input type="checkbox"/> SWL swings left <input type="checkbox"/> SWR swings right	+ 645,00 €
▲ Required with the Switch-It proximity micro-pilot		
<input type="checkbox"/> SCSRМ	Stealth rock-n-lock swing away mount for switch Indicate: <input type="checkbox"/> SWL swings left <input type="checkbox"/> SWR swings right	+ 510,00 €
<input type="checkbox"/> SSES	Egg switch - black Indicate: <input type="checkbox"/> MLH mount on left <input type="checkbox"/> MRH mount on right	+ 116,00 €
▲ Required with the stealth rock-n-lock swingaway mount. The mode switch type can be changed from this selection in the SWITCHES & OPTIONS section.		
<input type="checkbox"/> JCC	Chin cup	+ 55,00 €
<input type="checkbox"/> SOMAH	Multi-axis headrest removable mounting hardware ▲ Required with the Switch-It proximity micro-pilot ▼ Choose one(1) headrest pad	On request
<input type="checkbox"/> SOFHRS	Small curved headrest pad	
<input type="checkbox"/> SOPHRM	Medium curved headrest pad	
<input type="checkbox"/> SOPHRL	Large curved headrest pad	

▼ Proportional compact or mini joystick for midline mount		Public price excl. VAT
<input type="checkbox"/> SCPGMJS	PG Drives JC200 Proportional compact remote joystick for midline mount	On request
<input type="checkbox"/> SCGMJSM	Gatlin midline swing-away mount for JC200	
▲ Must be selected for use with the PG Drives JC200 mini joystick		
<input type="checkbox"/> SCSIMP	Switch-It MicroPilot light touch mini proportional joystick	
<input type="checkbox"/> SCGMPPM	Gatlin midline swing-away mount for MicroPilot	
▲ Must be selected for use with the Switch-It MicroPilot		
<input type="checkbox"/> SCBTM	Bullet hand tray for MicroPilot	
▲ This option is only compatible with the Switch-It MicroPilot		

▼ Proportional compact or mini joystick for armrest mount		
<input type="checkbox"/> SCPGMJS	PG Drives JC200 proportional compact remote joystick for armrest mount	On request
<input type="checkbox"/> SCARMJSM	Swing-away and multi-axis armrest mount	
▲ Must be selected for use with the PG Drives JC200 mini joystick		
<input type="checkbox"/> SCSIMP	Switch-It MicroPilot light touch mini proportional joystick	
<input type="checkbox"/> SCARMPPM	Swing-away and multi-axis armrest mount	
▲ Must be selected for use with the Switch-It MicroPilot		
<input type="checkbox"/> SCBTM	Bullet hand tray for MicroPilot	
▲ This option is only compatible with the Switch-It MicroPilot		

Shipping and packing costs on request

Scustom section  
 ▼ Lead times will increase depending on the custom order pipeline at the time the purchase order is received. Please call for quote and specifications.

Notes