

ALLTRACK M ASCENT - PUBLIC PRICE LIST

Use: indoor and outdoor Modular seat and various options available Max. weight user: 113 kg Width: 645 mm Length: 890 mm without footrest Autonomy (battery): 25 km (70A) Motors: 2 AMT x 350W (10 km/h) Two year warranty (except for wearing parts) Except battery warranty | year

Professional order form - N° :

| Billing address | Delivery address |
|-----------------|------------------|
| Store: | Store: |
| Street: | Street: |
| PC: | PC: |
| City: | City: |
| Email : | Email : |
| Phone: | Phone: |

Date :

| Article | | Designation | | | Public price excl. VAT |
|------------|----------------|---|-------------------|-------------------------------------|----------------------------------|
| □ IATV0000 | 0001 | ALLTRACK M wheelchair with standing n | nodule | | 22 894,00 € |
| Standard o | ptions include | d | | | |
| WCA3 | Maximum u | ser weight: 113kg (250lb) | ADDPF | Power centre mount elevating | g and articulating foot platform |
| BCOB | Offboard ba | ttery charger | JSMFH | Joystick mount support brac | cket |
| SFE-0 | 0° pre-set fr | ame seat angle | ECRI20 | R-Net 120 Amp expandable controller | |
| TTD4 | 4-Point whe | elchair transport brackets | ECRNH | R-Net Harness for expandat | ole controller |
| SAABA-STD | Amyseat ad | justable seat structure | ECRJC35B | Joystick full option R-net (b | luetooth-infrarouge) |
| EBXMAC | EBOX cont | roller with intelligent cylinders | SOAUTO | Pelvic belt | |
| PTSX-A300 | Power seat | tilt with compensation (0 ° to 50 °) | SOPCS | Chest belt | |
| PRX-300 | Power tiltin | g of the backrest | SOKSSH | Knee supports | |
| | ▲ It is recor | nmended to use the ergo NXT backrest option | n with power tilt | | |

| User body for chair adjustments | | |
|---------------------------------|------------|------------|
| Weight (kg): | Size (m.): | Comments : |

| New colors | | | |
|-------------------------|----------------------------|-----------------|----------|
| SCMOBM Onyx black matte | SCMCRE Candy red | SCMHAB Habanero | |
| SCMCTB Cobalt blue | SCMCAB Cabernet | SCMLIM Sublime | Standard |
| SCMIOB Indigo blue | SCMBGM Bubble gum metallic | | |

| Optional hydr | ographics colors | | | | | |
|---------------|---------------------|-------|---------------|-------|--------------|------------|
| FCHDD | Desert digital camo | FCHWL | Woodland camo | FCHCF | Carbon fiber | On request |
| | | | | | | |

| Motor assembly | | |
|----------------|---|------------|
| <u></u> МР65В | 4-pole motor unit at 10 km / h / with electro-brakes | Standard |
| MP65-OPT | 4-pole motor unit at 10 Km / h / with electro-brakes (requires the SMART-TRACK) | + 395,00 € |

Validity to 31/12/2023 - Version 1.1



| Assi | stive driving packag | ge | Public price excl. VA |
|-------|--|---|-----------------------------------|
| | SMARTT | Smart-Track (This option requires the MP65-OPT) | + 420,00 € |
| | - | y provides increased tracking capabilities with enhanced traction and steering precision. This is ideal for tho es the R-net PM 120 Amp Expandable Controller (ECR120) | se with marginal hand function or |
| Batte | ery holder and fra | ne size | |
| | FS24B | Battery holder for 70Ah batteries - Total frame width: 645mm | Standard |
| Batte | eries | | |
| | BAT24GEL | GEL Power Battery CG - Group 24 - 70 Ah | Standard |
| | | | |
| | e wheel - black | 2FF-um and umatic | Stop david |
| _ | | 355mm pneumatic | Standard |
| _ | | 355mm pneumatic tire | |
| | | 305mm x 100mm extra-large pneumatic | Without supplement |
| | | 305mm x 100mm extra-large pneumatic tire | |
| _ | DWI44PTB | 355mm x 100mm extra-large pneumatic | + 595,00 € |
| | DWI44PIB | 355mm x 100mm extra-large pneumatic tire | |
| | Extra wide wheels inc | rease the overall width of the base by 65mm | |
| ror | nt casters - black | | |
| | FC6S | 150mm (6") Pneumatic casters with foam filled | Without supplement |
| | ▲ Not compatible with [| DWI44 tires | |
| | FC8PTMB | 205mm (8") Pneumatic casters | |
| | FC8PIMB | 205mm (8") Pneumatic casters with foam filled | Without supplement |
| Seat | to floor height (M | leasurement to top of seat pan) | |
| | • • | | |
| | Options without a STEH1675 (42 5cm) | Requires DW12 wheels STFH1775 (45.0cm) | Standard |
| _ | . , | | Standard |
| | - | Adard power elevating seat | Standard |
| _ | | | otulida d |
| | SOMHSS | specificationother than standard Specific seat to floor height requirement other than standard | |
| | | | Without supplement |
| | | Required at: | |
| _ight | ting package | | |
| | EOLP | LED Light Package (front beams, side flashers, rear tail light with flashers & brake light) | + 937,00 € |
| | | | |
| oys | | | |
| | ECO | Omit joystick (Requires the OMNI 2 display - see EDIB option) | Without supplement |
| oys | tick mount | | |
| - | JSMSA | Swing-away joystick mount - Height adjustable, angle adjustable and multi-axis | |
| - | | Set-up with standard installation to swing-away sideways | |
| | | Set-up at 35° to swing-away sideways and downwards | Without supplement |
| | | Indicate: HML (left hand side) HMR (right hand side) | |

Validity to 31/12/2023 - Version 1.1



| Joystick handle | | Public price excl. VAT |
|-----------------|------------------------------------|------------------------|
| 🔲 JSH | Standard joystick gimble | Standard |
| 🔲 ЈВАТ | Stick handle 75mm / 3" in length | + 30,00 € |
| 🔄 ЈВН | Ball handle | + 85,00 € |
| JFBH | Foam ball handle | + 70,00 € |
| 🔲 JGP | Bodypoint 100mm/4" U-shaped handle | + 210,00 € |
| JMUSH | Bodypoint - Mushroom Handle | + 210,00 € |
| 🛄 ЈТН | T-handle | + 155,00 € |

| Attendant drive control o | pption | |
|---------------------------|---|------------|
| EADC | Attendant hand control | + 677.73 € |
| | Indicate: 🔲 EADCL (left hand side) 🗌 EADCR (right | |

| Enhanced digital displays C | DMNI 2 | |
|-----------------------------|---|--------------|
| EDIB | OMNI 2 - enchanced display & digital interface box with infared | + 9 5,00 € |

| Enhanced display mount C | OMNI 2 | | | |
|--------------------------|--------------------------------|-------------------------------|--------------------|--|
| EDSAM | User swing away mount | | | |
| | Indicate: DML (left hand side) | EDMR (right hand side) | Without supplement | |

| Environmental control module | | |
|------------------------------|------------------------------|------------|
| ECU | Environmental control module | + 995,00 € |

| Power option seating | | |
|----------------------|---------------------------------|---------------|
| ADDPESX | 28cm / 11" Power elevating seat | + 2 48,00 € |

| EBOX electronic (intellige | ent cylinders |) | | |
|----------------------------|---|---------------------------|------------------------------------|------------|
| EBXMAC | EBX electric seat controller with smart actuators | | | |
| | Indicate: | SWKEYPAD-T | 5 rocker switch keypad | + 445,00 € |
| | | SWKEYPAD-P | Keypad with 5 push-button switches | |
| | Program for | memorizing seat positions | | |
| | Indicate: | User activation | Attendant activation | + 175,00 € |
| | | TSML (left) | TSMR (right) | |

| Width adjustable seat width range between 380-510mm | | | | |
|--|---|-----------------|--------------------|--|
| SOWNI5-20-19 Width adjustment of 380-510mm with maximum depth of 485mm | | | Without supplement | |
| SOWN15-20-22 | Width adjustment of 380-510mm with maximum depth of 560mm | | Without supplement | |
| SOWN15 (380mm) | SOWN17 (430mm) | | Standard | |
| SOWN16 (405mm) | SOWN18 (455mm) | SOWN20S (510mm) | Standard | |

| Width adjustable seat width range between 485-610mm | | | | |
|---|---|----------------|----------|--|
| SOWN19-24-22 | OWN19-24-22 Width adjustment of 485-610mm with maximum depth of 560mm | | | |
| SOWN19L (485mm) | SOWN21 (535mm) | SOWN23 (585mm) | Standard | |
| SOWN20L (510mm) | SOWN22 (560mm) | SOWN24 (610mm) | Standard | |

Adjustable seat depth range between 380-560mm \$ODN15 (380mm) \$ODN18 (455mm) \$ODN21 (535mm) \$ODN16 (405mm) \$ODN19 (485mm) \$ODN22 (560mm) \$ODN17 (430mm) \$ODN20 (510mm) \$Standard

Validity to 31/12/2023 - Version 1.1



| Back cane height | Public price excl. VAT | |
|--|-------------------------------|----------|
| ▲ The back cane height measurement is taken from the seat pan to | o the top of the push handles | |
| SOBCH22 (560mm / 22") SOBCH24 (610mm / 24") | | Standard |
| ▲ 560 mm is the minimum back cane height required with a power | r recline | |

Type of backrest

| ▲ The minimum space between the back and seat pan is 75mm/3" with a fixed back and 155mm/6" with a reclining back. | | | |
|--|---|--------------------|--|
| STDSB | STDSB Standard backrest (380-610mm/15-24" wide with a maximum shell height of 560mm/22") Standard | | |
| NOACB | Ergo NXT Optima backrest with 8cm profile - 380-535mm wide | + 639.25 € | |
| | Ergo NXT Optima backrest with 15cm profile - 380-535mm wide | + 637,25 € | |
| NOACB | Ergo NXT Optima backrest with 8cm profile - 560-610mm wide | + 682,75 € | |
| | Ergo NXT Optima backrest with 15cm profile - 560-610mm wide | | |
| ▲ The actual heights of the back shell only come to 330mm (13"), 405mm (16") or 485mm (19"). | | | |
| STDSBO | Backrest omission, specify the backrest model: | Without supplement | |
| ▲ It is recommended to use the Ergo backrest option with the power recline | | | |

| Ba | Back support total height | | | |
|--|--|-----------------------------|----------|--|
| | SOBH16 (405mm / 16") 🔲 SOBH20 (510mm / 20") | SOBH24 (610mm / 24") | | |
| | SOBH18 (455mm / 18") 🔲 SOBH22 (560mm / 22") | SOBH26 (660mm / 26") | | |
| | ▲ 560 mm is the minimum back cane height required with a power recli | ne | Standard | |
| | SOBH28 (710mm / 28") | | | |
| ▲ This height is not available with the NXT Optima option (NXTOPT and NXTOPTD) | | | | |

| Seat Cushions | | |
|---|--------------------------------------|------------|
| | Standard padded foam cushion | Standard |
| CGAIR | Therapeutic air cushion - CGAIR | On request |
| ▲ Please complete and attach the CG AIR measurement sheet | | Onrequest |
| | NXT BIO FIT Cushion - 380-535mm wide | + 368,16 € |
| | NXT BIO FIT Cushion - 560-610mm wide | + 401,60 € |

| Armrests foldable back a | nd adjustable in height | | |
|---|-------------------------|------------|--------------------|
| SOAFBFH | Long armrest | | Standard |
| | Indicate: 🔲 Left side | Right side | Standard |
| ▼ Only for manual backrest | | | |
| SOAFBDH | Short armrest | | Without supplement |
| | Indicate: 🔲 Left side | Right side | |
| Armrest height adjustmer | ıt | | |
| Please set the armrest height at: | | | Without supplement |
| ▲ The armrest height is taken from the seat pan to the top of the armpad. | | | without supplement |

Validity to 31/12/2023 - Version 1.1



| Armpads | | | | Public price excl. VAT |
|---|---|--------------|---------|------------------------|
| | Full length hybrid gel and foam flat armpad | 🔲 Left | 🔲 Right | Without supplement |
| SOGELD | Desk length hybrid gel and foam flat armpad | 📘 Left | 🔲 Right | without supplement |
| | Full length hybrid gel and foam waterfall armpad | 🔲 Left | 🔲 Right | + 40.00 € |
| SOWGELD | Desk length hybrid gel and foam waterfall armpad | 🔲 Left | 🔲 Right | + 40,00 E |
| L 1000522 | Desk length large foam cushion | 📘 Left | 🔲 Right | + 95.00 € |
| I000523 | Full lenght large foam cushion | 🔲 Left | 🔲 Right | + 75,00 € |
| L 1000524 | Desk length large gel cushion | 🔲 Left | 🔲 Right | + 4.00 € |
| L 1000525 | Full lenght large gel cushion | 📘 Left | 🔲 Right | + 114,00 E |
| ▲ The waterfall armpads may interfere with flipping back the armrests when combined with lateral trunk supports | | | | |
| SOCAR | Armpad trough with hand support 455 x 118 mm (18" x 4 | 1⁄2") 🔲 Left | 🔲 Right | + 70.00 € |
| ▲ Arm trough armpads m | ay interfere with Armrests flipping back. | | | + 170,00 E |

| Central legrest and accessories | | |
|--|--|--------------------|
| | Power centre mount elevating and articulating foot platform | |
| | Indicate the dimension of the leg segment: | Standard |
| | Indicate the length: SOFBPW16 (318-420mm) SOFBPW18 (420-520mm) | |
| ▼ Please select the one piece centre mount (SOFUFP) or the split footplates (SOAFPFB). | | |
| | Flip-up one piece foot platform | Without supplement |
| SOAFPFB | Angle adjustable and flip-up split footplates for center mount | Without supplement |

| Seat belts for stand-up module | | | |
|--------------------------------|--|------------|--|
| ▼ Please select one pelv | ▼ Please select one pelvic belt and one chest belt | | |
| | Seatbelt, auto-buckle (140 cm / 55") | Standard | |
| SOBPHP2C | Pelvic belt, 32 cm / 12" cushion, 2 central adjustment points, bodypoint | + 170,00 € | |
| SOPHB | Pelvic belt, padded, seat 35-43 cm, central magnetic attachment | + 194,00 € | |
| | Chest belt, cushion 31 cm / 12", bodypoint | + 262,00 € | |
| | Chest belt, padded, seat 35-43 cm / 14-17", central magnetic attachment | + 250,00 € | |

| Knee supports for stand-up module | | | |
|-----------------------------------|---------------------------------------|---------|----------|
| ▼ Requires with stand-up module | | | |
| SOKSSH-LH | Removable and adjustable knee support | Left | Standard |
| SOKSSH-RH | Removable and adjustable knee support | 🔲 Right | Standard |

| He | Headrests | | | |
|----|---|--|----------|--|
| | ▼ Please select one of the headrest options with the mounting hardware and specify where the headrest will be installed | | | |
| | SOMAH | Multi-axis removable mounting hardware | | |
| | SOFHRS | Small curved headrest pad (100x230mm / 4x9") | | |
| | SOFHRM | Medium curved headrest pad (125x255mm / 5x10") | Standard | |
| | SOFHRL | Large curved headrest pad (155x280mm / 6x11") | | |
| | SOHRPR | To mount on the seat frame | | |

Trunk supports

| ▼ Please select on | ▼ Please select one of the lateral pads and the adjustable and removable hardware. | |
|--------------------|--|------------|
| SOSLHM | Adjustable swing-away hardware mounts | + 220,00 € |
| SOSLS3 | Adjustable laterals with small curved pads - 75x125mm/3x5" | |
| SOSLM4 | Adjustable laterals with medium curved pads - 100x155mm/4x6" | + 100,00 € |
| SOSLL5 | Adjustable laterals with large curved pads - 125x180mm/5x7" | |

Validity to 31/12/2023 - Version 1.1



| Thigh supports | | Public price excl. VAT |
|--|--|------------------------|
| ▼ Please select one of the lateral pads and the adjustable and removable hardware. | | |
| SOHTSARH | Adjustable and removable hip and thigh support hardware | + 136,00 € |
| SOHTSS10 | Adjustable hip and thigh support pads - Small 255x100mm/10x4" | |
| SOHTSMI2 | Adjustable hip and thigh support pads - Medium 305x125mm/12x5" | + 130,00 € |
| SOHTSL14 | Adjustable hip and thigh support pads - Large 355x155mm/14x6" | |

Accessories

| , (6665501165 | | | |
|------------------------|--|--------------------------|------------|
| 🗋 soch | Cup holder (self-leveling) | | + 115,00 € |
| SOCPH | Ram mounts X-Grip mobile phone holder | | + 190,00 € |
| SOTHS | Ram mounts X-Grip small tablet holder | | + 205,00 € |
| SOTHL | Ram mounts X-Grip large tablet holder | | + 360,00 € |
| SOBP | Backpack (Comes with durable straps that can be hooked arou | nd the back canes) | + 90,00 € |
| SOAP | Armrest side pouch | 🔲 Left side 🔲 Right side | + 53,00 € |
| REFLECT | Red and white reflector kit stickers | | Standard |
| ▲ They will not be ins | ▲ They will not be installed - Included in a bag with the owner's manual | | Standard |

| Switches and options | | |
|----------------------|--|------------|
| ASCPCP | PGDT RNET Dongle and PC programmer kit | + 600,00 € |
| SSBS | Buddy Button switch | + 230,00 € |
| SSES | Egg switch - black | + 116,00 € |
| SSML | Ultra light switch | + 295,00 € |

Specialty driver control options

▼ Specialty driver control options all require the OMNI 2 enhanced display and digital interface box (EDIB).

| ▼ Switch-It proximity head array | | | |
|----------------------------------|---|--------------------|--------------------|
| SCSIHAA | Adult - 3 switch proximity head array with $\frac{1}{8}$ " mono jack | c for mode/reverse | + 3 990,00 € |
| SCSRM | Stealth rock-n-lock swingaway mount for mode switch Indicate: SWL swings left SWR swings right | | + 510,00 € |
| SSES-STD | Egg switch for changing modes - black Indicate: Indicate: MLH mount on left | MRH mount on right | |
| | ▲ Required with the stealth rock-n-lock swingaway mount. The mode switch type can be changed from this selection in the SWITCHES & OPTIONS section. | | |
| SSBS-STD | Buddy button switch - (stop switch) - red | | Without supplement |
| ▲ Required with the Swi | ▲ Required with the Switch-It proximity head array. | | |
| SOMAH | SOMAH Multi axis headrest removable mounting hardware | | |
| ▲ Required with the Swi | ch-It proximity head array. | | |

| ▼ | ▼ Proportional RIM head control | | | |
|---|--|--|------------|--|
| | SCPHC | 3-axis proportional RIM head control package | | |
| | SCSRM | Stealth rock-n-lock swing away mount for mode switch | | |
| | SSES-STD | Egg switch for changing modes - Black | | |
| | ▲ Required with the stealth rock-n-lock swing away mount. The Mode Switch type can be changed from this selection in the SWITCHES & OPTIONS section. | | On request | |
| | Somah | Multi-axis headrest removable mounting hardware | | |
| | ▲ Required with the prop | oortional RIM head control. | | |

Validity to 31/12/2023 - Version 1.1



| ▼ | ▼ Switch-It micro-pilot light touch proportional Mini-joystick for chin / lip control | | | Public price excl. VAT |
|---|---|--|------------------------------|------------------------|
| | SCSIMP | MicroPilot light touch mini proportional joystick | | + 3 870,00 € |
| | SCSRMMP | Stealth tock-n-lock swingaway mount for chin MP Indicate: 🔲 SWL swings left | SWR swings right | + 645,00 € |
| | Required with the Swite | h-lt proximity micro-pilot | | |
| | SCSRM | Stealth rock-n-lock swing away mount for switch Indicate: SWL swings left | SWR swings right | + 510,00 € |
| | SSES | Egg switch - black Indicate: 🔲 MLH mount on left | MRH mount on right | + 116,00 € |
| | ▲ Required with the stealt the SWITCHES & OPTION | h rock-n-lock swingaway mount. The mode switch type can be ch IS section. | anged from this selection in | + 110,00 E |
| | JCC | Chin cup | | + 55,00 € |
| | SOMAH | Multi-axis headrest removable mounting hardware | | |
| | ▲ Required with the Switch-It proximity micro-pilot | | | |
| | ▼ Choose one(1) headrest pad | | | |
| | SOFHRS | Small curved headrest pad | | On request |
| | SOPHRM | Medium curved heardrest pad | | |
| | SOPHRL | Large curved headrest pad | | |

| ▼ | Proportional compact or mini joystick for midline mount | | |
|---|---|--|------------|
| | SCPGMJS | PG Drives JC200 Proportional compact remote joystick for midline mount | |
| | SCGMJSM | Gatlin midline swing-away mount for JC200 | |
| | ▲ Must be selected for use with the PG Drives JC200 mini joystick | | |
| | SCSIMP | Switch-It MicroPilot light touch mini proportional joystick | On request |
| | SCGMPM | Gatlin midline swing-away mount for MicroPilot | On request |
| | ▲ Must be selected for use with the Switch-It MicroPilot | | |
| | SCBTM | Bullet hand tray for MicroPilot | |
| | ▲ This option is only com | patible with the Switch-It MicroPilot | |

| ▼ | Proportional compact or mini joystick for armrest mount | | | |
|---|--|--|------------|--|
| | SCPGMJS | PG Drives JC200 proportional compact remote joystick for armrest mount | | |
| | SCARMJSM | Swing-away and multi-axis armrest mount | | |
| | ▲ Must be selected for us | | | |
| | SCSIMP | Switch-It MicroPilot light touch mini proportional joystick | On request | |
| | SCARMPM | Swing-away and multi-axis armrest mount | On request | |
| | ▲ Must be selected for use with the Switch-It MicroPilot | | | |
| | SCBTM | Bullet hand tray for MicroPilot | | |
| | ▲ This option is only com | patible with the Switch-It MicroPilot | | |

Shipping and packing costs on request

Scustom section

Lead times will increase depending on the custom order pipeline at the time the purchase order is received. Please call for quote and specifications.

Notes