


ALLTRACK R - PUBLIC PRICE LIST

Hybrid drive power wheelchair Use: indoor and outdoor Modular seat and various options available Max. weight user: 136 kg Width: 600 or 640 mm / Length: 910 mm Autonomy : 20 km (50Ah) / 25 km (70Ah) Battery : 50A or 70A Motors: 2 AMT x 350W (10 km/h) Two year warranty (except for wearing parts) Except battery warranty I year



Professional order form - N° :

Billing address	Delivery address
Store:	Store:
Street:	Street:
PC:	PC:
City:	City:
Email :	Email :
Phone:	Phone:

Date :

Article		Designation			Public price excl. VAT
[] IATR00000	0001 ALLTRACK R power wheelchair				4 660,00 €
Standard op	otions include	d			
WCA3	Maximum u	ser weight: 136kg (300lb)	MCELR	Manual adjustable leg supports without too	ls
TTD4	Wheelchair	transport brackets	JSMFH	Joystick mount support bracket	
всов	Offboard battery charger		ECRI20	R-Net 120 Amp expandable controller	
SFE-0	0° pre-set frame seat angle		ECRNH	R-Net Harness for expandable controller	
SAABA-STD	Amyseat adjustable seat structure				
MAC	Multiple electric seat controller (2 to 6 actuators) interfaced via Electronics R-net				
PTSX-A300	Power seat tilt with compensation (0 ° to 50 °)				
PRX-300	Power tilting of the backrest with reduction of mechanical shear				
	▲ It is recommended to use the ergo NXT backrest option with power tilt				

User body for chair adjustments

ober body for chair adjubations							
Weight (kg):	Size (m.):	Comments :					

New colors							
🔲 SCMOBM	Onyx black matte		Candy red	SCM	MHAB	Habanero	
SCMCTB	Cobalt blue	SCMCAB	Cabernet	SCM	MLIM S	Sublime	Standard
	Indigo blue	SCMBGM	Bubble gum metallic				

Optional hydrographics colors						
FCHDD	Desert digital camo	FCHWL	Woodland camo	FCHCF	Carbon fiber	On request

Motor assembly					
<u></u> МР65В	4-pole motor unit at 10 km / h / with electro-brakes	Standard			
MP65-OPT	4-pole motor unit at 10 Km / h / with electro-brakes (requires the SMART-TRACK)	+ 395,00 €			

Validity to 31/12/2023 - Version 1.1



Assistive driving package		Public price excl. VAT		
SMARTT	Smart-Track (This option requires the MP65-OPT)	+ 420,00 €		
▲ Smart-Track technology provides increased tracking capabilities with enhanced traction and steering precision. This is ideal for those with marginal hand function or switch control. ▲ Requires the R-net PM I 20 Amp Expandable Controller (ECRI20)				

Battery holder and frame size				
FS22B	Battery holder for 50Ah batteries - Total frame width: 600mm	Standard		
FS24B	Battery holder for 70Ah batteries - Total frame width: 640mm	Without supplement		

Batteries					
BAT22NFGEL	GEL Power Battery CG - Group 22NF - 50 Ah	Without our slowert			
BAT24GEL	GEL Power Battery CG - Group 24 - 70 Ah	Without supplement			

Drive wheel - black					
DWI4PTB	355mm pneumatic	Standard			
DWI 4PIB	355mm pneumatic tire				
DWI2PTB	305mm × 100mm extra-large pneumatic	Without supplement			
DWI2PIB	305mm x 100mm extra-large pneumatic tire				
DWI44PTB	355mm x 100mm extra-large pneumatic	+ 595,00 €			
DWI44PIB	355mm x 100mm extra-large pneumatic tire	+ 373,00 'E			
▲ Extra wide wheels i	▲ Extra wide wheels increase the overall width of the base by 65mm				

Front casters - black

FC8PTRB 205mm (8") Pneumatic casters		Standard
FC8PIRB	205mm (8") Pneumatic casters with foam filled	Without supplement
🔲 FC9PTB	230mm (9") Pneumatic casters	+ 150,00 €
FC9PIB	230mm (9") Pneumatic casters with foam filled	+ 175,00 €

▲ 230mm (9 ") casters increase the minimum seat-to-floor height by 15mm (1/2") and are NOT compatible with the 318mm (12 ½ ") drive wheel configuration and are NOT compatible with many front rig options, please see details in the front rig sections.

Seat to floor height (Measurement to top of seat pan)						
►	Options for a power tilt or a power elevating seat					
🗋 STR	FH1575 (39,5cm) ► Requires DW12 wheels					
🔲 STR	FH1625 (41.5cm)	STFH1825 (46.5cm)	Standard			
🔲 STF	FH1725 (44.0cm)	STFH1875 (47.5cm)				
Options for a combination power tilt with a standard power elevating seat						
STFH1825 (46.5cm)			Standard			
Seat to floor height specificationother than standard						
🗋 so	SOMHSS Specific seat to floor height requirement other than standard					
	Required at:	Without supplement				

Lighting package				
EOLP	LED Light Package (front beams, side flashers, rear tail light with flashers & brake light)	+ 937,00 €		
▲ Requires the upgraded Joystick with Light Operation or the OMNI 2 (ECELJL, ECRJCL, ECRJC35B or EDIB).				

Joysticks				
Selection of one joystick option below is required with the expandable controller ECR120				
ECO	Omit joystick (Requires the OMNI 2 display - see EDIB option)	Without supplement		
ECRJC	R-Net joystick with colour screen	Standard		
ECRJCL	R-Net joystick (LCD) with colour screen and lighting operation	+ 180,00 €		
ECRJC35B	R-Net Bluetooth joystick full option (90mm / 3 ½" screen) lighting kit, switches and sockets	+ 105,00 €		

Validity to 31/12/2023 - Version 1.1



Joystick mount			Public price excl. VAT
JSMSA	Swing-away joystick mount - Height adjustable, angle adjustable and multi-axis		
	Set-up with standard installation to	o swing-away sideways	Without supplement
	Set-up at 35° to swing-away sidew	rays and downwards	without supplement
	Indicate: 🔲 HML (left hand side)	HMR (right hand side)	

Joystick handle Standard 🔲 JSH Standard joystick gimble 🔲 ЈВАТ Stick handle 75mm / 3" in length + 130,00 € + 85,00 € 🔲 ЈВН Ball handle + 70,00 € Foam ball handle 🔲 JFBH Bodypoint 100mm/4" U-shaped handle +210,00 € 🔲 JGP +210,00 € JMUSH Bodypoint - Mushroom Handle + 155,00 € T-handle 🔲 ЈТН

Attendant drive control option					
EADC	Attendant hand control			+ (77 7) E	
	Indicate:	EADCL (left hand side)	EADCR (right hand side)	+ 677,73 €	

Enhanced digital displays OMNI 2			
EDIB	OMNI 2 - enchanced display & digital interface box with infared	+ 9 5,00 €	

Enhanced display mount OMNI 2				
EDSAM User swing away mount Without supplement				
	Indicate:	EDML (left hand side)	EDMR (right hand side)	without supplement

Environmental control module			
□ ECU Environmental control module + 995,00 €			

Power option seating		
	28cm / 11" Power elevating seat	+ 2 48,00 €

Electronics - (requires EJRJC35B)				
EBXMAC	EBX electric seat controller with smart actuators			
	Indicate:	SWKEYPAD-T	5 rocker switch keypad	+ 445,00 €
		SWKEYPAD-P	Keypad with 5 push-button switches	
	Program for	memorizing seat positions		
	Indicate:	User activation	Attendant activation	+ 175,00 €
		TSML (left)	TSMR (right)	

Width adjustable seat width range between 380-510mm				
SOWNI5-20-19 Width adjustment of 380-510mm with maximum depth of 485mm			Mitheut augelement	
SOWN15-20-22	Width adjustment of 380-510mm with maxim	Without supplement		
SOWN15 (380mm)	SOWN17 (430mm)	SOWN19S (485mm)	C tour dourd	
SOWN16 (405mm)	SOWN18 (455mm)	SOWN20S (510mm)	Standard	

Width adjustable seat width range between 485-610mm				
SOWN19-24-22	Width adjustment of 485-610mm with maximum depth of 560mm Without supplement			
SOWN19L (485mm)	SOWN21 (535mm)	SOWN23 (585mm)	Standard	
SOWN20L (510mm)	SOWN22 (560mm)	SOWN24 (610mm)	Standard	

Validity to 31/12/2023 - Version 1.1



Adjustable seat depth ran	ge between 380-560mm		Public price excl. VAT	
SODNI5 (380mm)	SODN18 (455mm)	SODN21 (535mm)		
SODN16 (405mm)	SODNI9 (485mm)	SODN22 (560mm)	Standard	
SODN17 (430mm)	SODN20 (510mm)			
Back cane height				
▲ The back cane height m	neasurement is taken from the seat pan to the top	of the push handles		
SOBCH22 (560mm / 22")	SOBCH24 (610mm / 24")	SOBCH26 (660mm / 26")	Standard	
▲ 560 mm is the minimum	n back cane height required with a power recline			
Type of backrest				
▲ The minimum space bet	tween the back and seat pan is 75mm/3" with a fi	xed back and 155mm/6" with a reclining back.		
STDSB	Standard backrest (380-610mm/15-24" wide	with a maximum shell height of 560mm/22")	Standard	
ADDMR	Manual fixed backrest		Without supplement	
	Ergo NXT Optima backrest with 8cm profile	- 480-535mm wide	+ 639.25 €	
	Ergo NXT Optima backrest with 15cm profil	e - 480-535mm wide	+ 037,23 €	
	Ergo NXT Optima backrest with 8cm profile	- 560-660mm wide	+ 682,75 €	
	Ergo NXT Optima backrest with 15cm profile - 560-660mm wide + 682,75			
▲ The actual heights of the back shell only come to 330mm (13"), 405mm (16") or 485mm (19").				
STDSBO Backrest omission, specify the backrest model:			Without supplement	
▲ It is recommended to u	se the Ergo backrest option with the power recli	ne		

Bac	Back support total height						
	SOBH16 (405mm / 16")	SOBH20 (510mm / 20")	SOBH24 (610mm / 24")				
	SOBH18 (455mm / 18")	SOBH22 (560mm / 22")	SOBH26 (660mm / 26")				
▲ 560 mm is the minimum back cane height required with a power recline			Standard				
		in back can't neight required with a power recline		Standard			
	SOBH28 (710mm / 28")	in back cane neight required with a power recime		Standard			

Seat Cushions				
	Standard			
CGAIR	Therapeutic air cushion - CGAIR	On request		
▲ Please complete and attach the CG AIR measurement sheet				
	NXT BIO FIT Cushion - 480-535mm wide	+ 368,∣6 €		
	NXT BIO FIT Cushion - 560-660mm wide	+ 401,60 €		

Armrests				
▼Only for power backres				
SOANIFH	SOANIFH Type "i" armrest for reclining backrest			
	Indicate: 🔲 Left side	Right side		
▼ Only for manual backre				
SOADPFH	SOADPFH Retractable "u" type armrest			
	Indicate: 🔲 Left side	Right side		
Armrest height adjustment				
Please set the armrest height				
▲ The armrest height is ta	Without supplement			

Validity to 31/12/2023 - Version 1.1



Arr	mpads						Public price excl. VAT		
	SOGELF	Full length hybrid gel and foam flat armpad		Left		Right	Without supplement		
	SOGELD	Desk length hybrid gel and foam flat armpad		Left		Right	without supplement		
	SOWGELF	Full length hybrid gel and foam waterfall armpad		Left		Right	+ 40.00 €		
	SOWGELD	Desk length hybrid gel and foam waterfall armpad		Left		Right	+ 40,00 €		
	1000522	Desk length large foam cushion		Left		Right	+ 95,00 €		
	1000523	Full lenght large foam cushion		Left		Right			
	1000524	Desk length large gel cushion		Left		Right	+ 4.00 €		
	1000525	Full lenght large gel cushion		Left		Right	+ 114,00 €		
	▲ The waterfall armpads may interfere with flipping back the armrests when combined with lateral trunk supports								
	SOCAR	Armpad trough with hand support 455 x 118 mm (18" x 4 $^{1\!/_2}$ ")		Left		Right	+ 170.00 €		
	▲ Arm trough armpads may	interfere with Armrests flipping back.					+170,00 €		

Individual legrests and accessories					
MCELR	Manual adjustable leg supports without tools			6 1 1	
	Indicate the dimension of	of the leg segment:		Standard	
SOAAF	SOAAF Adjustable manual leg supports with tools				
	Indicate inclination:	6 0°	☐ 70°	Without supplement	
	Indicate the length:	SOFLHD12 (318-395mm)	SOFLHD14 (368-495mm)		
	Power retractable comp	ensated legrests with calf pads			
	Indicate function:	🔲 Individual	Combined	+ 452,00 €	
	Indicate the length:	SOFLPW12 (318-395mm)	SOFLPW14 (368-495mm)		
SOSFAF	Flip-up footplates			Standard	
SOAFP	Angle adjustable and flip-up footplates			Without our slowant	
SOAHL	Heel loops			Without supplement	

Central legrest and accessories						
SOAA	F 90	Adjustable manual central legrest (90 $^\circ$) with tools	Without supplement			
		Indiquer la dimension du segment jambier :	Without supplement			
	F	Power centre mount elevating and articulating foot platform				
		Indicate the dimension of the leg segment:				
		Indicate the length: SOFBPW16 (318-420mm) SOFBPW18 (420-520mm)	+ I 452,00 €			
▼ Plea	▼ Please select the one piece centre mount (SOFUFP) or the split footplates (SOAFPFB).					
SOFU	FP	Flip-up one piece foot platform	Without supplement			
SOAFI	PFB	Angle adjustable and flip-up split footplates for center mount				

Security options		
	Seatbelt, auto-buckle (140 cm / 55")	Standard
SOAUTO-LGS	Retractable seatbelt, auto-buckle (140 cm / 55")	+ 75,00 €
SOBPHP2C	Pelvic belt, 32 cm / 12" cushion, 2 central adjustment points, bodypoint	+ 170,00 €
SOPHB	Pelvic belt, padded, seat 35-43 cm, central magnetic attachment	+ 194,00 €
SOBPCS	Chest belt, cushion 31 cm / 12", bodypoint	+ 250,00 €
	Chest belt, padded, seat 35-43 cm / 14-17", central magnetic attachment	+ 262,00 €

Headrests Image: Please select one of the headrest options with the mounting hardware and specify where the headrest will be installed Image: SOMAH Multi-axis removable mounting hardware Image: SOFHRS Small curved headrest pad (100x230mm / 4x9") Image: SOFHRM Medium curved headrest pad (125x255mm / 5x10") Image: SOFHRL Large curved headrest pad (155x280mm / 6x11") Image: SOFHRR To mount on the seat frame

Validity to 31/12/2023 - Version 1.1



Trunk supports	Public price excl. VAT			
▼ Please select one of the lateral pads and the adjustable and removable hardware.				
SOSLHM	Adjustable swing-away hardware mounts	+ 220,00 €		
SOSLS3	Adjustable laterals with small curved pads - 75x125mm/3x5"			
SOSLM4	+ 100,00 €			
SOSLL5	Adjustable laterals with large curved pads - 125x180mm/5x7"			

Thigh supports

▼ Please select one	▼ Please select one of the lateral pads and the adjustable and removable hardware.					
SOHTSARH Adjustable and removable hip and thigh support hardware + 136,00 €						
SOHTSS10	Adjustable hip and thigh support pads - Small 255x100mm/10x4"					
SOHTSMI2	Adjustable hip and thigh support pads - Medium 305x125mm/12x5"	+ 130,00 €				
SOHTSL14	Adjustable hip and thigh support pads - Large 355x155mm/14x6"					

Accessories			
SOCH	Cup holder (self-leveling)		+ 115,00 €
SOCPH	Ram mounts X-Grip mobile phone holder		+ 190,00 €
SOTHS	Ram mounts X-Grip small tablet holder		+ 205,00 €
SOTHL	Ram mounts X-Grip large tablet holder		+ 360,00 €
SOBP	Backpack (Comes with durable straps that can be hooked around the back canes)		+ 90,00 €
SOAP	Armrest side pouch	Right side	+ 53,00 €
REFLECT Red and white reflector kit stickers			Standard
▲ They will not be ins		Standard	

Switches and options				
ASCPCP	PGDT RNET Dongle and PC programmer kit	+ 600,00 €		
SSBS	Buddy Button switch	+ 230,00 €		
SSES S	Egg switch - black	+ 116,00 €		
SSML	Ultra light switch	+ 295,00 €		

Specialty driver control options

▼ Specialty driver control options all require the OMNI 2 enhanced display and digital interface box (EDIB).

▼ :	▼ Switch-It proximity head array					
	SCSIHAA	Adult - 3 switch proximity head array with $1\!\!/\!\!s"$ mono jack for mode/reverse	+ 3 990,00 €			
	SCSRM	Stealth rock-n-lock swingaway mount for mode switch Indicate: Image: SWL swings left SWR swings	+ 510,00 €			
	SSES-STD	SES-STD Egg switch for changing modes - black Indicate: MLH mount on left MRH mount on right				
	▲ Required with the steal the SWITCHES & OPTION	is selection in Without supplement				
	SSBS-STD	Buddy button switch - (stop switch) - red	without supprement			
	▲ Required with the Swite	d with the Switch-It proximity head array.				
	SOMAH	Multi axis headrest removable mounting hardware				
	▲ Required with the Swite	Required with the Switch-It proximity head array.				

Validity to 31/12/2023 - Version 1.1



▼	Proportional RIM head control		Public price excl. VAT
	SCPHC	3-axis proportional RIM head control package	
	SCSRM	Stealth rock-n-lock swing away mount for mode switch	
	SSES-STD	Egg switch for changing modes - Black	
	▲ Required with the stealth rock-n-lock swing away mount. The Mode Switch type can be changed from this selection in the SWITCHES & OPTIONS section.		On request
	SOMAH	Multi-axis headrest removable mounting hardware	
	A Required with the prop		

SCSIMP	MicroPilot light touch mini proportional joystick		+ 3 870,00 €
SCSRMMP	Stealth tock-n-lock swingaway mount for chin MP Indicate: I SWL swings left	SWR swings right	+ 645,00 €
▲ Required with	the Switch-It proximity micro-pilot		
SCSRM	Stealth rock-n-lock swing away mount for switch Indicate: SWL swings left	SWR swings right	+510,00 €
SSES S	Egg switch - black Indicate: 🔲 MLH mount on left	MRH mount on right	+116,00 €
▲ Required with	▲ Required with the stealth rock-n-lock swingaway mount. The mode switch type can be changed from this selection in the SWITCHES & OPTIONS section.		
the SWITCHES &	OPTIONS section.		
the SWITCHES &	OPTIONS section. Chin cup		+ 55,00 €
_			+ 55,00 €
JCC SOMAH	Chin cup		+ 55,00 €
JCC SOMAH	Chin cup Multi-axis headrest removable mounting hardware the Switch-It proximity micro-pilot		
 JCC SOMAH ▲ Required with 	Chin cup Multi-axis headrest removable mounting hardware the Switch-It proximity micro-pilot		+ 55,00 € On request
JCC SOMAH A Required with ∀ Choose one(1)	Chin cup Multi-axis headrest removable mounting hardware the Switch-It proximity micro-pilot headrest pad		

▼	Proportional compact or mini joystick for midline mount			
	SCPGMJS	PG Drives JC200 Proportional compact remote joystick for midline mount		
	SCGMJSM	Gatlin midline swing-away mount for JC200		
	▲ Must be selected for use	▲ Must be selected for use with the PG Drives JC200 mini joystick		
	SCSIMP	Switch-It MicroPilot light touch mini proportional joystick		
	SCGMPM	Gatlin midline swing-away mount for MicroPilot	On request	
	▲ Must be selected for use			
	SCBTM	Bullet hand tray for MicroPilot		
	▲ This option is only comp			

▼	Proportional compact or mini joystick for armrest mount			
	SCPGMJS	PG Drives JC200 proportional compact remote joystick for armrest mount		
	SCARMJSM	Swing-away and multi-axis armrest mount		
	▲ Must be selected for use			
	SCSIMP	Switch-It MicroPilot light touch mini proportional joystick		
	SCARMPM	Swing-away and multi-axis armrest mount	On request	
	▲ Must be selected for use			
	SCBTM	Bullet hand tray for MicroPilot		
	▲ This option is only com			

Validity to 31/12/2023 - Version 1.1



Shipping and packing costs on request

Scustom section

Lead times will increase depending on the custom order pipeline at the time the purchase order is received. Please call for quote and specifications.

Notes