

ALLTRACK R FOOT - PUBLIC PRICE LIST

Versatile power wheelchair dedicated to the practice of Foot-wheelchair

Use: indoor and outdoor Modular seat and various options available Max. weight user: 136 kg Width: 710 mm / Length: 890 mm without cages Autonomy: 25 km (non-football mode) Battery: 70A Motors: 2 AMT × 350W (10 km/h) Two year warranty (except for wearing parts) Except battery warranty I year



Professional order form - N° :

Billing address	Delivery address	
Store:	Store:	
Street:	Street:	
PC:	PC:	
City:	City:	
Email :	Email :	
Phone:	Phone:	

Date :

Article		Designation			Public price excl. VAT			
IATR00000	0001	ALLTRACK R wheelchair wi	thout option		4 660,00 €			
Standard op	Standard options included							
WCA3	Maximum us	er weight: 136kg (300lb)	FC8PIMB	Black pneumatic casters 205mm / 8"				
TTD4	Wheelchair	transport brackets	JSMFH	Joystick mount support bracket				
BCOB	BCOB Offboard battery charger		ECR120	R-Net 120 Amp expandable controller				
SFE-0	0° pre-set fr	ame seat angle	ECRNH	R-Net Harness for expandable controller				
Foot option	S				+ 3 437,00 €			
Removable front and rear cages			MP85 moto	or and Rnet controller ventilation				
Changing the battery tray			FOOT Pro	gram				
70Ah battery support - Total chassis width: 710mm			Gel power	battery CG - Group 24 - 70Ah				

User body for chair adjustments	
Weight (kg):	

Comments :

New colors							
	Onyx black matte		Candy red		SCMHAB	Habanero	
SCMCTB	Cobalt blue		Cabernet		SCMLIM	Sublime	Standard
	Indigo blue	SCMBGM	Bubble gum metallic				
Optional hydr	ographics colors						
FCHDD	Desert digital camo	🔲 FCHWL	Woodland camo		FCHCF	Carbon fiber	On request
Transport op	tion						
TTD4	4-Point whe	elchair transport br	rackets				Standard
Assistive drivi	ng package						
SMARTT Smart-Track (This option requires the MP65-OPT)							+ I 260,67 €
▲ Smart-Trac	k technology provides increased	tracking capabilities v	with enhanced traction and st	teering pro	ecision. This is	s ideal for those v	with marginal hand function or

sinare-frace technology provides increased tracking capabilities with enhanced traction and steering precision. This is ideal for those with main switch control. ▲ Requires the R-net PM I 20 Amp Expandable Controller (ECRI20)

Size (m.):

Validity to 31/12/2023 - Version 1.0



Drive wheel		Public price excl. VAT
DWI2PTG	305mm (12") - Cast wheel pneumatic tire - Grey	Without supplement
DW12PIG	305mm (12") - Cast wheel pneumatic with foam filled - Grey	without supplement
DWI2PLG	305mm (12") - XL cast wheel pneumatic with foam filled - Grey	Standard

Front casters

FC6PIG	150mm (6") Pneumatic casters with foam filled - Grey	Without supplement
FC8PTR	205mm (8") Pneumatic casters - Black	Standard
FC8PIR	205mm (8") Pneumatic casters with foam filled - Black	Without supplement

Seat to floor height (Measurement to top of seat pan)

	Options for a power tilt or a power elevating seat							
	STFH155 (39.5cm)			STFH1775 (45.0cm)				
	STFH1625 (41.5cm)			STFH1825 (46.5cm)	Standard			
	STFH1725 (44.0cm)			STFH1875 (47.5cm)				
	 Options for a combinat 	ion power tilt with a standard po	wer	elevating seat				
STFH1825 (46.5cm)					Standard			
	Seat to floor height specificationother than standard							
	SOMHSS	Without supplement						

Lighting package Image: EOLP LED Light Package (front beams, side flashers, rear tail light with flashers & brake light) + 937,00 € Image: A Requires the upgraded Joystick with Light Operation or the OMNI 2 (ECELJL, ECRJCL, ECRJC35B or EDIB). + 937,00 €

Joysticks						
Selection of one joystick option below is required with the expandable controller ECR120						
ECO	Omit joystick (Requires the OMNI 2 display - see EDIB option)	Without supplement				
ECRJC	R-Net joystick with colour screen	Standard				
ECRJCL	R-Net joystick (LCD) with colour screen and lighting operation	+ 180,00 €				
ECRJC35B	R-Net Bluetooth joystick full option (90mm / 3 ½" screen) lighting kit, switches and sockets	+ 05,00 €				

Joystick mount			
JSMSA	Swing-away joystick mount - Height adjustable, ar	ngle adjustable and multi-axis	
	Set-up with standard installation to	swing-away sideways	Without supplement
	Set-up at 35° to swing-away sideway	ys and downwards	without supplement
	Indicate: 🔲 HML (left hand side)	HMR (right hand side)	

Joystick handle

JSH	Standard joystick gimble	Standard
🔲 ЈВАТ	Stick handle 75mm / 3" in length	+ 130,00 €
🔲 ЈВН	Ball handle	+ 85,00 €
🔲 ЈҒВН	Foam ball handle	+ 70,00 €
JGP	Bodypoint 100mm/4" U-shaped handle	+ 210,00 €
JMUSH	Bodypoint - Mushroom Handle	+ 210,00 €
🛄 јтн	T-handle	+ 155,00 €

Attendant drive control option						
EADC	Attendant I	nand control				
	Indicate:	EADCL (left hand side)	EADCR (right hand side)	+ 677,73 €		

Validity to 31/12/2023 - Version 1.0



Enhanced digital displays C	OMNI 2			Public price excl. VAT
EDIB	OMNI 2 - en	chanced display & digital interfa	ce box with infared	+ 9 5,00 €
Enhanced display mount (OMNI 2			
EDSAM	User swing a	way mount		\\//ithout quashamout
	Indicate:	EDML (left hand side)	EDMR (right hand side)	Without supplement
Environmental control m	odule			
ECU	Environment	al control module		+ 995,00 €
Power options and seatin	g			
SAABA - STD	Adjustable A	myseat seat structure		Standard
ADDPESX	28cm / 11" P	ower elevating seat		+ 2 48,00 €
Electronics - (requires EJI	RJC35B)			
	. ,	seat controller with smart actu	lators	
	Indicate:	SWKEYPAD-T	5 rocker switch keypad	+ 445,00 €
		SWKEYPAD-P	Keypad with 5 push-button switches	
	Program for r	nemorizing seat positions		
	Indicate:	User activation	Attendant activation	+ 175,00 €
		TSML (left)	TSMR (right)	
1				
Standard adjustable seat v	vidth range b	etween 380-510mm(15-2	ר")	
SOWN15-20-19	-	•) with a maximum depth of 485mm (19")	
SOWNI5-20-22			with a maximum depth of 560mm (22")	Without supplement
SOWNI5 (380mm / 15")		(430mm / 17")	SOWN19S (485mm / 19")	
SOWNI6 (405mm / 16")	-	(455mm / 18")	SOWN20S (510mm / 20")	Standard
Large adjustable seat widt	h rango hota	yoon 485-610mm (19-24")		
SOWNI9-24-22	<u> </u>	, , ,) and depth range of 560mm (22")	Without supplement
SOWN19L (485mm / 19")			SOWN23 (585mm / 23")	Without supplement
SOWN20L (510mm / 20")			SOWN24 (610mm / 24")	Standard
Adjustable seat depth ran	Ŭ	· · · · · ·		
SODNI5 (380mm / 15")		(455mm / 18")	SODN21 (535mm / 21")	С. I.I.
SODN16 (405mm / 16")	_	(485mm / 19")	SODN22 (560mm / 22")	Standard
SODNI7 (430mm / 17")	SODN20	(510mm / 20")		
Back cane height				
		aken from the seat pan to the to		
SOBCH22 (560mm / 22")		4 (610mm / 24")	SOBCH26 (660mm / 26")	Standard

 \blacktriangle 560 mm is the minimum back cane height required with a power recline

Validity to 31/12/2023 - Version 1.0



Type of backrest		Public price excl. VAT	
▲ The minimum space be	tween the back and seat pan is 75mm/3" with a fixed back and 155mm/6" with a reclining back.		
STDSB	Standard backrest (380-610mm/15-24" wide with a maximum shell height of 560mm/22")	Standard	
NXTOPT-	NXT Optima Ergo backrest with 8cm/3" profle - 380-535mm/15-21" wide	+ (20.25 6	
NXTOPTD-	NXT Optima Ergo Backrest with 15cm/6" profile - 380-535mm/15-21" wide	+ 639,25 €	
NXTOPT-	NXT Optima Ergo Backrest with 8cm/3" profile - 560-610mm/22-24" wide	. (02.75. 6	
NXTOPTD-	NXT Optima Ergo Backrest with 15cm/6" profile - 560-610mm/22-24" wide	+ 682,75 €	
▲ The actual heights of the back shell only come to 330mm (13"), 405mm (16") or 485mm (19").			
STDSBO	Backrest omission, specify the backrest model:	Without supplement	
▲ It is recommended to use the Ergo backrest option with the power recline			

Back support total height

Bui					
	SOBH16 (405mm / 16")	SOBH20 (510mm / 20")	SOBH24 (610mm / 24")		
	SOBH18 (455mm / 18")	SOBH22 (560mm / 22")	SOBH26 (660mm / 26")		
▲ 560 mm is the minimum back cane height required with a power recline			Standard		
	SOBH28 (710mm / 28")				
▲ This height is not available with the NXT Optima option (NXTOPT and NXTOPTD)					

Seat Cushions			
	Standard padded foam cushion	Standard	
CGAIR	Therapeutic air cushion - CGAIR		
▲ Please complete and attach t	On request		
	NXT BIO FIT Cushion - 380-535mm (15-21") wide	+ 368,16 €	
	NXT BIO FIT Cushion - 560-610mm (22-24") wide	+ 401,60 €	

Armrests				
▼Only for power backrest				
SOANIFH	Type "i" armrest for reclining backrest		Standard	
	Indicate: 🔲 Left side	🔲 Right side		
▼ Only for manual backrest				
SOADPFH	Retractable "u" type armrest		Standard	
	Indicate: 🔲 Left side	🔲 Right side		
Armrest height adjustment				
Please set the armrest height at:				
▲ The armrest height is taken from the seat pan to the top of the armpad.			Without supplement	

Armpads					
	Full length hybrid gel and foam flat armpad	🔄 Left 🔄 Right	Without supplement		
SOGELD	Desk length hybrid gel and foam flat armpad	🔲 Left 🔄 Right	without supplement		
	Full length hybrid gel and foam waterfall armpad	🔲 Left 🔄 Right	+ 40.00 €		
SOWGELD	Desk length hybrid gel and foam waterfall armpad	🔲 Left 🔄 Right	+ 40,00 E		
1000522	Desk length large foam cushion	🔲 Left 🔄 Right	+ 95.00 €		
1000523	Full lenght large foam cushion	🔲 Left 🔄 Right	+ 75,00 E		
L 1000524	Desk length large gel cushion	🛄 Left 🔄 Right	+ 4.00 €		
1000525	Full lenght large gel cushion	🔲 Left 🔄 Right	+ 114,00 E		
▲ The waterfall armpads may interfere with flipping back the armrests when combined with lateral trunk supports					
SOCAR	Armpad trough with hand support 455 $ imes$ 118 mm (18" x 4 ½") 📋 Left 🛄 Right	+ 170.00 6		
▲ Arm trough ar	+ 170,00 €				

Validity to 31/12/2023 - Version 1.0



Individual legrests and accessories			Public price excl. VAT			
MCELR	Manual adjustable leg	Manual adjustable legrest without tools				
	Indicate the dimension	on of the leg segment:		Standard		
▲ Minimum	height from floor to seat: 45 cm					
SOAAF	Manual adjustable leg	rests with tools				
	Indicate inclination:	6 0°	🔲 70°	Without supplement		
	Indicate the length:	SOFLHD12 (318-395mm)	SOFLHD14 (368-495mm)			
ADDPL	Power retractable co	mpensated legrests with calf pads				
	Indicate function:	🔲 Individual	Combined	+ 452,00 €		
	Indicate the length:	SOFLPW12 (318-395mm)	SOFLPW14 (368-495mm)	+ 1 452,00 €		
▲ Minimum height from floor to seat: 45 cm						
	Flip-up footplates			Standard		
SOAFP	Angle adjustable and f	Angle adjustable and flip-up footplates				
SOAHL	Heel loops			Without supplement		

Central legrest and accessories			
SOAAF 90	Adjustable manual central legrest with tools (90 ° tilt) Standard		
	Indicate the dimension of the leg segment:	Standard	
	Flip-up one piece foot platform		
SOAFPFB	Angle adjustable and flip-up split footplates for center mount	Without supplement	

Security options			
SOAUTO	Seatbelt, auto-buckle (140 cm / 55")	Standard	
SOAUTO-LGS	Retractable seatbelt, auto-buckle (140 cm / 55")	+ 75,00 €	
SOBPHP2C	Pelvic belt, 32 cm / 12" cushion, 2 central adjustment points, bodypoint	+ 170,00 €	
SOPHB	Pelvic belt, padded, seat 35-43 cm, central magnetic attachment	+ 194,00 €	
	Chest belt, cushion 31 cm / 12", bodypoint	+ 250,00 €	
	Chest belt, padded, seat 35-43 cm / 14-17", central magnetic attachment	+ 262,00 €	

Headrests

Please select one of the	▼ Please select one of the headrest options with the mounting hardware and specify where the headrest will be installed			
SOMAH	Multi-axis removable mounting hardware			
	Small curved headrest pad (100x230mm / 4x9")			
	Medium curved headrest pad (125x255mm / 5x10")	Standard		
	Large curved headrest pad (155x280mm / 6x11")			
	To mount on the seat frame			

Trunk supports

▼ Please select one	Please select one of the lateral pads and the adjustable and removable hardware.			
SOSLHM	Adjustable swing-away hardware mounts	+ 220,00 €		
SOSLS3	Adjustable laterals with small curved pads - 75x125mm/3x5"			
SOSLM4	Adjustable laterals with medium curved pads - 100x155mm/4x6"	+ 100,00 €		
SOSLL5	Adjustable laterals with large curved pads - 125x180mm/5x7"			

Thigh supports

U 11			
▼ Please select one of the lateral pads and the adjustable and removable hardware.			
SOHTSARH	Adjustable and removable hip and thigh support hardware	+ 136,00 €	
SOHTSS10	Adjustable hip and thigh support pads - Small 255x100mm/10x4"		
SOHTSMI2	Adjustable hip and thigh support pads - Medium 305x125mm/12x5"	+ 130,00 €	
SOHTSLI4	Adjustable hip and thigh support pads - Large 355x155mm/14x6"		

LOGO SILVER EUROPE Validity to 31/12/2023 - Version 1.0



Accessories			Public price excl. VAT
🔲 ѕосн	Cup holder (self-leveling)		+ 115,00 €
SOCPH	Ram mounts X-Grip mobile phone holder		+ 190,00 €
SOTHS	Ram mounts X-Grip small tablet holder		+ 205,00 €
SOTHL	Ram mounts X-Grip large tablet holder		+ 360,00 €
SOBP	Backpack (Comes with durable straps that can	be hooked around the back canes)	+ 90,00 €
SOAP	Armrest side pouch	🔄 Left side 🔲 Right side	+ 53,00 €
REFLECT Red and white reflector kit stickers		Standard	
▲ They will not be insta			

Switches and options		
ASCPCP	PGDT RNET Dongle and PC programmer kit	+ 600,00 €
SSBS	Buddy Button switch	+ 230,00 €
SSES S	Egg switch - black	+ 116,00 €
SSML	Ultra light switch	+ 295,00 €

Specialty driver control options

▼ Specialty driver control options all require the OMNI 2 enhanced display and digital interface box (EDIB).

▼ Switch-It proximity h	lead array			
SCSIHAA	Adult - 3 switch proximity head array with $\frac{1}{8}$ " mono jack for mode/reverse		+ 3 990,00 €	
SCSRM	Stealth rock-n-lock swingaway mount for mode switch Indicate: SWL swings left	SWR swings right	+510,00 €	
SSES-STD	Egg switch for changing modes - black Indicate: Indicate: Indicate:	MRH mount on right		
•	▲ Required with the stealth rock-n-lock swingaway mount. The mode switch type can be changed from this selection in the SWITCHES & OPTIONS section.			
SSBS-STD	Buddy button switch - (stop switch) - red		Without supplement	
Required with the Sv	▲ Required with the Switch-It proximity head array.			
SOMAH	Multi axis headrest removable mounting hardware			
Required with the Sv	▲ Required with the Switch-It proximity head array.			

▼	▼ Proportional RIM head control		
	SCPHC	3-axis proportional RIM head control package	
	SCSRM	Stealth rock-n-lock swing away mount for mode switch	
	SSES-STD	Egg switch for changing modes - Black	
	▲ Required with the steal the SWITCHES & OPTION	On request	
	SOMAH	Multi-axis headrest removable mounting hardware	
	▲ Required with the proportional RIM head control.		

Validity to 31/12/2023 - Version 1.0



▼ Switch-It micro-pilot light touch proportional Mini-joystick for chin / lip control			Public price excl. VAT
	SCSIMP	MicroPilot light touch mini proportional joystick	+ 3 870,00 €
	SCSRMMP	Stealth tock-n-lock swingaway mount for chin MP Indicate: Indicate: SWL swings left Image: SWR swings rigg	ht + 645,00 €
	▲ Required with the Swite	ch-lt proximity micro-pilot	
	SCSRM	Stealth rock-n-lock swing away mount for switch	+ 510,00 €
		Indicate: 🔲 SWL swings left 🔲 SWR swings rig	
	SSES	Egg switch - black	
		Indicate: 🔲 MLH mount on left 🗌 MRH mount on	right + 116,00 €
	▲ Required with the stealth rock-n-lock swingaway mount. The mode switch type can be changed from this selection in the SWITCHES & OPTIONS section.		
	JCC	Chin cup	+ 55,00 €
	SOMAH	Multi-axis headrest removable mounting hardware	
	▲ Required with the Swite		
	▼ Choose one(1) headrest	0.5	
	SOFHRS	Small curved headrest pad	On request
	SOPHRM	Medium curved heardrest pad	
	SOPHRL	Large curved headrest pad	

▼	Proportional compact or mini joystick for midline mount		
	SCPGMJS	PG Drives JC200 Proportional compact remote joystick for midline mount	
	SCGMJSM	Gatlin midline swing-away mount for JC200	
	▲ Must be selected for use with the PG Drives JC200 mini joystick		
	SCSIMP	Switch-It MicroPilot light touch mini proportional joystick	On request
	SCGMPM	Gatlin midline swing-away mount for MicroPilot	Onrequest
	▲ Must be selected for use with the Switch-It MicroPilot		
	SCBTM	Bullet hand tray for MicroPilot	
	▲ This option is only com		

▼	Proportional compact or mini joystick for armrest mount		
	SCPGMJS	PG Drives JC200 proportional compact remote joystick for armrest mount	
	SCARMJSM	Swing-away and multi-axis armrest mount	
	▲ Must be selected for use		
	SCSIMP	Switch-It MicroPilot light touch mini proportional joystick	0
	SCARMPM	Swing-away and multi-axis armrest mount	On request
	▲ Must be selected for use		
	SCBTM	Bullet hand tray for MicroPilot	
	▲ This option is only com		

Shipping and packing costs on request

Scustom section

Lead times will increase depending on the custom order pipeline at the time the purchase order is received. Please call for quote and specifications.

Notes