


# ALLTRACK M HD - PUBLIC PRICE LIST

Power wheelchair (6 wheels) Use: indoor and outdoor Modular seat and various options available Max. weight user: 180 kg Width: 645 mm Length: 890 mm sans repose-pieds Autonomy (battery) : 25 km (70Ah) Motors: 2 AMT x 350W (10 km/h) Two year warranty (except for wearing parts) Except battery warranty I year



#### Professional order form - N° :

Billing address	Delivery address
Store:	Store:
Street:	Street:
PC:	PC:
City:	City:
Email :	Email :
Phone:	Phone:

Date :

Article		Designation			Public price excl. VAT
🔲 IATH0000	0001	ALLTRACK M HD wheelchair			19 873,00 €
Standard o	ptions include	d			
WCA3	Maximum u	ser weight: 180kg	ADDP	Power leg rests	
BCOB	Offboard ba	ttery charger	JSMFH	Joystick mount suppo	rt bracket
SFE-0	0° pre-set fr	ame seat angle	ECRI20	R-Net 120 Amp expan	ndable controller
FS24B	Battery hole	der for 70Ah batteries	ECRNH	R-Net Harness for ex	pandable controller
BAT24GEL	GEL Power	Battery CG - Group 24 - 70 Ah	SAABAHD	D-550-STD Amysea	t adjustable seat structure
MAC	Multiple ele	ctric seat controller (2 to 6 actuators) interfaced v	ria Electronic	s R-net	
TTD4	4-Point whe	eelchair transport brackets			
SAPTPRXHD	Power seat	tilt with compensation (0 $^\circ$ to 45 $^\circ$ ) and backrest p	ower tilt with	shear reduction	
	▲ It is recor	nmended to use the ergo NXT backrest option with p	ower tilt		

#### Lison body for chair adjustments

Oser body for chair adjustments		
Weight (kg):	Size (m.):	Comments :

New colors								
🔲 SCMOBM	Onyx black matte		SCMCRE	Candy red		SCMHAB	Habanero	
SCMCTB	Cobalt blue		SCMCAB	Cabernet		SCMLIM	Sublime	Standard
	Indigo blue		SCMBGM	Bubble gum metallic				
Optional hydr	Optional hydrographics colors							

FCHDD	Desert digital camo	FCHWL	Woodland camo	FCHCF	Carbon fiber	On request
Assistive driving	g package					
SMARTT	Smart-Track	(This option requ	ires the MP65-OPT)			+   420,00 €

▲ Smart-Track technology provides increased tracking capabilities with enhanced traction and steering precision. This is ideal for those with marginal hand function or switch control. ▲ Requires the R-net PM I20 Amp Expandable Controller (ECRI20)



Drive wheel - black		Public price excl. VAT
DWI4PTB	355mm pneumatic	Standard
DWI4PIB	355mm pneumatic tire	
DWI2PTB	305mm x 100mm extra-large pneumatic	Without supplement
DWI2PIB	305mm x 100mm extra-large pneumatic tire	
DWI44PTB	355mm x 100mm extra-large pneumatic	+ 595.00 €
DWI44PIB	355mm x 100mm extra-large pneumatic tire	+ 575,00 E
▲ Extra wide wheels in	crease the overall width of the base by 65mm	

#### Front casters - black

TTOTIL Casters - Diack			
FC6S	C6S I 50mm (6") Pneumatic casters with foam filled		
▲ Not compatible with	DWI44 tires		
FC8PTMB	205mm (8") Pneumatic casters	Mithout our plamant	
FC8PIMB	205mm (8") Pneumatic casters with foam filled	Without supplement	

▲ The 8" casters are NOT compatible with the 12 ½" Drive wheel configuration. Please see details in the front rigging sections.

Seat to floor height (Measurement to top of seat pan)						
Options for a power tilt or a power elevating seat						
STFH175 (44.5cm)	Standard					
STFH18 (45.7cm )	STFH18 (45.7cm )					
<ul> <li>Options for a combinatio</li> </ul>	Options for a combination power tilt with a standard power elevating seat					
□ STFH185 (47cm) ► Requires 305mm drive wheels □ STFH1925 (49.5cm) Standard						
Seat to floor height species	Seat to floor height specificationother than standard					
SOMHSS Specific seat to floor height requirement other than standard			Without supplement			
	Required at:					

Lighting package		
EOLP	LED Light Package (front beams, side flashers, rear tail light with flashers & brake light)	+ 937,00 €
▲ Requires the upgraded	Joystick with Light Operation or the OMNI 2 (ECELJL, ECRJCL, ECRJC35B or EDIB).	

Selection of one	joystick option below is required with the expandable controller ECR120	
ECO	Omit joystick (Requires the OMNI 2 display - see EDIB option)	Without supplement
ECRJC	R-Net joystick with colour screen	Standard
ECRJCL	R-Net joystick (LCD) with colour screen and lighting operation	+ 180,00 €
	R-Net Bluetooth joystick full option (90mm / 3 ½" screen) lighting kit, switches and sockets	+ 105,00 €

Joystick mount					
JSMSA	Swing-away joystick mount - Height adjustable, angle adjustable and multi-axis				
	Set-up with standard installation to				
	Set-up at 35° to swing-away sidewa	Without supplement			
	Indicate: 🔲 HML (left hand side)	HMR (right hand side)			



Joystick handle		Public price excl. VAT
JSH	Standard joystick gimble	Standard
🔄 ЈВАТ	Stick handle 75mm / 3" in length	+  30,00 €
🔄 ЈВН	Ball handle	+ 85,00 €
JFBH	Foam ball handle	+ 70,00 €
🔲 JGP	Bodypoint 100mm/4" U-shaped handle	+ 210,00 €
JMUSH	Bodypoint - Mushroom Handle	+210,00 €
🗋 јтн	T-handle	+ 155,00 €

Attendant drive control o	pption	
EADC	Attendant hand control	+ 677.73 €
	Indicate: 🔲 EADCL (left hand side) 🔲 EADCR (right	

Enhanced digital displays OMNI 2		
EDIB	OMNI 2 - enchanced display & digital interface box with infared	+   9 5,00 €

Enhanced display mount OMNI 2				
EDSAM	User swing away mount			With out our plamant
	Indicate:	EDML (left hand side)	EDMR (right hand side)	Without supplement

Environmental control module		
ECU	Environmental control module	+ 995,00 €

# Power option seating ADDPESXHD 28cm / 11" Power elevating seat + 3 995,00 €

Electronics - (requires EJF	RJC35B)			
EBXMAC	EBX electric seat controller with smart actuators			
	Indicate:	SWKEYPAD-T	5 rocker switch keypad	+ 445,00 €
		SWKEYPAD-P	Keypad with 5 push-button switches	
MACMEMORY	Program for memorizing seat positions			
	Indicate:	User activation	Attendant activation	+ 175,00 €
		TSML (left)	TSMR (right)	

Large adjustable seat width range between 485-660mm			
SOWN19-24-22 Width adjustment from 485-610mm (19-24") and depth range of 560mm (22")			without our clamont
SOWN24-26-22	Width adjustment from 610-660mm and dept	h range of 560mm (22")	without supplement
SOWN19L (485mm)	SOWN22 (560mm)		
SOWN20L (510mm)	SOWN23 (585mm)	standard	
SOWN21 (535mm)	SOWN24 (610mm)	SOWN26HDL (660mm)	

Adjustable seat depth range between 455-560mm				
SODN18 (455mm)	SODN20 (510mm)	SODN22 (560mm)	at an dawd	
SODN19 (485mm)	SODN21 (535mm)		standard	



Type of backrest		Public price excl. VAT	
▲ The minimum space be			
STDSB	Standard backrest (380-610mm/15-24" wide with a maximum shell height of 560mm/22")	Standard	
	Manual fixed backrest	Without supplement	
	Ergo NXT Optima backrest with 8cm profile - 480-535mm wide	+ 639.25 €	
	Ergo NXT Optima backrest with 15cm profile - 480-535mm wide	+ 637,25 E	
	Ergo NXT Optima backrest with 8cm profile - 560-660mm wide	+ 682.75 €	
	Ergo NXT Optima backrest with 15cm profile - 560-660mm wide	+ 682,75 €	
▲ The actual heights of the back shell only come to 330mm (13"), 405mm (16") or 485mm (19").			
STDSBO	Backrest omission, specify the backrest model:	Without supplement	
▲ It is recommended to u	▲ It is recommended to use the Ergo backrest option with the power recline		

Bac	Back support total height				
	SOBH16 (405mm / 16")	SOBH20 (510mm / 20")	SOBH24 (610mm / 24")		
	SOBH18 (455mm / 18")	SOBH22 (560mm / 22")	<b>SOBH26 (660mm / 26")</b>		
▲ 560 mm is the minimum back cane height required with a power recline			Standard		
SOBH28 (710mm / 28")					
▲ This height is not available with the NXT Optima option (NXTOPT and NXTOPTD)					

Back cane height		
▲ The back cane height measurement is taken from the seat pan to the	e top of the push handles	
SOBCH22 (560mm / 22") SOBCH24 (610mm / 24")	<b>SOBCH26 (660mm / 26")</b>	Standard
▲ 560 mm is the minimum back cane height required with a power reg	line	

560 mm is the minimum	back cane height	required with a po	wer recline

Seat Cushions		
SCPSC Standard padded foam cushion		Standard
CGAIR	Therapeutic air cushion - CGAIR	
▲ Please complete and attach the CG AIR measurement sheet On request		
NXTBIOFIT NXT BIO FIT Cushion - 480-535mm wide		+ 368,16 €
	NXT BIO FIT Cushion - 560-660mm wide	+ 401,60 €

Armrests			
▼Only for power backrest			
SOANIFH	Type "i" armrest for reclining backrest		Standard
	Indicate: 🔲 Left side	Right side	
▼ Only for manual backre	st		
SOADPFH	Retractable "u" type armrest		Standard
	Indicate: 🔲 Left side	Right side	
Armrest height adjustmer	nt		
Please set the armrest height at:			Without supplement
▲ The armrest height is ta	ken from the seat pan to the top of the armpad.		Without supplement



Armpads Public price excl. VAT				
	Full length hybrid gel and foam flat armpad	🔲 Left	🔲 Right	Without supplement
SOGELD	Desk length hybrid gel and foam flat armpad	🔲 Left	🔲 Right	without supplement
	Full length hybrid gel and foam waterfall armpad	Left	🔲 Right	+ 40.00 €
SOWGELD	Desk length hybrid gel and foam waterfall armpad	🔲 Left	🔲 Right	± 40,00 €
<b>I</b> 1000522	Desk length large foam cushion	🔲 Left	🔲 Right	+ 95.00 €
1000523	Full lenght large foam cushion	Left	🔲 Right	+ 73,00 €
1000524	Desk length large gel cushion	🔲 Left	🔲 Right	+   4.00 €
1000525	Full lenght large gel cushion	Left	🔲 Right	+ 114,00 €
▲ The waterfall armpads may interfere with flipping back the armrests when combined with lateral trunk supports				
SOCAR	Armpad trough with hand support 455 x 118 mm (18" x 4	1⁄2") 🔲 Left	🔲 Right	+  70.00 €
▲ Arm trough armpads m	nay interfere with Armrests flipping back.			170,00 E

Individual legrests and accessories				
	Power retractable compensated legrests with calf pads			
	Indicate function:	Individual	Combined	Standard
	Indicate the length:	SOFLPW12 (318-395mm)	SOFLPW14 (368-495mm)	
SOSFAFHD	Flip-up footplates			Standard
SOAFPHD	Angle adjustable and fli	p-up footplates		Without supplement
SOAHL	Heel loops			Without supplement

Central legrest and accessories			
	Power centre mount elevating and articulating foot platform		
	Indicate the dimension of the leg segment:	C tour dourd	
	Indicate the length: SOFBPW16 (318-420mm) SOFBPW18 (420-520mm)	Standard	
▼ Please select the one p			
	Flip-up one piece foot platform	Without supplement	
SOAFPFB	Angle adjustable and flip-up split footplates for center mount	Without supplement	

Security options		
SOAUTO	Seatbelt, auto-buckle (140 cm / 55")	Standard
SOAUTO-LGS	Retractable seatbelt, auto-buckle (140 cm / 55")	+ 70,00 €
SOBPHP2C	Pelvic belt, 32 cm / 12" cushion, 2 central adjustment points, bodypoint	+ 170,00 €
SOPHB	Pelvic belt, padded, seat 35-43 cm, central magnetic attachment	+ 194,00 €
SOBPCS	Chest belt, cushion 31 cm / 12", bodypoint	+ 250,00 €
	Chest belt, padded, seat 35-43 cm / 14-17", central magnetic attachment	+ 262,00 €

#### Headrests

▼ Please select one of the headrest options with the mounting hardware and specify where the headrest will be installed			
SOMAH	Multi-axis removable mounting hardware		
SOFHRS	Small curved headrest pad (100x230mm / 4x9")		
SOFHRM	Medium curved headrest pad (125x255mm / 5x10")	Standard	
SOFHRL	Large curved headrest pad (155x280mm / 6x11")		
SOHRPR	To mount on the seat frame		

Trunk supports		
▼ Please select one of the lateral pads and the adjustable and removable hardware.		
SOSLHM	Adjustable swing-away hardware mounts	+ 220,00 €
SOSLS3	Adjustable laterals with small curved pads - 75x125mm/3x5"	
SOSLM4	Adjustable laterals with medium curved pads - 100x155mm/4x6"	+ 100,00 €
SOSLL5	Adjustable laterals with large curved pads - 125x180mm/5x7"	

### Please send your orders to contact@logo-silver.fr Logo Silver Europe - 163 cours Berriat - 38000 Grenoble - France - (+33) 4 76 21 22 19



Thigh supports		Public price excl. VAT
Please select one of the lateral pads and the adjustable and removable hardware.		
SOHTSARH	Adjustable and removable hip and thigh support hardware	+ 136,00 €
	Adjustable hip and thigh support pads - Small 255x100mm/10x4"	
SOHTSM12	Adjustable hip and thigh support pads - Medium 305x125mm/12x5"	+ 130,00 €
SOHTSL14	Adjustable hip and thigh support pads - Large 355x155mm/14x6"	

## Accessories

7 1000301103			
🗋 SOCH	Cup holder (self-leveling)		+ 115,00 €
SOCPH	Ram mounts X-Grip mobile phone holder		+ 190,00 €
SOTHS	Ram mounts X-Grip small tablet holder		+ 205,00 €
SOTHL	Ram mounts X-Grip large tablet holder		+ 360,00 €
SOBP	Backpack (Comes with durable straps that can be hooked around the back can	es)	+ 90,00 €
SOAP	Armrest side pouch	🔲 Right side	+ 53,00 €
REFLECT	Red and white reflector kit stickers		Standard
▲ They will not be installed - Included in a bag with the owner's manual			Standard

Switches and options		
ASCPCP	PGDT RNET Dongle and PC programmer kit	+ 600,00 €
SSBS	Buddy Button switch	+ 230,00 €
SSES S	Egg switch - black	+    6,00 €
SSML	Ultra light switch	+ 295,00 €

#### Specialty driver control options

▼ Specialty driver control options all require the OMNI 2 enhanced display and digital interface box (EDIB).

▼ Switch-It proximity head array			
SCSIHAA	Adult - 3 switch proximity head array with $\frac{1}{8}$ " mono jack for mode/re	verse	+ 3 990,00 €
SCSRM	Stealth rock-n-lock swingaway mount for mode switch         Indicate:       Image: SWL swings left	WR swings right	+ 510,00 €
SSES-STD	Egg switch for changing modes - black Indicate: Indicate: Indicate	IRH mount on right	
▲ Required with the stealth rock-n-lock swingaway mount. The mode switch type can be changed from this selection in the SWITCHES & OPTIONS section.			ithout supplement
SSBS-STD	Buddy button switch - (stop switch) - red	· · · · · · · · · · · · · · · · · · ·	ithout supplement
▲ Required with the Switch-It proximity head array.			
SOMAH	Multi axis headrest removable mounting hardware		
Required with the Swit	ch-It proximity head array.		

▼	▼ Proportional RIM head control			
	SCPHC	3-axis proportional RIM head control package		
	SCSRM	Stealth rock-n-lock swing away mount for mode switch		
	SSES-STD	Egg switch for changing modes - Black		
	▲ Required with the steal the SWITCHES & OPTIO	th rock-n-lock swing away mount. The Mode Switch type can be changed from this selection in NS section.	On request	
	Somah	Multi-axis headrest removable mounting hardware		
	▲ Required with the prop	ortional RIM head control.		



▼	Switch-It micro-pilot lig	Public price excl. VAT	
	SCSIMP	MicroPilot light touch mini proportional joystick	+ 3 870,00 €
	SCSRMMP	Stealth tock-n-lock swingaway mount for chin MP         Indicate:       Indicate:         SWL swings left       SWR swings right	t + 645,00 €
	▲ Required with the Switc		
	SCSRM	Stealth rock-n-lock swing away mount for switch Indicate:  SWL swings left SWR swings right	+ 510,00 €
	SSES	Egg switch - black Indicate:  IMLH mount on left IMRH mount on r	ight
	▲ Required with the stealt the SWITCHES & OPTION	+ 116,00 €	
	JCC	Chin cup	+ 55,00 €
	Somah	Multi-axis headrest removable mounting hardware	
	▲ Required with the Switc		
	▼ Choose one(1) headrest	On request	
	SOFHRS	On request	
	SOPHRM	Medium curved heardrest pad	
	SOPHRL	Large curved headrest pad	

▼	Proportional compact or mini joystick for midline mount				
	SCPGMJS	PG Drives JC200 Proportional compact remote joystick for midline mount			
	SCGMJSM	Gatlin midline swing-away mount for JC200			
	▲ Must be selected for use with the PG Drives JC200 mini joystick				
	SCSIMP	Switch-It MicroPilot light touch mini proportional joystick	0		
	SCGMPM	Gatlin midline swing-away mount for MicroPilot	On request		
	▲ Must be selected for use with the Switch-It MicroPilot				
	SCBTM	Bullet hand tray for MicroPilot			
▲ This option is only compatible with the Switch-It MicroPilot					

▼	Proportional compact or mini joystick for armrest mount				
	SCPGMJS	PG Drives JC200 proportional compact remote joystick for armrest mount			
	SCARMJSM	Swing-away and multi-axis armrest mount			
	▲ Must be selected for us				
	SCSIMP	Switch-It MicroPilot light touch mini proportional joystick	0		
	SCARMPM	Swing-away and multi-axis armrest mount	On request		
	▲ Must be selected for us				
	SCBTM	Bullet hand tray for MicroPilot			
	▲ This option is only com				

#### Shipping and packing costs on request

#### Scustom section

Lead times will increase depending on the custom order pipeline at the time the purchase order is received. Please call for quote and specifications.

Notes