

ALLTRACK M ASCENT - PUBLIC PRICE LIST

Power wheelchair with median traction and standing module

Use: indoor and outdoor

Modular seat and various options available

Max. weight user: 113 kg

Width: 645 mm

Length: 890 mm without footrest
Autonomy (battery): 25 km (70A)
Motors: 2 AMT x 350W (10 km/h)

Two year warranty (except for wearing parts)

Except battery warranty I year









Professional order form - N°:			I	Date :					
Billing address Delivery address									
Billing address)			L	Store:	1 632			
Street:					Street:				
PC:					PC:				
City:					•	City:			
Email :					Email:				
Phone:					Phone:				
Article		Designation						Public price excl. VAT	
☐ IATV00000	1001		M wheelchair with	n standing module	e			22 894,00 €	
Standard o	ptions included								
WCA3		ser weight: 113k	g (250lb)		ADDPF	Power centre	mount elevatin	g and articulating foot platform	
всов	Offboard ba	ttery charger			JSMFH	Joystick mou	nt support bra	cket	
SFE-0	0° pre-set fra	ıme seat angle			ECR120	R-Net 120 An	np expandable	controller	
TTD4	4-Point whe	elchair transpor	t brackets		ECRNH	R-Net Harness for expandable controller			
SAABA-STD	Amyseat adj	justable seat stru	ucture		ECRJC35B	Joystick full o	ption R-net (b	luetooth-infrarouge)	
EBXMAC	EBOX cont	roller with intell	igent cylinders		SOAUTO	Pelvic belt			
PTSX-A300	Power seat	tilt with comper	nsation (0 ° to 50	°)	SOPCS	Chest belt			
PRX-300	Power tilting	g of the backres	t		SOKSSH	Knee supports	s		
	▲ It is recom	nmended to use t	he ergo NXT back	crest option with	power tilt				
User body fo	r chair adjus	tments							
Weight (kg):			Size (m.):			Comments:			
New colors									
☐ SCMOBM	Onyx black r	matte	SCMCRE	Candy red		☐ SCMHAB	Habanero		
☐ SCMCTB	Cobalt blue		SCMCAB	Cabernet		SCMLIM	Sublime	Standard	
SCMIOB	Indigo blue		☐ SCMBGM	Bubble gum me	etallic				
Optional hydrographics colors									
FCHDD	Desert digita	l camo	FCHWL	Woodland cam	10	FCHCF	Carbon fiber	On request	
Motor assembly									
		4-pole motor	unit at 10 km / h	/ with electro-bi	rakes			Standard	
MP65-OPT 4-pole motor unit at 10 Km / h / with electro			/ with electro-b	rakes (requires	the SMART-TRA	ACK)	+ 395,00 €		



Assistive driving packa	nge	Public price excl. VAT				
☐ SMARTT	MARTT Smart-Track (This option requires the MP65-OPT)					
	▲ Smart-Track technology provides increased tracking capabilities with enhanced traction and steering precision. This is ideal for those with marginal hand function or switch control. ▲ Requires the R-net PM I20 Amp Expandable Controller (ECRI20)					
Battery holder and fr	ame size					
FS24B	Battery holder for 70Ah batteries - Total frame width: 645mm	Standard				
_ 102.15	Success Horder for 707 at Successes 115cm Humber Machine O'Shinin	o carida d				
Batteries						
BAT24GEL	GEL Power Battery CG - Group 24 - 70 Ah	Standard				
_ b////occ	CLL Tomer Butter, CC Cross 21 70741	o carida d				
Drive wheel - black						
☐ DWI4PTB	355mm pneumatic	Standard				
DWI4PIB	355mm pneumatic tire					
DWI2PTB	305mm x 100mm extra-large pneumatic	Without supplement				
DW12PIB	305mm x 100mm extra-large pneumatic tire					
DWI44PTB	355mm × 100mm extra-large pneumatic					
DWI44PIB	355mm × 100mm extra-large pneumatic tire	+ 595,00 €				
▲ Extra wide wheels in	crease the overall width of the base by 65mm					
Front casters - black						
FC6S	I50mm (6") Pneumatic casters with foam filled	Without supplement				
▲ Not compatible with	▲ Not compatible with DWI 44 tires					
FC8PTMB	205mm (8") Pneumatic casters	Without supplement				
FC8PIMB	205mm (8") Pneumatic casters with foam filled					
Seat to floor height (Measurement to top of seat pan)					
▶ Options without						
	► Requires DW12 wheels STFH1775 (45.0cm)	Standard				
► Options with a sta	andard power elevating seat					
·	Requires DW12 wheels STFH195 (49.5cm)	Standard				
► Seat to floor heigh	t specificationother than standard					
SOMHSS	Specific seat to floor height requirement other than standard	Without supplement				
_	Required at:					
	required ac.					
Lighting package						
☐ EOLP	LED Light Package (front beams, side flashers, rear tail light with flashers & brake light)	+ 937,00 €				
_						
Joystick						
☐ ECO	Omit joystick (Requires the OMNI 2 display - see EDIB option)	Without supplement				
_						
Joystick mount						
☐ JSMSA	Swing-away joystick mount - Height adjustable, angle adjustable and multi-axis					
	Set-up with standard installation to swing-away sideways					
	Set-up at 35° to swing-away sideways and downwards	Without supplement				
	Indicates III LIMI (lafe band side)					



Joystick handle Public price excl. VAT				
☐ JSH	Standard joystick gimble	Standard		
☐ JBAT	Stick handle 75mm / 3" in length	+ 130,00 €		
☐ JBH	Ball handle	+ 85,00 €		
☐ JFBH	Foam ball handle	+ 70,00 €		
☐ JGP	Bodypoint 100mm/4" U-shaped handle		+ 210,00 €	
JMUSH	Bodypoint - Mushroom Handle		+ 210,00 €	
јтн	T-handle		+ 155,00 €	
	'	'		
Attendant drive control	option			
☐ EADC	Attendant hand control			
	Indicate: EADCL (left hand side)	EADCR (right hand side)	+ 677,73 €	
		'		
Enhanced digital displays	OMNI 2			
EDIB	OMNI 2 - enchanced display & digital interfac	e box with infared	+ 9 5,00 €	
	'	'		
Enhanced display mount	OMNI 2			
☐ EDSAM	User swing away mount			
_	Indicate: EDML (left hand side)	EDMR (right hand side)	Without supplement	
	_			
Environmental control m	odule			
☐ ECU	Environmental control module		+ 995,00 €	
_				
Power option seating				
ADDPESX	28cm / I I" Power elevating seat		+ 2 148,00 €	
_			,	
EBOX electronic (intelligent cylinders)				
☐ EBXMAC	EBX electric seat controller with smart actual	ators		
_	Indicate: SWKEYPAD-T	5 rocker switch keypad	+ 445,00 €	
	SWKEYPAD-P	Keypad with 5 push-button switches	,	
☐ MACMEMORY	Program for memorizing seat positions	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
	Indicate: User activation	Attendant activation	+ 175.00 €	
	TSML (left)	TSMR (right)	,	
	()	13111 (1814)		
Width adjustable seat wid	Ith range between 380-510mm			
SOWN15-20-19	Width adjustment of 380-510mm with maxim	num depth of 485mm		
SOWNI5-20-22	Width adjustment of 380-510mm with maxim	·	Without supplement	
SOWNI5 (380mm)	SOWN17 (430mm)	SOWN19S (485mm)		
SOWN16 (405mm)	SOWNI8 (455mm)	SOWN20S (510mm)	Standard	
_ •••••••	_ ••• ··· ··• (_ ************************************		
Width adjustable seat width range between 485-610mm				
SOWN19-24-22	Width adjustment of 485-610mm with maxim	num depth of 560mm	Without supplement	
SOWN19L (485mm)	SOWN21 (535mm) SOWN23 (585mm)		- 3	
SOWN20L (510mm)	SOWN22 (560mm)	SOWN24 (610mm)	Standard	
30 YY1 YZ Z Z (30011111)				
Adjustable seat depth range between 380-560mm				
SODNI5 (380mm)	SODNI8 (455mm)	SODN21 (535mm)		
SODNI6 (405mm)	SODNI9 (485mm)	SODN22 (560mm)	Standard	
SODNI7 (430mm)			Standard	
- 30 P. 417 (-3011111)	- 30 D1420 (310Hill)			



Bac	ck cane height				Public price excl. VAT	
▲ The back cane height measurement is taken from the seat pan to the top of the push handles						
	SOBCH22 (560mm / 22")	Standard				
	▲ 560 mm is the minimum back cane height required with a power recline					
		, , ,				
Туг	oe of backrest					
	▲ The minimum space be	etween the back and seat pan is 75mm	/3" with a fix	red back and 155mm/6" with a reclining back.		
	STDSB	Standard backrest (380-610mm/1	5-24" wide v	vith a maximum shell height of 560mm/22")	Standard	
	NOACB	Ergo NXT Optima backrest with	8cm profile ·	- 380-535mm wide	+ 639,25 €	
	NOPCB	Ergo NXT Optima backrest with	I5cm profile	e - 380-535mm wide		
	NOACB	Ergo NXT Optima backrest with	8cm profile ·	- 560-610mm wide	. 402.75 . 6	
	NOPCB	Ergo NXT Optima backrest with	I5cm profile	e - 560-610mm wide	+ 682,75 €	
	▲ The actual heights of the	he back shell only come to 330mm (13	"), 405mm ((16") or 485mm (19").		
	STDSBO	Backrest omission, specify the back	:krest mode	l:	Without supplement	
	▲ It is recommended to	use the Ergo backrest option with the	power recli	ne		
Bac	ck support total heigh	t				
	SOBH16 (405mm / 16")	SOBH20 (510mm / 20")		SOBH24 (610mm / 24")		
	SOBH18 (455mm / 18")	SOBH22 (560mm / 22")		SOBH26 (660mm / 26")		
▲ 560 mm is the minimum back cane height required with a power recline				Standard		
SOBH28 (710mm / 28")						
	▲ This height is not available with the NXT Optima option (NXTOPT and NXTOPTD)					
Sea	at Cushions					
	SCPSC	Standard padded foam cushion			Standard	
	CGAIR	Therapeutic air cushion - CGAIR			_	
▲ P	lease complete and attach	the CG AIR measurement sheet			On request	
	NXTBIOFIT NXT BIO FIT Cushion - 380-535mm wide			+ 368,16 €		
	NXTBIOFIT NXT BIO FIT Cushion - 560-610mm wide			+ 401,60 €		
Arı	mrests foldable back a	and adjustable in height				
	SOAFBFH	Long armrest			Carradand	
		Indicate: Left side		Right side	Standard	
▼ Only for manual backrest						
	SOAFBDH	Short armrest			Without supplement	
		Indicate: Left side		Right side		
Armrest height adjustment						
	lease set the armrest heigh				\\/:+h au+	
▲ The armrest height is taken from the seat pan to the top of the armpad.				Without supplement		



Armpads			Public price excl. VAT	
SOGE	LF	Full length hybrid gel and foam flat armpad	ht	
SOGE	LD	Desk length hybrid gel and foam flat armpad 🔲 Left 🔲 Rig	Without supplement ht	
☐ sow	GELF	Full length hybrid gel and foam waterfall armpad 🔲 Left 🔲 Rig	ht	
☐ sow	GELD	Desk length hybrid gel and foam waterfall armpad Left Rig	+ 40,00 €	
100052	22	Desk length large foam cushion	ht	
100052	23	Full lenght large foam cushion Left Rig	+ 95,00 € ht	
100052	24	Desk length large gel cushion Left Rig	ht	
100052	25	Full lenght large gel cushion	+ 114,00 € ht	
▲ The	e waterfall armpads ma	ay interfere with flipping back the armrests when combined with lateral trunk supports	'	
SOCA	AR.	Armpad trough with hand support 455 x 118 mm (18" x 4 ½")	ht	
▲ Arm	n trough armpads may	interfere with Armrests flipping back.	+ 170,00 €	
Central le	egrest and accesso	pries		
ADDPI	-	Power centre mount elevating and articulating foot platform		
		Indicate the dimension of the leg segment:		
		Indicate the length: SOFBPW16 (318-420mm) SOFBPW18 (420-520mm	Standard n)	
▼ Plea	ase select the one pie	ce centre mount (SOFUFP) or the split footplates (SOAFPFB).		
SOFU	FP	Flip-up one piece foot platform		
SOAFF	PFB	Angle adjustable and flip-up split footplates for center mount	Without supplement	
			<u> </u>	
Seat belts	for stand-up mo	dule		
	•	belt and one chest belt		
SOAU	то	Seatbelt, auto-buckle (140 cm / 55")	Standard	
SOBP	HP2C	Pelvic belt, 32 cm / 12" cushion, 2 central adjustment points, bodypoint	+ 170,00 €	
SOPHI	В	+ 194,00 €		
SOPHB Pelvic belt, padded, seat 35-43 cm, central magnetic attachment Chest belt, cushion 31 cm / 12", bodypoint			+ 262,00 €	
SOPCS Chest belt, padded, seat 35-43 cm / 14-17", central magnetic attachment			+ 250,00 €	
Knee supports for stand-up module				
	uires with stand-up n			
SOKSS	SH-LH	Removable and adjustable knee support		
SOKSS	SH-RH	Removable and adjustable knee support Right	Standard	
			<u> </u>	
Headrests	S			
▼ Plea	ase select one of the h	neadrest options with the mounting hardware and specify where the headrest will be insta	alled	
SOMA	Н	Multi-axis removable mounting hardware		
SOFHI	RS	Small curved headrest pad (100x230mm / 4x9")		
SOFHI	RM	Medium curved headrest pad (125x255mm / 5x10")	Standard	
SOFHI	RL	Large curved headrest pad (155x280mm / 6x11")		
SOHR	.PR	To mount on the seat frame		
Trunk supports				
▼ Please select one of the lateral pads and the adjustable and removable hardware.				
SOSLE		Adjustable swing-away hardware mounts	+ 220,00 €	
SOSLS				
SOSLN		Adjustable laterals with small curved pads - 75x125mm/3x5" Adjustable laterals with medium curved pads - 100x155mm/4x6"	+ 100,00 €	
SOSLL		Adjustable laterals with large curved pads - 100x135/min/4x0	,,,,	



Thi	gh supports		Public price excl. VAT	
▼ Please select one of the lateral pads and the adjustable and removable hardware.				
	SOHTSARH	Adjustable and removable hip and thigh support hardware	+ 136,00 €	
	SOHTSS10	Adjustable hip and thigh support pads - Small 255x100mm/10x4"		
	SOHTSM12	Adjustable hip and thigh support pads - Medium 305x125mm/12x5"	+ 130,00 €	
	SOHTSL14	Adjustable hip and thigh support pads - Large 355x155mm/14x6"		
		7. 10 June 2011 6 11 6 11 6 11 6 11 6 11 6 11 6 11		
Acc	cessories			
	SOCH	Cup holder (self-leveling)	+ 115,00 €	
	SOCPH	Ram mounts X-Grip mobile phone holder	+ 190,00 €	
	SOTHS	Ram mounts X-Grip small tablet holder	+ 205,00 €	
	SOTHL	Ram mounts X-Grip large tablet holder	+ 360,00 €	
	SOBP	Backpack (Comes with durable straps that can be hooked around the back canes)	+ 90,00 €	
	SOAP	Armrest side pouch	+ 53,00 €	
	REFLECT	Red and white reflector kit stickers		
	▲They will not be installe	d - Included in a bag with the owner's manual	Standard	
		<u> </u>		
Sw	itches and options			
	ASCPCP	PGDT RNET Dongle and PC programmer kit	+ 600,00 €	
	SSBS	Buddy Button switch	+ 230,00 €	
	SSES	Egg switch - black	+ 116,00 €	
	SSML	Ultra light switch	+ 295,00 €	
		Oldangie Smeen		
Specialty driver control options				
	•	l options all require the OMNI 2 enhanced display and digital interface box (EDIB).		
	. ,			
▼	Switch-It proximity he	ad array		
	SCSIHAA	Adult - 3 switch proximity head array with 1/8" mono jack for mode/reverse	+ 3 990,00 €	
ō	SCSRM	Stealth rock-n-lock swingaway mount for mode switch		
		Indicate: SWL swings left SWR swings right	+ 510,00 €	
	SSES-STD	Egg switch for changing modes - black		
		Indicate: MRH mount on left MRH mount on right		
	▲ Required with the steal	th rock-n-lock swingaway mount. The mode switch type can be changed from this selection in		
	the SWITCHES & OPTIO	• , , , , , , , , , , , , , , , , , , ,		
	SSBS-STD	SSBS-STD Buddy button switch - (stop switch) - red		
	▲ Required with the Swit			
	SOMAH	Multi axis headrest removable mounting hardware		
	▲ Required with the Swit	ch-lt proximity head array.		
▼	Proportional RIM head	d control		
	SCPHC	3-axis proportional RIM head control package		
	SCSRM	Stealth rock-n-lock swing away mount for mode switch		
	SSES-STD	Egg switch for changing modes - Black		
	▲ Required with the stealth rock-n-lock swing away mount. The Mode Switch type can be changed from this selection in On request			
	the SWITCHES & OPTIONS section.			
	SOMAH	Multi-axis headrest removable mounting hardware		
	▲ Required with the prop			



▼	Switch-It micro-pilot I	ight touch proportional Mini-joystick for chin / lip control	Public price excl. VAT		
	SCSIMP	+ 3 870,00 €			
ā	SCSRMMP	MicroPilot light touch mini proportional joystick Stealth tock-n-lock swingaway mount for chin MP			
		Indicate: SWL swings left SWR swing	s right + 645,00 €		
	▲ Required with the Swi	red with the Switch-It proximity micro-pilot			
	SCSRM	Stealth rock-n-lock swing away mount for switch			
		Indicate: SWL swings left SWR swing	+ 510,00 € s right		
	SSES	Egg switch - black	-		
-		Indicate: MLH mount on left MRH moun	t on right		
	▲ Required with the steat the SWITCHES & OPTIC	alth rock-n-lock swingaway mount. The mode switch type can be changed from this DNS section.	+ 116,00 € selection in		
	JCC	Chin cup	+ 55,00 €		
	SOMAH	Multi-axis headrest removable mounting hardware			
	▲ Required with the Swi	tch-lt proximity micro-pilot			
	▼ Choose one(I) headres				
	SOFHRS	Small curved headrest pad	On request		
	SOPHRM	Medium curved heardrest pad			
ā	SOPHRL	Large curved headrest pad			
		La Se carred mead est pad	ı		
•	Proportional compac	ct or mini joystick for midline mount			
	SCPGMJS	PG Drives JC200 Proportional compact remote joystick for midline mount			
吉	SCGMJSM	Gatlin midline swing-away mount for JC200			
		se with the PG Drives JC200 mini joystick			
	SCSIMP	Switch-It MicroPilot light touch mini proportional joystick			
7	SCGMPM	Gatlin midline swing-away mount for MicroPilot	On request		
		se with the Switch-It MicroPilot			
	SCBTM	Bullet hand tray for MicroPilot			
		npatible with the Switch-It MicroPilot			
	,,				
▼	Proportional compac	t or mini joystick for armrest mount			
	SCPGMJS	PG Drives JC200 proportional compact remote joystick for armrest mount			
	SCARMJSM	Swing-away and multi-axis armrest mount			
	▲ Must be selected for us	se with the PG Drives JC200 mini joystick			
	SCSIMP	Switch-It MicroPilot light touch mini proportional joystick	_		
ā	SCARMPM	Swing-away and multi-axis armrest mount	On request		
		se with the Switch-It MicroPilot			
	SCBTM	Bullet hand tray for MicroPilot			
	▲ This option is only con	npatible with the Switch-It MicroPilot			
Shii	oping and packing cost	ts on request			
Scu	stom section				
		lepending on the custom order pipeline at the time the purchase order is received. I	Please call for quote and specifications.		
			, , , , , , , , , , , , , , , , , , , ,		
No	tes				
0					