


# ALLTRACK R - PUBLIC PRICE LIST

Hybrid drive power wheelchair Use: indoor and outdoor Modular seat and various options available Max. weight user: 136 kg Width: 600 or 640 mm / Length: 910 mm Autonomy : 20 km (50Ah) / 25 km (70Ah) Battery : 50A or 70A Motors: 2 AMT x 350W (10 km/h) Two year warranty (except for wearing parts) Except battery warranty I year



# Professional order form - N° :

Billing address	Delivery address
Store:	Store:
Street:	Street:
PC:	PC:
City:	City:
Email :	Email :
Phone:	Phone:

Date :

Article		Designation			Public price excl. VAT	
[] IATR00000	100 I	ALLTRACK R power wheelchair			4 660,00 €	
Standard o	ptions include	d				
WCA3	WCA3 Maximum user weight: 136kg (300lb)			Manual adjustable leg supports without too	ls	
TTD4	Wheelchair transport brackets		JSMFH	Joystick mount support bracket		
всов	Offboard battery charger		ECR120	R-Net 120 Amp expandable controller		
SFE-0	0° pre-set frame seat angle		ECRNH	R-Net Harness for expandable controller		
SAABA-STD	Amyseat ad	justable seat structure				
MAC	Multiple electric seat controller (2 to 6 actuators) interfaced via Electronics R-net					
PTSX-A300	Power seat tilt with compensation (0 ° to 50 °)					
PRX-300	Power tiltin					
	▲ It is recommended to use the ergo NXT backrest option with power tilt					

# User body for chair adjustments

Weight (kg):	Size (m.):	Comments :					

New colors						
🔲 SCMOBM	Onyx black matte		Candy red	SCMHAB	Habanero	
SCMCTB	Cobalt blue	SCMCAB	Cabernet	SCMLIM	Sublime	Standard
SCMIOB	Indigo blue	SCMBGM	Bubble gum metallic			

Optional hydrographics colors							
FCHDD	Desert digital camo	🔲 FCHWL	Woodland camo		FCHCF	Carbon fiber	On request

Motor assembly					
MP65B	4-pole motor unit at 10 km / h / with electro-brakes	Standard			
MP65-OPT	4-pole motor unit at 10 Km / h / with electro-brakes (requires the SMART-TRACK)	+ 395,00 €			

Validity to 31/12/2024 - Version 1.0



Assistive driving package		Public price excl. VAT				
SMARTT	+   420,00 €					
▲ Smart-Track technology provides increased tracking capabilities with enhanced traction and steering precision. This is ideal for those with marginal hand function or						
switch control. A Requires t	he R-net PM I 20 Amp Expandable Controller (ECRI 20)					

Battery holder and frame size					
FS22B	Battery holder for 50Ah batteries - Total frame width: 600mm	Standard			
FS24B	Battery holder for 70Ah batteries - Total frame width: 640mm	Without supplement			

Batteries					
BAT22NFGEL	GEL Power Battery CG - Group 22NF - 50 Ah	Without our slowert			
BAT24GEL	GEL Power Battery CG - Group 24 - 70 Ah	Without supplement			

Drive wheel - black						
DWI4PTB	DWI4PTB 355mm pneumatic					
DWI4PIB	DW14PIB 355mm pneumatic tire					
DWI2PTB	Without supplement					
DWI2PIB						
DWI44PTB	DW144PTB 355mm x 100mm extra-large pneumatic					
DWI44PIB	DW144PIB 355mm x 100mm extra-large pneumatic tire + 595,00 €					
▲ Extra wide wheels in	▲ Extra wide wheels increase the overall width of the base by 65mm					

#### Front casters - black

-

FC8PTRB	Standard				
FC8PIRB	FC8PIRB         205mm (8") Pneumatic casters with foam filled				
FC9PTB	230mm (9") Pneumatic casters	+ 150,00 €			
FC9PIB	+ 175,00 €				

▲ 230mm (9 ") casters increase the minimum seat-to-floor height by 15mm (1/2") and are NOT compatible with the 318mm (12 ½ ") drive wheel configuration and are NOT compatible with many front rig options, please see details in the front rig sections.

Sea	Seat to floor height (Measurement to top of seat pan)					
	<ul> <li>Options for a power til</li> </ul>	t or a power elevating seat				
	STFH1575 (39,5cm) ► R					
	STFH1625 (41.5cm )			STFH1825 (46.5cm)	Standard	
	STFH1725 (44.0cm )			<b>TFH1875 (47.5</b> cm )		
	<ul> <li>Options for a combinat</li> </ul>	ion power tilt with a standard po	ower	elevating seat		
	STFH1825 (46.5cm)	Standard				
Seat to floor height specificationother than standard						
	SOMHSS Specific seat to floor height requirement other than standard					
		Without supplement				

Lighting package		
EOLP	LED Light Package (front beams, side flashers, rear tail light with flashers & brake light)	+ 937,00 €
▲ Requires the upgraded	oystick with Light Operation or the OMNI 2 (ECELJL, ECRJCL, ECRJC35B or EDIB).	

Joysticks		
<ul> <li>Selection of one joyst</li> </ul>	ick option below is required with the expandable controller ECR120	
ECO	Omit joystick (Requires the OMNI 2 display - see EDIB option)	Without supplement
ECRJC	R-Net joystick with colour screen	Standard
ECRJCL	R-Net joystick (LCD) with colour screen and lighting operation	+ 180,00 €
ECRJC35B	R-Net Bluetooth joystick full option (90mm / 3 ½" screen) lighting kit, switches and sockets	+    05,00 €

Validity to 31/12/2024 - Version 1.0



Joystick mount			Public price excl. VAT
JSMSA	Swing-away joystick mount - Height adjustable, a	ngle adjustable and multi-axis	
	Set-up with standard installation to	swing-away sideways	
	Set-up at 35° to swing-away sidewa	ys and downwards	Without supplement
	Indicate: 🔲 HML (left hand side)	HMR (right hand side)	

#### Joystick handle Standard 🔲 JSH Standard joystick gimble 🔲 ЈВАТ Stick handle 75mm / 3" in length + 130,00 € + 85,00 € 🔲 ЈВН Ball handle + 70,00 € Foam ball handle 🔲 JFBH Bodypoint 100mm/4" U-shaped handle +210,00 € 🔲 JGP +210,00 € JMUSH Bodypoint - Mushroom Handle + 155,00 € T-handle 🔲 ЈТН

Attendant drive control o	ption			
EADC	Attendant hand co	ntrol		+ (77 7) €
	Indicate:	EADCL (left hand side)	EADCR (right hand side)	+ 677,73 €

Enhanced digital displays C	OMNI 2	
EDIB	OMNI 2 - enchanced display & digital interface box with infared	+   9 5,00 €

Enhanced display me	ount OMNI 2		
EDSAM	User swing away mount Indicate: <u> </u>	EDMR (right hand side)	Without supplement

□ ECU       Environmental control module       + 995,00 €	Environmental control me	odule	
	ECU		+ 995,00 €

Power option seating		
	28cm / 11" Power elevating seat	+ 2 148,00 €

Electronics - (requires EJI	RJC35B)			
EBXMAC	EBX electri	ic seat controller with smart a	actuators	
	Indicate:	SWKEYPAD-T	5 rocker switch keypad	+ 445,00 €
		SWKEYPAD-P	Keypad with 5 push-button switches	
	Program for	memorizing seat positions		
	Indicate:	User activation	Attendant activation	+ 175,00 €
		TSML (left)	TSMR (right)	

Width adjustable seat wid	th range between 380-510mm		
SOWN15-20-19	Width adjustment of 380-510mm with maxim	um depth of 485mm	Without supplement
SOWN15-20-22	Width adjustment of 380-510mm with maxim	um depth of 560mm	Without supplement
SOWN15 (380mm)	SOWN17 (430mm)	SOWN19S (485mm)	Chandand
SOWN16 (405mm)	SOWN18 (455mm)	SOWN20S (510mm)	Standard

Width adjustable seat wid	lth range between 485-610mm		
SOWN19-24-22	Width adjustment of 485-610mm with maxin	num depth of 560mm	Without supplement
SOWN19L (485mm)	SOWN21 (535mm)	SOWN23 (585mm)	Standard
SOWN20L (510mm)	SOWN22 (560mm)	SOWN24 (610mm)	Standard

Validity to 31/12/2024 - Version 1.0



rujustable seat deput ra	nge between 380-560mm		Public price excl. VA
SODNI5 (380mm)	SODN18 (455mm)	SODN21 (535mm)	
SODN16 (405mm)	<b>SODNI9</b> (485mm)	SODN22 (560mm)	Standard
SODN17 (430mm)	SODN20 (510mm)		
ack cane height			
▲ The back cane height	measurement is taken from the seat pan t	o the top of the push handles	
SOBCH22 (560mm / 22"	) SOBCH24 (610mm / 24")	SOBCH26 (660mm / 26")	Standard
▲ 560 mm is the minimu	Im back cane height required with a powe	er recline	
ype of backrest			
<i>/</i> ·	etween the back and seat pan is 75mm/3"	with a fixed back and 155mm/6" with a reclining back.	
<i>/</i> ·		' with a fixed back and 155mm/6" with a reclining back. 24" wide with a maximum shell height of 560mm/22")	Standard
		5	Standard Without supplement
▲ The minimum space b ■ STDSB	Standard backrest (380-610mm/15-2	24" wide with a maximum shell height of 560mm/22")	Without supplement
<ul> <li>The minimum space b</li> <li>STDSB</li> <li>ADDMR</li> </ul>	Standard backrest (380-610mm/15-2 Manual fixed backrest	24" wide with a maximum shell height of 560mm/22") m profile - 480-535mm wide	
<ul> <li>The minimum space b</li> <li>STDSB</li> <li>ADDMR</li> <li>NOACB</li> </ul>	Standard backrest (380-610mm/15-2 Manual fixed backrest Ergo NXT Optima backrest with 8c	24" wide with a maximum shell height of 560mm/22") m profile - 480-535mm wide cm profile - 480-535mm wide	Without supplement + 639,25 €
<ul> <li>The minimum space b</li> <li>STDSB</li> <li>ADDMR</li> <li>NOACB</li> <li>NOPCB</li> </ul>	Standard backrest (380-610mm/15-2 Manual fixed backrest Ergo NXT Optima backrest with 8c Ergo NXT Optima backrest with 15	24" wide with a maximum shell height of 560mm/22") m profile - 480-535mm wide cm profile - 480-535mm wide m profile - 560-660mm wide	Without supplement
<ul> <li>The minimum space b</li> <li>STDSB</li> <li>ADDMR</li> <li>NOACB</li> <li>NOPCB</li> <li>NOACB</li> <li>NOPCB</li> </ul>	Standard backrest (380-610mm/15-2         Manual fixed backrest         Ergo NXT Optima backrest with 8c         Ergo NXT Optima backrest with 15         Ergo NXT Optima backrest with 8c	24" wide with a maximum shell height of 560mm/22") m profile - 480-535mm wide cm profile - 480-535mm wide m profile - 560-660mm wide cm profile - 560-660mm wide	Without supplement + 639,25 €
<ul> <li>The minimum space b</li> <li>STDSB</li> <li>ADDMR</li> <li>NOACB</li> <li>NOPCB</li> <li>NOACB</li> <li>NOPCB</li> </ul>	Standard backrest (380-610mm/15-2         Manual fixed backrest         Ergo NXT Optima backrest with 8c         Ergo NXT Optima backrest with 15         Ergo NXT Optima backrest with 8c         Ergo NXT Optima backrest with 15         Ergo NXT Optima backrest with 8c         Ergo NXT Optima backrest with 15	24" wide with a maximum shell height of 560mm/22") m profile - 480-535mm wide cm profile - 480-535mm wide m profile - 560-660mm wide cm profile - 560-660mm wide , 405mm (16") or 485mm (19").	Without supplement + 639,25 €

SOBH16 (405mm / 16")	SOBH20 (510mm / 20")	SOBH24 (610mm / 24")		
SOBH18 (455mm / 18")	SOBH22 (560mm / 22")	SOBH26 (660mm / 26")		
▲ 560 mm is the minimum	n back cane height required with a power recline		Standard	
SOBH28 (710mm / 28")				
▲ This height is not availa	ble with the NXT Optima option (NXTOPT and	NXTOPTD)		

Seat Cushions					
	SCPSC Standard padded foam cushion				
CGAIR	Therapeutic air cushion - CGAIR	0			
▲ Please complete and attach th	▲ Please complete and attach the CG AIR measurement sheet				
	NXT BIO FIT Cushion - 480-535mm wide	+ 368,16 €			
	NXT BIO FIT Cushion - 560-660mm wide	+ 401,60 €			

Armrests				
▼Only for power backress				
SOANIFH	Type "i" armrest for reclining backrest		Standard	
	Indicate: 🔲 Left side	Right side		
▼ Only for manual backres				
SOADPFH	Retractable "u" type armrest		Standard	
	Indicate: 🔲 Left side	🔲 Right side		
Armrest height adjustment				
Please set the armrest height	\\/ithout outplomont			
▲ The armrest height is ta	ken from the seat pan to the top of the armpad.		Without supplement	

# LOGO SILVER EUROPE Validity to 31/12/2024 - Version 1.0



Arı	mpads						Public price excl. VAT
	SOGELF	Full length hybrid gel and foam flat armpad		Left		Right	
	SOGELD	Desk length hybrid gel and foam flat armpad		Left		Right	Without supplement
	SOWGELF	Full length hybrid gel and foam waterfall armpad		Left		Right	1 40 00 <i>C</i>
	SOWGELD	Desk length hybrid gel and foam waterfall armpad		Left		Right	+ 40,00 €
	1000522	Desk length large foam cushion		Left		Right	+ 95.00 €
	1000523	Full lenght large foam cushion		Left		Right	+ 95,00 €
	1000524	Desk length large gel cushion		Left		Right	+    4.00 €
	1000525	Full lenght large gel cushion		Left		Right	+ 114,00 €
	▲ The waterfall armpads may interfere with flipping back the armrests when combined with lateral trunk supports						
	SOCAR	Armpad trough with hand support 455 x 118 mm (18" x 4 $^{\prime}\!\!\!/_2$ ")		Left		Right	+ 170,00 €
	▲ Arm trough armpads may	v interfere with Armrests flipping back.					+ 170,00 €

Individual legrests and accessories				
MCELR	Manual adjustable leg supports without tools		<b>6</b>	
	Indicate the dimension	of the leg segment:		Standard
SOAAF	Adjustable manual leg si	upports with tools		
	Indicate inclination:	🔲 60°	🔲 70°	Without supplement
	Indicate the length:	SOFLHD12 (318-395mm)	SOFLHD14 (368-495mm)	
	Power retractable com	pensated legrests with calf pads		
	Indicate function:	🔲 Individual	Combined	+   452,00 €
	Indicate the length:	SOFLPW12 (318-395mm)	SOFLPW14 (368-495mm)	
SOSFAF	Flip-up footplates			Standard
SOAFP	Angle adjustable and flip	o-up footplates		\\//ithout augulamont
SOAHL	Heel loops			Without supplement

Central legrest and accessories				
SOAAF 90	Adjustable manual central legrest (90 $^\circ$ ) with tools	Without supplement		
	Indiquer la dimension du segment jambier :			
ADDPF	ADDPF Power centre mount elevating and articulating foot platform			
	Indicate the dimension of the leg segment:	+   452,00 €		
	Indicate the length: SOFBPW16 (318-420mm) SOFBPW18 (420-520mm)			
▼ Please select the one p				
	Flip-up one piece foot platform			
SOAFPFB	Angle adjustable and flip-up split footplates for center mount	Without supplement		

Security options		
SOAUTO	Seatbelt, auto-buckle (140 cm / 55")	Standard
SOAUTO-LGS	Retractable seatbelt, auto-buckle (140 cm / 55")	+ 75,00 €
SOBPHP2C	Pelvic belt, 32 cm / 12" cushion, 2 central adjustment points, bodypoint	+ 170,00 €
SOPHB	Pelvic belt, padded, seat 35-43 cm, central magnetic attachment	+ 194,00 €
SOBPCS	Chest belt, cushion 31 cm / 12", bodypoint	+ 250,00 €
	Chest belt, padded, seat 35-43 cm / 14-17", central magnetic attachment	+ 262,00 €

Headrests						
▼ Please select on	▼ Please select one of the headrest options with the mounting hardware and specify where the headrest will be installed					
Somah	Multi-axis removable mounting hardware					
	Small curved headrest pad (100x230mm / 4x9")					
SOFHRM	Medium curved headrest pad (125x255mm / 5x10")	Standard				
SOFHRL	Large curved headrest pad (155x280mm / 6x11")					
SOHRPR	To mount on the seat frame					

Validity to 31/12/2024 - Version 1.0



Trunk supports		Public price excl. VAT
▼ Please select one of		
SOSLHM	Adjustable swing-away hardware mounts	+ 220,00 €
SOSLS3	Adjustable laterals with small curved pads - 75x125mm/3x5"	
SOSLM4	Adjustable laterals with medium curved pads - 100x155mm/4x6"	+ 100,00 €
SOSLL5	Adjustable laterals with large curved pads - 125x180mm/5x7"	

### Thigh supports

ingi suppor a						
▼ Please select one	▼ Please select one of the lateral pads and the adjustable and removable hardware.					
□ SOHTSARH       Adjustable and removable hip and thigh support hardware       + 136,00 €						
SOHTSS10	Adjustable hip and thigh support pads - Small 255x100mm/10x4"					
SOHTSM12	Adjustable hip and thigh support pads - Medium 305x125mm/12x5"	+ 130,00 €				
SOHTSL14	Adjustable hip and thigh support pads - Large 355x155mm/14x6"					

Accessories			
SOCH	Cup holder (self-leveling)		+ 115,00 €
SOCPH	Ram mounts X-Grip mobile phone holder		+ 190,00 €
SOTHS	Ram mounts X-Grip small tablet holder		+ 205,00 €
SOTHL	Ram mounts X-Grip large tablet holder		+ 360,00 €
SOBP	Backpack (Comes with durable straps that can be	e hooked around the back canes)	+ 90,00 €
SOAP	Armrest side pouch	🔲 Left side 🔲 Right side	+ 53,00 €
REFLECT	Red and white reflector kit stickers		Standard
▲ They will not be insta	▲ They will not be installed - Included in a bag with the owner's manual		

Switches and options				
ASCPCP	PGDT RNET Dongle and PC programmer kit	+ 600,00 €		
SSBS	Buddy Button switch	+ 230,00 €		
SSES S	Egg switch - black	+ 116,00 €		
SSML	Ultra light switch	+ 295,00 €		

#### Specialty driver control options

▼ Specialty driver control options all require the OMNI 2 enhanced display and digital interface box (EDIB).

▼ :	▼ Switch-It proximity head array		
	SCSIHAA	Adult - 3 switch proximity head array with $\frac{1}{8}$ mono jack for mode/reverse	+ 3 990,00 €
	SCSRM	Stealth rock-n-lock swingaway mount for mode switch         Indicate:       SWL swings left         SWR swings ref	+ 510,00 €
	SSES-STD	Egg switch for changing modes - black Indicate: I MLH mount on left I MRH mount o	n right
	▲ Required with the steal the SWITCHES & OPTION	th rock-n-lock swingaway mount. The mode switch type can be changed from this se NS section.	ection in Without supplement
	SSBS-STD	Buddy button switch - (stop switch) - red	without supprement
	▲ Required with the Swite		
	SOMAH	Multi axis headrest removable mounting hardware	
	▲ Required with the Switch-It proximity head array.		

Validity to 31/12/2024 - Version 1.0



▼ Proportional RIM head control		Public price excl. VAT	
	SCPHC	3-axis proportional RIM head control package	
	SCSRM	Stealth rock-n-lock swing away mount for mode switch	
	SSES-STD	Egg switch for changing modes - Black	
	▲ Required with the stealth rock-n-lock swing away mount. The Mode Switch type can be changed from this selection in the SWITCHES & OPTIONS section.		On request
	SOMAH	Multi-axis headrest removable mounting hardware	
	A Required with the prop	ortional RIM head control.	

	MicroPilot light touch mini proportional joystick		+ 3 870,00 €
SCSRMMP	Stealth tock-n-lock swingaway mount for chin MP Indicate: SWL swings left	SWR swings right	+ 645,00 €
Required with	the Switch-It proximity micro-pilot		
SCSRM	Stealth rock-n-lock swing away mount for switch Indicate: SWL swings left	SWR swings right	+510,00 €
SSES	Egg switch - black Indicate: Indicate MLH mount on left	MRH mount on right	+116.00 €
	▲ Required with the stealth rock-n-lock swingaway mount. The mode switch type can be changed from this selection in the SWITCHES & OPTIONS section.		± 116,00 €
🖵 јсс	Chin cup		+ 55,00 €
JCC SOMAH	Chin cup Multi-axis headrest removable mounting hardware		+ 55,00 €
SOMAH			+ 55,00 €
SOMAH	Multi-axis headrest removable mounting hardware the Switch-It proximity micro-pilot		
SOMAH	Multi-axis headrest removable mounting hardware the Switch-It proximity micro-pilot		+ 55,00 € On request
SOMAH ▲ Required with ▼ Choose one(1)	Multi-axis headrest removable mounting hardware the Switch-It proximity micro-pilot ) headrest pad		

▼	Proportional compact or mini joystick for midline mount		
	SCPGMJS	PG Drives JC200 Proportional compact remote joystick for midline mount	
	SCGMJSM	Gatlin midline swing-away mount for JC200	
	▲ Must be selected for use with the PG Drives JC200 mini joystick		
	SCSIMP	Switch-It MicroPilot light touch mini proportional joystick	On request
	SCGMPM	Gatlin midline swing-away mount for MicroPilot	Onrequest
	▲ Must be selected for use with the Switch-It MicroPilot		
	SCBTM	Bullet hand tray for MicroPilot	
	▲ This option is only com		

▼	Proportional compact or mini joystick for armrest mount			
	SCPGMJS	PG Drives JC200 proportional compact remote joystick for armrest mount		
	SCARMJSM	Swing-away and multi-axis armrest mount		
	▲ Must be selected for use	Must be selected for use with the PG Drives JC200 mini joystick		
	SCSIMP	Switch-It MicroPilot light touch mini proportional joystick	On request	
	SCARMPM	Swing-away and multi-axis armrest mount		
	▲ Must be selected for use			
	SCBTM	Bullet hand tray for MicroPilot		
	▲ This option is only compatible with the Switch-It MicroPilot			

Validity to 31/12/2024 - Version 1.0



#### Shipping and packing costs on request

#### Scustom section

Lead times will increase depending on the custom order pipeline at the time the purchase order is received. Please call for quote and specifications.

Notes