

ALLTRACK R FOOT - PUBLIC PRICE LIST

Versatile power wheelchair dedicated to the practice of Foot-wheelchair

Use: indoor and outdoor Modular seat and various options available Max. weight user: 136 kg Width: 710 mm / Length: 890 mm without cages Autonomy: 25 km (non-football mode) Battery: 70A Motors: 2 AMT x 350W (10 km/h) Two year warranty (except for wearing parts) Except battery warranty I year



Professional order form - N° :

Billing address	Delivery address	
Store:	Store:	
Street:	Street:	
PC:	PC:	
City:	City:	
Email :	Email :	
Phone:	Phone:	

Date :

Article		Designation			Public price excl. VAT
🗋 IATR0000	0001	ALLTRACK R wheelchair wit	hout option		14 660,00 €
Standard o	otions included				
WCA3	Maximum us	er weight: 136kg (300lb)	FC8PIMB	Black pneumatic casters 205mm / 8"	
TTD4	Wheelchair	transport brackets	JSMFH	Joystick mount support bracket	
BCOB	Offboard bat	tery charger	ECR120	R-Net 120 Amp expandable controller	
SFE-0	0° pre-set fra	ame seat angle	ECRNH	R-Net Harness for expandable controller	
Foot option	าร				+ 3 437,00 €
Remova	ble front and re	ar cages	MP85 moto	or and Rnet controller ventilation	
Changing the battery tray			FOOT Pro	gram	
70Ah battery support - Total chassis width: 710mm Gel power battery CG - Group 24 - 70Ah					

User body for chair adjustments	
Weight (kg):	

Comments :

New colors							
🗋 SCMOBM	Onyx black matte	SCMCRE	Candy red		SCMHAB	Habanero	
SCMCTB	Cobalt blue	SCMCAB	Cabernet		SCMLIM	Sublime	Standard
	Indigo blue	SCMBGM	Bubble gum metallic				
Optional hydr	ographics colors						
FCHDD	Desert digital camo	FCHWL	Woodland camo		FCHCF	Carbon fiber	On request
Transport op	tion						
TTD4	4-Point whe	elchair transport br	rackets				Standard
Assistive drivi	ng package						
SMARTT	Smart-Track	(This option requi	res the MP65-OPT)				+ 260,67 €
▲ Smart-Track technology provides increased tracking capabilities with enhanced traction and steering precision. This is ideal for those with marginal hand function or							

switch control. A Requires the R-net PM 120 Amp Expandable Controller (ECR120)

Size (m.):

to 31/12/2024 - Version 1.0



Drive wheel	Public price excl. VAT	
DWI2PTG	305mm (12") - Cast wheel pneumatic tire - Grey	Without supplement
DWI2PIG	305mm (12") - Cast wheel pneumatic with foam filled - Grey	without supplement
DWI2PLG	305mm (12") - XL cast wheel pneumatic with foam filled - Grey	Standard

Front casters FC6PIG 150mm (6") Pneumatic casters with foam filled - Grey Without supplement FC8PTR 205mm (8") Pneumatic casters - Black Standard FC8PIR 205mm (8") Pneumatic casters with foam filled - Black Without supplement

Seat to floor height (Measurement to top of seat pan)

	Options for a power tilt or a power elevating seat						
	STFH155 (39.5cm)			STFH1775 (45.0cm)			
	STFH1625 (41.5cm)			STFH1825 (46.5cm)	Standard		
	STFH1725 (44.0cm)			STFH1875 (47.5cm)			
	Options for a combination power tilt with a standard power elevating seat						
STFH1825 (46.5cm)					Standard		
	Seat to floor height specificationother than standard						
	SOMHSS Specific seat to floor height requirement other than standard Required at: Required at:				Without supplement		
		· · ·					

Lighting package Image: EOLP LED Light Package (front beams, side flashers, rear tail light with flashers & brake light) + 937,00 € Image: A Requires the upgraded Joystick with Light Operation or the OMNI 2 (ECELJL, ECRJCL, ECRJC35B or EDIB). + 937,00 €

Joysticks					
Selection of one joystick option below is required with the expandable controller ECR120					
ECO	Omit joystick (Requires the OMNI 2 display - see EDIB option)	Without supplement			
ECRJC	R-Net joystick with colour screen	Standard			
ECRJCL	R-Net joystick (LCD) with colour screen and lighting operation	+ 180,00 €			
ECRJC35B	R-Net Bluetooth joystick full option (90mm / 3 ½" screen) lighting kit, switches and sockets	+ 05,00 €			

Joystick mount					
JSMSA	Swing-away joystick mount - Height adjustable, angle adjustable and multi-axis				
	Set-up with standard installation t	Without supplement			
	Set-up at 35° to swing-away sidev	without supplement			
	Indicate: 🔲 HML (left hand side)	HMR (right hand side)			

Joystick handle

JSH	Standard joystick gimble	Standard
🔲 ЈВАТ	Stick handle 75mm / 3" in length	+ 130,00 €
🔲 ЈВН	Ball handle	+ 85,00 €
🛄 ЈҒВН	Foam ball handle	+ 70,00 €
JGP	Bodypoint 100mm/4" U-shaped handle	+ 210,00 €
JMUSH	Bodypoint - Mushroom Handle	+ 210,00 €
🗋 јтн	T-handle	+ 155,00 €

Attendant drive control option						
EADC	Attendant hand control					
	Indicate: 🔲 EADCL (left hand side	de) EADCR (right hand side)	+ 677,73 €			

to 31/12/2024 - Version 1.0



Enhanced digital displays C	OMNI 2		Public price excl. VAT
EDIB	OMNI 2 - enchanced display & digital inte	erface box with infared	+ 9 5,00 €
Enhanced display mount (OMNI 2		
EDSAM	User swing away mount		\\/ithout our plomont
	Indicate: 🔲 EDML (left hand side)) EDMR (right hand side)	Without supplement
Environmental control m	odule		
ECU	Environmental control module		+ 995,00 €
Power options and seatin	g		
SAABA - STD	Adjustable Amyseat seat structure		Standard
ADDPESX	28cm / 11" Power elevating seat		+ 2 48,00 €
Electronics - (requires EJI	RJC35B)		
EBXMAC	EBX electric seat controller with smart a	actuators	
	Indicate: 🔄 SWKEYPAD-T	5 rocker switch keypad	+ 445,00 €
	SWKEYPAD-P	Keypad with 5 push-button switches	
	Program for memorizing seat positions		
	Indicate: User activation	Attendant activation	+ 175,00 €
	TSML (left)	TSMR (right)	
Standard adjustable seat v	vidth range between 380-510mm(15	5-20")	
SOWN15-20-19		20") with a maximum depth of 485mm (19")	
SOWN15-20-22	With adjustment from 380-510mm (15-2	0") with a maximum depth of 560mm (22")	Without supplement
SOWN15 (380mm / 15")	SOWNI7 (430mm / 17")	SOWN19S (485mm / 19")	
SOWN16 (405mm / 16")	SOWN18 (455mm / 18")	SOWN20S (510mm / 20")	Standard
Large adjustable seat widt	h range between 485-610mm (19-2-	4")	
SOWN19-24-22	Width adjustment from 485-610mm (19-		Without supplement
	SOWN21 (535mm / 21")	SOWN23 (585mm / 23")	
-	SOWN22 (560mm / 22")	SOWN24 (610mm / 24")	Standard
- ,	-		
Adjustable seat depth ran	ge between 380-560mm (15-22")		
SODNI5 (380mm / 15")	SODNI8 (455mm / 18")	SODN21 (535mm / 21")	
SODN16 (405mm / 16")	SODNI9 (485mm / 19")	SODN22 (560mm / 22")	Standard
SODN17 (430mm / 17")	SODN20 (510mm / 20")		
Back cane height			
	neasurement is taken from the seat pan to the	a top of the push handles	
	SOBCH24 (610mm / 24")	SOBCH26 (660mm / 26")	Standard
		· · · · · · · · · · · · · · · · · · ·	

 \blacktriangle 560 mm is the minimum back cane height required with a power recline

to 31/12/2024 - Version 1.0



Type of backrest	Public price excl. VAT				
▲ The minimum space be	tween the back and seat pan is 75mm/3" with a fixed back and 155mm/6" with a reclining back.				
STDSB	Standard backrest (380-610mm/15-24" wide with a maximum shell height of 560mm/22")	Standard			
NXTOPT-	NXT Optima Ergo backrest with 8cm/3" profle - 380-535mm/15-21" wide	+ 639.25 €			
NXTOPTD-	NXT Optima Ergo Backrest with 15cm/6" profile - 380-535mm/15-21" wide	+ 037,25 E			
NXTOPT-	NXT Optima Ergo Backrest with 8cm/3" profile - 560-610mm/22-24" wide	+ 682.75 €			
NXTOPTD-	NXT Optima Ergo Backrest with 15cm/6" profile - 560-610mm/22-24" wide	+ 602,75 E			
▲ The actual heights of the back shell only come to 330mm (13"), 405mm (16") or 485mm (19").					
STDSBO	Backrest omission, specify the backrest model:	Without supplement			
▲ It is recommended to use the Ergo backrest option with the power recline					

Back support total height

SOBH16 (405mm / 16")	SOBH20 (510mm / 20")	SOBH24 (610mm / 24")		
SOBH18 (455mm / 18")	SOBH22 (560mm / 22")	SOBH26 (660mm / 26")		
▲ 560 mm is the minimum back cane height required with a power recline			Standard	
SOBH28 (710mm / 28")				
▲ This height is not available with the NXT Optima option (NXTOPT and NXTOPTD)				

Seat Cushions				
	SCPSC Standard padded foam cushion			
CGAIR	Therapeutic air cushion - CGAIR			
▲ Please complete and attach the CG AIR measurement sheet				
	NXT BIO FIT Cushion - 380-535mm (15-21") wide	+ 368,16 €		
	NXT BIO FIT Cushion - 560-610mm (22-24") wide	+ 401,60 €		

Armrests					
▼Only for power backres	▼Only for power backrest				
SOANIFH	SOANIFH Type "i" armrest for reclining backrest		Standard		
	Indicate: 🔲 Left side	Right side			
▼ Only for manual backre					
SOADPFH	Retractable "u" type armrest		Standard		
	Indicate: 🔲 Left side	Right side			
Armrest height adjustment					
Please set the armrest height					
▲ The armrest height is ta	Without supplement				

Ar	mpads						
	SOGELF	Full length hybrid gel and foam flat armpad		Left		Right	Without supplement
	SOGELD	Desk length hybrid gel and foam flat armpad		Left		Right	without supplement
	SOWGELF	Full length hybrid gel and foam waterfall armpad		Left		Right	+ 40.00 €
	SOWGELD	Desk length hybrid gel and foam waterfall armpad		Left		Right	+ +0,00 €
	1000522	Desk length large foam cushion		Left		Right	+ 95,00 €
	1000523	Full lenght large foam cushion		Left		Right	
	1000524	Desk length large gel cushion		Left		Right	+ 114.00 €
	1000525	Full lenght large gel cushion		Left		Right	+ 114,00 €
	▲ The waterfall armpads may interfere with flipping back the armrests when combined with lateral trunk supports						
	SOCAR	Armpad trough with hand support 455 x 118 mm (18" x 4 $^{\prime}\!/_{\!2}$ ")		Left		Right	+ 170 00 <i>E</i>
	▲ Arm trough armpads may interfere with Armrests flipping back.				+ 170,00 €		

to 31/12/2024 - Version 1.0



Individual legrests and accessories					Public price excl. VAT		
MCELR Manual adjustable legrest without tools							
	Indicate the dimension of the leg segment:						
▲ Minin	num height from flo	oor to seat: 45 cm					
SOAAF		Manual adjustable legres	sts with tools				
		Indicate inclination:	 60°	🔟 70°	Without supplement		
		Indicate the length:	SOFLHD12 (318-395mm)	SOFLHD14 (368-495mm)			
🗋 ADDPL		Power retractable com	pensated legrests with calf pads				
		Indicate function:	🔲 Individual	Combined	+ 452,00 €		
		Indicate the length:	SOFLPW12 (318-395mm)	SOFLPW14 (368-495mm)	+ 1 452,00 €		
▲ Minin	num height from flo	oor to seat: 45 cm					
SOSFAF		Flip-up footplates			Standard		
SOAFP	SOAFP Angle adjustable and flip-up footplates						
SOAHL		Heel loops			Without supplement		

Central legrest and accessories				
SOAAF 90	Adjustable manual central legrest with tools (90 $^\circ$ tilt)	Standard		
	Standard			
	Flip-up one piece foot platform	Without supplement		
SOAFPFB	SOAFPFB Angle adjustable and flip-up split footplates for center mount			

Security options					
	Seatbelt, auto-buckle (140 cm / 55")	Standard			
SOAUTO-LGS	Retractable seatbelt, auto-buckle (140 cm / 55")	+ 75,00 €			
SOBPHP2C	Pelvic belt, 32 cm / 12" cushion, 2 central adjustment points, bodypoint	+ 170,00 €			
SOPHB	Pelvic belt, padded, seat 35-43 cm, central magnetic attachment	+ 194,00 €			
	Chest belt, cushion 31 cm / 12", bodypoint	+ 250,00 €			
	Chest belt, padded, seat 35-43 cm / 14-17", central magnetic attachment	+ 262,00 €			

Headrests

▼ Please select one of the	▼ Please select one of the headrest options with the mounting hardware and specify where the headrest will be installed					
SOMAH	SOMAH Multi-axis removable mounting hardware					
	OFHRS Small curved headrest pad (100x230mm / 4x9")					
SOFHRM	Medium curved headrest pad (125x255mm / 5x10")	Standard				
	Large curved headrest pad (155x280mm / 6x11")					
	To mount on the seat frame					

Trunk supports

▼ Please select one	▼ Please select one of the lateral pads and the adjustable and removable hardware.					
	SOSLHM Adjustable swing-away hardware mounts					
SOSLS3	Adjustable laterals with small curved pads - 75x125mm/3x5"					
SOSLM4	Adjustable laterals with medium curved pads - 100x155mm/4x6"	+ 100,00 €				
SOSLL5	Adjustable laterals with large curved pads - 125x180mm/5x7"					

Thigh supports

▼ Please select one	▼ Please select one of the lateral pads and the adjustable and removable hardware.				
SOHTSARH	+ 136,00 €				
	Adjustable hip and thigh support pads - Small 255x100mm/10x4"				
SOHTSMI2	Adjustable hip and thigh support pads - Medium 305x125mm/12x5"	+ 130,00 €			
SOHTSLI4	Adjustable hip and thigh support pads - Large 355x155mm/14x6"				

to 31/12/2024 - Version 1.0



Accessories			Public price excl. VAT	
🗋 soch	Cup holder (self-leveling)		+ 115,00 €	
🗋 SOCPH	Ram mounts X-Grip mobile phone holder		+ 190,00 €	
SOTHS	SOTHS Ram mounts X-Grip small tablet holder			
SOTHL	SOTHL Ram mounts X-Grip large tablet holder			
SOBP	Backpack (Comes with durable straps that car	n be hooked around the back canes)	+ 90,00 €	
SOAP	Armrest side pouch	🔲 Left side 🔲 Right side	+ 53,00 €	
REFLECT	REFLECT Red and white reflector kit stickers A They will not be installed - Included in a bag with the owner's manual			
▲ They will not be in				

Switches and options				
ASCPCP	PGDT RNET Dongle and PC programmer kit	+ 600,00 €		
SSBS	Buddy Button switch	+ 230,00 €		
SSES	Egg switch - black	+ 116,00 €		
SSML	Ultra light switch	+ 295,00 €		

Specialty driver control options

▼ Specialty driver control options all require the OMNI 2 enhanced display and digital interface box (EDIB).

▼ Switch-It proximity head array			
SCSIHAA	Adult - 3 switch proximity head array with 1/8" mono jack for mode/reverse	+ 3 990,00 €	
SCSRM	Stealth rock-n-lock swingaway mount for mode switch Indicate: SWL swings left SWR swings right	+ 510,00 €	
SSES-STD	Egg switch for changing modes - black Indicate: Indicate: MLH mount on left INRH mount on right		
▲ Required wit the SWITCHES			
SSBS-STD	Buddy button switch - (stop switch) - red	Without supplement	
Required wit	▲ Required with the Switch-It proximity head array.		
SOMAH	Multi axis headrest removable mounting hardware		
Required wit	h the Switch-It proximity head array.		

▼	▼ Proportional RIM head control		
	SCPHC	3-axis proportional RIM head control package	
	SCSRM	SRM Stealth rock-n-lock swing away mount for mode switch	
	SSES-STD	Egg switch for changing modes - Black	
	▲ Required with the steal the SWITCHES & OPTION	On request	
	SOMAH	Multi-axis headrest removable mounting hardware	
▲ Required with the proportional RIM head control.			

to 31/12/2024 - Version 1.0



▼	Switch-It micro-pilot lig	ht touch proportional Mini-joystick for chin / lip control	Public price excl. VAT
	SCSIMP	MicroPilot light touch mini proportional joystick	+ 3 870,00 €
	SCSRMMP	Stealth tock-n-lock swingaway mount for chin MP Indicate: Indicate SWL swings left Image: SWL swings left	swings right + 645,00 €
	▲ Required with the Swite	:h-lt proximity micro-pilot	
	SCSRM	Stealth rock-n-lock swing away mount for switch	+ 510.00 €
		Indicate: SWL swings left SWR	swings right
	SSES	Egg switch - black	
		Indicate: 🔲 MLH mount on left 🗌 MRH	mount on right + 116,00 €
	▲ Required with the stealt the SWITCHES & OPTION	h rock-n-lock swingaway mount. The mode switch type can be changed from VS section.	
	JCC	Chin cup	+ 55,00 €
	Somah	Multi-axis headrest removable mounting hardware	
	▲ Required with the Switch-It proximity micro-pilot		
	▼ Choose one(1) headrest		
	SOFHRS	Small curved headrest pad	On request
	SOPHRM	Medium curved heardrest pad	
	SOPHRL	Large curved headrest pad	

▼	Proportional compact or mini joystick for midline mount		
	SCPGMJS	PG Drives JC200 Proportional compact remote joystick for midline mount	
	SCGMJSM	Gatlin midline swing-away mount for JC200	
	▲ Must be selected for use with the PG Drives JC200 mini joystick		
	SCSIMP	Switch-It MicroPilot light touch mini proportional joystick	
	SCGMPM	Gatlin midline swing-away mount for MicroPilot	On request
	▲ Must be selected for use with the Switch-It MicroPilot		
	SCBTM	Bullet hand tray for MicroPilot	
▲ This option is only compatible with the Switch-It MicroPilot			

▼	Proportional compact or mini joystick for armrest mount		
	SCPGMJS	PG Drives JC200 proportional compact remote joystick for armrest mount	
	SCARMJSM	Swing-away and multi-axis armrest mount	
	▲ Must be selected for use		
	SCSIMP	Switch-It MicroPilot light touch mini proportional joystick	
	SCARMPM	Swing-away and multi-axis armrest mount	On request
	▲ Must be selected for use		
	SCBTM	Bullet hand tray for MicroPilot	
	▲ This option is only comp		

Shipping and packing costs on request

Scustom section

Lead times will increase depending on the custom order pipeline at the time the purchase order is received. Please call for quote and specifications.

Notes