

## ALLTRACK M ASCENT - PUBLIC PRICE LIST

Power wheelchair with median traction and standing module

Use: indoor and outdoor

Modular seat and various options available

Max. weight user: 113 kg

Width: 645 mm


Length: 890 mm without footrest

Autonomy (battery) : 25 km (70A)

Motors: 2 AMT x 350W (10 km/h)

Two year warranty (except for wearing parts)

Except battery warranty 1 year



Professional order form - N° : \_\_\_\_\_ Date : \_\_\_\_\_

| Billing address | Delivery address |
|-----------------|------------------|
| Store:          | Store:           |
| Street:         | Street:          |
| PC:             | PC:              |
| City:           | City:            |
| Email :         | Email :          |
| Phone:          | Phone:           |

| Article   | Designation                                   | Public price excl. VAT   |
|---|---|--|
| <input type="checkbox"/> IATV00000001                                   | ALLTRACK M wheelchair with standing module    | 22 894,00 €  |
| <b>Standard options included</b>  |   |  |
| <input type="checkbox"/> WCA3   | Maximum user weight: 113kg (250lb)            | <input type="checkbox"/> ADDPF Power centre mount elevating and articulating foot platform |
| <input type="checkbox"/> BCOB   | Offboard battery charger                      | <input type="checkbox"/> JSMFH Joystick mount support bracket                              |
| <input type="checkbox"/> SFE-0  | 0° pre-set frame seat angle                   | <input type="checkbox"/> ECRI20 R-Net 120 Amp expandable controller                        |
| <input type="checkbox"/> TTD4   | 4-Point wheelchair transport brackets         | <input type="checkbox"/> ECRNH R-Net Harness for expandable controller                     |
| <input type="checkbox"/> SAABA-STD                                      | Amyseat adjustable seat structure             | <input type="checkbox"/> ECRJC35B Joystick full option R-net (bluetooth-infrarouge)        |
| <input type="checkbox"/> EBXMAC   | EBOX controller with intelligent cylinders    | <input type="checkbox"/> SOAUTO Pelvic belt  |
| <input type="checkbox"/> PTSX-A300                                      | Power seat tilt with compensation (0° to 50°) | <input type="checkbox"/> SOPCS Chest belt  |
| <input type="checkbox"/> PRX-300  | Power tilting of the backrest                 | <input type="checkbox"/> SOKSSH Knee supports  |
| ▲ It is recommended to use the ergo NXT backrest option with power tilt |   |  |

User body for chair adjustments

Weight (kg): \_\_\_\_\_ Size (m.): \_\_\_\_\_ Comments : \_\_\_\_\_

| New colors                      |                  |                                 |                     |
|---------------------------------|------------------|---------------------------------|---------------------|
| <input type="checkbox"/> SCMOBM | Onyx black matte | <input type="checkbox"/> SCMCRE | Candy red           |
| <input type="checkbox"/> SCMCTB | Cobalt blue      | <input type="checkbox"/> SCMCAB | Cabernet            |
| <input type="checkbox"/> SCMIOB | Indigo blue      | <input type="checkbox"/> SCMBGM | Bubble gum metallic |
| <input type="checkbox"/> SCMHAB | Habanero         | <input type="checkbox"/> SCMLIM | Sublime             |
| Standard                        |                  |                                 |                     |

| Optional hydrographics colors  |                     |                                |               |
|--------------------------------|---------------------|--------------------------------|---------------|
| <input type="checkbox"/> FCHDD | Desert digital camo | <input type="checkbox"/> FCHWL | Woodland camo |
| <input type="checkbox"/> FCHCF | Carbon fiber        | On request                     |               |

| Motor assembly                    |   |            |
|-----------------------------------|---|------------|
| <input type="checkbox"/> MP65B    | 4-pole motor unit at 10 km / h / with electro-brakes                            | Standard   |
| <input type="checkbox"/> MP65-OPT | 4-pole motor unit at 10 Km / h / with electro-brakes (requires the SMART-TRACK) | + 395,00 € |

| Assistive driving package  |   | Public price excl. VAT |
|--|---|------------------------|
| <input type="checkbox"/> SMARTT  | Smart-Track (This option requires the MP65-OPT) | + 1 420,00 €           |
| ▲ Smart-Track technology provides increased tracking capabilities with enhanced traction and steering precision. This is ideal for those with marginal hand function or switch control. ▲ Requires the R-net PM 120 Amp Expandable Controller (ECR120) |   |                        |

| Battery holder and frame size  |  |          |
|--------------------------------|--|----------|
| <input type="checkbox"/> FS24B | Battery holder for 70Ah batteries - Total frame width: 645mm | Standard |

| Batteries                         |   |          |
|-----------------------------------|---|----------|
| <input type="checkbox"/> BAT24GEL | GEL Power Battery CG - Group 24 - 70 Ah | Standard |

| Drive wheel - black  |  |                    |
|--|--|--------------------|
| <input type="checkbox"/> DWI4PTB                                   | 355mm pneumatic                          | Standard           |
| <input type="checkbox"/> DWI4PIB                                   | 355mm pneumatic tire                     | Without supplement |
| <input type="checkbox"/> DWI2PTB                                   | 305mm x 100mm extra-large pneumatic      |                    |
| <input type="checkbox"/> DWI2PIB                                   | 305mm x 100mm extra-large pneumatic tire | + 595,00 €         |
| <input type="checkbox"/> DWI44PTB                                  | 355mm x 100mm extra-large pneumatic      |                    |
| <input type="checkbox"/> DWI44PIB                                  | 355mm x 100mm extra-large pneumatic tire |                    |
| ▲ Extra wide wheels increase the overall width of the base by 65mm |  |                    |

| Front casters - black             |   |                    |
|-----------------------------------|---|--------------------|
| <input type="checkbox"/> FC6S     | 150mm (6") Pneumatic casters with foam filled | Without supplement |
| ▲ Not compatible with DWI44 tires |   |                    |
| <input type="checkbox"/> FC8PTMB  | 205mm (8") Pneumatic casters                  | Without supplement |
| <input type="checkbox"/> FC8PIMB  | 205mm (8") Pneumatic casters with foam filled |                    |

| Seat to floor height (Measurement to top of seat pan)             |   |                    |
|---|---|--------------------|
| ▶ Options without a power elevating seat                          |   |                    |
| <input type="checkbox"/> STFHI675 (42.5cm) ▶ Requires DWI2 wheels | <input type="checkbox"/> STFHI775 (45.0cm)                                    | Standard           |
| ▶ Options with a standard power elevating seat                    |   |                    |
| <input type="checkbox"/> STFHI185 (47cm) ▶ Requires DWI2 wheels   | <input type="checkbox"/> STFHI195 (49.5cm)                                    | Standard           |
| ▶ Seat to floor height specification other than standard          |   |                    |
| <input type="checkbox"/> SOMHSS                                   | Specific seat to floor height requirement other than standard<br>Required at: | Without supplement |

| Lighting package              |   |            |
|-------------------------------|---|------------|
| <input type="checkbox"/> EOLP | LED Light Package (front beams, side flashers, rear tail light with flashers & brake light) | + 937,00 € |

| Joystick                     |   |                    |
|------------------------------|---|--------------------|
| <input type="checkbox"/> ECO | Omit joystick (Requires the OMNI 2 display - see EDIB option) | Without supplement |

| Joystick mount                 |  |                    |
|--------------------------------|--|--------------------|
| <input type="checkbox"/> JSMSA | Swing-away joystick mount - Height adjustable, angle adjustable and multi-axis<br><input type="checkbox"/> Set-up with standard installation to swing-away sideways<br><input type="checkbox"/> Set-up at 35° to swing-away sideways and downwards<br>Indicate: <input type="checkbox"/> HML (left hand side) <input type="checkbox"/> HMR (right hand side) | Without supplement |

| Joystick handle                |                                    | Public price excl. VAT |
|--------------------------------|------------------------------------|------------------------|
| <input type="checkbox"/> JSH   | Standard joystick gimble           | Standard               |
| <input type="checkbox"/> JBAT  | Stick handle 75mm / 3" in length   | + 130,00 €             |
| <input type="checkbox"/> JBH   | Ball handle                        | + 85,00 €              |
| <input type="checkbox"/> JFBH  | Foam ball handle                   | + 70,00 €              |
| <input type="checkbox"/> JGP   | Bodypoint 100mm/4" U-shaped handle | + 210,00 €             |
| <input type="checkbox"/> JMUSH | Bodypoint - Mushroom Handle        | + 210,00 €             |
| <input type="checkbox"/> JTH   | T-handle                           | + 155,00 €             |

| Attendant drive control option |  |            |
|--------------------------------|--|------------|
| <input type="checkbox"/> EADC  | Attendant hand control<br>Indicate: <input type="checkbox"/> EADCL (left hand side) <input type="checkbox"/> EADCR (right hand side) | + 677,73 € |

| Enhanced digital displays OMNI 2 |  |              |
|----------------------------------|--|--------------|
| <input type="checkbox"/> EDIB    | OMNI 2 - enhanced display & digital interface box with infared | + 1 915,00 € |

| Enhanced display mount OMNI 2  |   |                    |
|--------------------------------|---|--------------------|
| <input type="checkbox"/> EDSAM | User swing away mount<br>Indicate: <input type="checkbox"/> EDML (left hand side) <input type="checkbox"/> EDMR (right hand side) | Without supplement |

| Environmental control module |                              |            |
|------------------------------|------------------------------|------------|
| <input type="checkbox"/> ECU | Environmental control module | + 995,00 € |

| Power option seating             |                                 |              |
|----------------------------------|---------------------------------|--------------|
| <input type="checkbox"/> ADDPESX | 28cm / 11" Power elevating seat | + 2 148,00 € |

| EBOX electronic (intelligent cylinders) |   |            |
|---|---|------------|
| <input type="checkbox"/> EBXMAC         | EBX electric seat controller with smart actuators<br>Indicate: <input type="checkbox"/> SWKEYPAD-T 5 rocker switch keypad<br><input type="checkbox"/> SWKEYPAD-P Keypad with 5 push-button switches                     | + 445,00 € |
| <input type="checkbox"/> MACMEMORY      | Program for memorizing seat positions<br>Indicate: <input type="checkbox"/> User activation <input type="checkbox"/> Attendant activation<br><input type="checkbox"/> TSML (left) <input type="checkbox"/> TSMR (right) | + 175,00 € |

| Width adjustable seat width range between 380-510mm |   |  |          |
|---|---|--|----------|
| <input type="checkbox"/> SOWNI5-20-19               | Width adjustment of 380-510mm with maximum depth of 485mm | Without supplement                       |          |
| <input type="checkbox"/> SOWNI5-20-22               | Width adjustment of 380-510mm with maximum depth of 560mm |  |          |
| <input type="checkbox"/> SOWNI5 (380mm)             | <input type="checkbox"/> SOWNI7 (430mm)                   | <input type="checkbox"/> SOWNI9S (485mm) | Standard |
| <input type="checkbox"/> SOWNI6 (405mm)             | <input type="checkbox"/> SOWNI8 (455mm)                   | <input type="checkbox"/> SOWN20S (510mm) |          |

| Width adjustable seat width range between 485-610mm |   |   |          |
|---|---|---|----------|
| <input type="checkbox"/> SOWNI9-24-22               | Width adjustment of 485-610mm with maximum depth of 560mm | Without supplement                      |          |
| <input type="checkbox"/> SOWNI9L (485mm)            | <input type="checkbox"/> SOWN21 (535mm)                   | <input type="checkbox"/> SOWN23 (585mm) | Standard |
| <input type="checkbox"/> SOWN20L (510mm)            | <input type="checkbox"/> SOWN22 (560mm)                   | <input type="checkbox"/> SOWN24 (610mm) |          |

| Adjustable seat depth range between 380-560mm |   |   |          |
|---|---|---|----------|
| <input type="checkbox"/> SODNI5 (380mm)       | <input type="checkbox"/> SODNI8 (455mm) | <input type="checkbox"/> SODN21 (535mm) | Standard |
| <input type="checkbox"/> SODNI6 (405mm)       | <input type="checkbox"/> SODNI9 (485mm) | <input type="checkbox"/> SODN22 (560mm) |          |
| <input type="checkbox"/> SODNI7 (430mm)       | <input type="checkbox"/> SODN20 (510mm) |   |          |

| Back cane height   |  | Public price excl. VAT |
|--|--|------------------------|
| ▲ The back cane height measurement is taken from the seat pan to the top of the push handles |  | Standard               |
| <input type="checkbox"/> SOBCH22 (560mm / 22")   | <input type="checkbox"/> SOBCH24 (610mm / 24") |                        |
| <input type="checkbox"/> SOBCH26 (660mm / 26")   |  |                        |
| ▲ 560 mm is the minimum back cane height required with a power recline                       |  |                        |

| Type of backrest   |  |                    |
|--|--|--------------------|
| ▲ The minimum space between the back and seat pan is 75mm/3" with a fixed back and 155mm/6" with a reclining back. |  |                    |
| <input type="checkbox"/> STDSB   | Standard backrest (380-610mm/15-24" wide with a maximum shell height of 560mm/22") | Standard           |
| <input type="checkbox"/> NOACB   | Ergo NXT Optima backrest with 8cm profile - 380-535mm wide                         | + 639,25 €         |
| <input type="checkbox"/> NOPCB   | Ergo NXT Optima backrest with 15cm profile - 380-535mm wide                        |                    |
| <input type="checkbox"/> NOACB   | Ergo NXT Optima backrest with 8cm profile - 560-610mm wide                         | + 682,75 €         |
| <input type="checkbox"/> NOPCB   | Ergo NXT Optima backrest with 15cm profile - 560-610mm wide                        |                    |
| ▲ The actual heights of the back shell only come to 330mm (13"), 405mm (16") or 485mm (19").                       |  |                    |
| <input type="checkbox"/> STDSBO  | Backrest omission, specify the backrest model:                                     | Without supplement |
| ▲ It is recommended to use the Ergo backrest option with the power recline   |  |                    |

| Back support total height  |   |   |
|--|---|---|
| <input type="checkbox"/> SOBH16 (405mm / 16")                                  | <input type="checkbox"/> SOBH20 (510mm / 20") | <input type="checkbox"/> SOBH24 (610mm / 24") |
| <input type="checkbox"/> SOBH18 (455mm / 18")                                  | <input type="checkbox"/> SOBH22 (560mm / 22") | <input type="checkbox"/> SOBH26 (660mm / 26") |
| ▲ 560 mm is the minimum back cane height required with a power recline         |   |   |
| <input type="checkbox"/> SOBH28 (710mm / 28")                                  |   |   |
| ▲ This height is not available with the NXT Optima option (NXTOPT and NXTOPTD) |   |   |
|  |   | Standard                                      |

| Seat Cushions   |                                      |            |
|---|--------------------------------------|------------|
| <input type="checkbox"/> SCPC                             | Standard padded foam cushion         | Standard   |
| <input type="checkbox"/> CGAIR                            | Therapeutic air cushion - CGAIR      | On request |
| ▲ Please complete and attach the CG AIR measurement sheet |                                      |            |
| <input type="checkbox"/> NXTBIOFIT                        | NXT BIO FIT Cushion - 380-535mm wide | + 368,16 € |
| <input type="checkbox"/> NXTBIOFIT                        | NXT BIO FIT Cushion - 560-610mm wide | + 401,60 € |

| Armrests foldable back and adjustable in height                                  |               |                    |
|--|---------------|--------------------|
| <input type="checkbox"/> SOAFBFH   | Long armrest  | Standard           |
| Indicate: <input type="checkbox"/> Left side <input type="checkbox"/> Right side |               |                    |
| ▼ Only for manual backrest   |               |                    |
| <input type="checkbox"/> SOAFBDH   | Short armrest | Without supplement |
| Indicate: <input type="checkbox"/> Left side <input type="checkbox"/> Right side |               |                    |

| Armrest height adjustment   |  |                    |
|---|--|--------------------|
| Please set the armrest height at:   |  | Without supplement |
| ▲ The armrest height is taken from the seat pan to the top of the armpad. |  |                    |

| Armpads   |   |                               |                                | Public price excl. VAT |
|---|---|-------------------------------|--------------------------------|------------------------|
| <input type="checkbox"/> SOGELF   | Full length hybrid gel and foam flat armpad                 | <input type="checkbox"/> Left | <input type="checkbox"/> Right | Without supplement     |
| <input type="checkbox"/> SOGELD   | Desk length hybrid gel and foam flat armpad                 | <input type="checkbox"/> Left | <input type="checkbox"/> Right |                        |
| <input type="checkbox"/> SOWGELF  | Full length hybrid gel and foam waterfall armpad            | <input type="checkbox"/> Left | <input type="checkbox"/> Right | + 40,00 €              |
| <input type="checkbox"/> SOWGELD  | Desk length hybrid gel and foam waterfall armpad            | <input type="checkbox"/> Left | <input type="checkbox"/> Right |                        |
| <input type="checkbox"/> I000522  | Desk length large foam cushion                              | <input type="checkbox"/> Left | <input type="checkbox"/> Right | + 95,00 €              |
| <input type="checkbox"/> I000523  | Full length large foam cushion                              | <input type="checkbox"/> Left | <input type="checkbox"/> Right |                        |
| <input type="checkbox"/> I000524  | Desk length large gel cushion                               | <input type="checkbox"/> Left | <input type="checkbox"/> Right | + 114,00 €             |
| <input type="checkbox"/> I000525  | Full length large gel cushion                               | <input type="checkbox"/> Left | <input type="checkbox"/> Right |                        |
| ▲ The waterfall armpads may interfere with flipping back the armrests when combined with lateral trunk supports |   |                               |                                |                        |
| <input type="checkbox"/> SOCAR  | Armpad trough with hand support 455 x 118 mm (18" x 4 1/2") | <input type="checkbox"/> Left | <input type="checkbox"/> Right | + 170,00 €             |
| ▲ Arm trough armpads may interfere with Armrests flipping back.   |   |                               |                                |                        |

| Central legrest and accessories  |   |                    |
|--|---|--------------------|
| <input type="checkbox"/> ADDPF   | Power centre mount elevating and articulating foot platform<br>Indicate the dimension of the leg segment:<br>Indicate the length: <input type="checkbox"/> SOFBPW16 (318-420mm) <input type="checkbox"/> SOFBPW18 (420-520mm) | Standard           |
| ▼ Please select the one piece centre mount (SOFUFP) or the split footplates (SOAFPFB). |   |                    |
| <input type="checkbox"/> SOFUFP  | Flip-up one piece foot platform   | Without supplement |
| <input type="checkbox"/> SOAFPFB   | Angle adjustable and flip-up split footplates for center mount  |                    |

| Seat belts for stand-up module                     |  |            |
|--|--|------------|
| ▼ Please select one pelvic belt and one chest belt |  |            |
| <input type="checkbox"/> SOAUTO                    | Seatbelt, auto-buckle (140 cm / 55")                                     | Standard   |
| <input type="checkbox"/> SOBPHP2C                  | Pelvic belt, 32 cm / 12" cushion, 2 central adjustment points, bodypoint | + 170,00 € |
| <input type="checkbox"/> SOPHB                     | Pelvic belt, padded, seat 35-43 cm, central magnetic attachment          | + 194,00 € |
| <input type="checkbox"/> SOBPCS                    | Chest belt, cushion 31 cm / 12", bodypoint                               | + 262,00 € |
| <input type="checkbox"/> SOPCS                     | Chest belt, padded, seat 35-43 cm / 14-17", central magnetic attachment  | + 250,00 € |

| Knee supports for stand-up module  |                                       |                                |
|------------------------------------|---------------------------------------|--------------------------------|
| ▼ Requires with stand-up module    |                                       |                                |
| <input type="checkbox"/> SOKSSH-LH | Removable and adjustable knee support | <input type="checkbox"/> Left  |
| <input type="checkbox"/> SOKSSH-RH | Removable and adjustable knee support | <input type="checkbox"/> Right |
|                                    |                                       | Standard                       |

| Headrests   |  |          |
|---|--|----------|
| ▼ Please select one of the headrest options with the mounting hardware and specify where the headrest will be installed |  |          |
| <input type="checkbox"/> SOMAH  | Multi-axis removable mounting hardware         | Standard |
| <input type="checkbox"/> SOFHRS   | Small curved headrest pad (100x230mm / 4x9")   |          |
| <input type="checkbox"/> SOFHRM   | Medium curved headrest pad (125x255mm / 5x10") |          |
| <input type="checkbox"/> SOFHRL   | Large curved headrest pad (155x280mm / 6x11")  |          |
| <input type="checkbox"/> SOHRPR   | To mount on the seat frame                     |          |

| Trunk supports   |  |            |
|--|--|------------|
| ▼ Please select one of the lateral pads and the adjustable and removable hardware. |  |            |
| <input type="checkbox"/> SOSLHM  | Adjustable swing-away hardware mounts                        | + 220,00 € |
| <input type="checkbox"/> SOSLS3  | Adjustable laterals with small curved pads - 75x125mm/3x5"   | + 100,00 € |
| <input type="checkbox"/> SOSLM4  | Adjustable laterals with medium curved pads - 100x155mm/4x6" |            |
| <input type="checkbox"/> SOSLL5  | Adjustable laterals with large curved pads - 125x180mm/5x7"  |            |

| Thigh supports   |  | Public price excl. VAT |
|--|--|------------------------|
| ▼ Please select one of the lateral pads and the adjustable and removable hardware. |  |                        |
| <input type="checkbox"/> SOHTSARH  | Adjustable and removable hip and thigh support hardware        | + 136,00 €             |
| <input type="checkbox"/> SOHTSS10  | Adjustable hip and thigh support pads - Small 255x100mm/10x4"  | + 130,00 €             |
| <input type="checkbox"/> SOHTSM12  | Adjustable hip and thigh support pads - Medium 305x125mm/12x5" |                        |
| <input type="checkbox"/> SOHTSL14  | Adjustable hip and thigh support pads - Large 355x155mm/14x6"  |                        |

| Accessories  |   |            |
|--|---|------------|
| <input type="checkbox"/> SOCH  | Cup holder (self-leveling)  | + 115,00 € |
| <input type="checkbox"/> SOCPH   | Ram mounts X-Grip mobile phone holder   | + 190,00 € |
| <input type="checkbox"/> SOTHS   | Ram mounts X-Grip small tablet holder   | + 205,00 € |
| <input type="checkbox"/> SOTHL   | Ram mounts X-Grip large tablet holder   | + 360,00 € |
| <input type="checkbox"/> SOBP  | Backpack (Comes with durable straps that can be hooked around the back canes)             | + 90,00 €  |
| <input type="checkbox"/> SOAP  | Armrest side pouch <input type="checkbox"/> Left side <input type="checkbox"/> Right side | + 53,00 €  |
| <input type="checkbox"/> REFLECT   | Red and white reflector kit stickers  | Standard   |
| ▲ They will not be installed - Included in a bag with the owner's manual |   |            |

| Switches and options            |  |            |
|---------------------------------|--|------------|
| <input type="checkbox"/> ASCPCP | PGDT RNET Dongle and PC programmer kit | + 600,00 € |
| <input type="checkbox"/> SSBS   | Buddy Button switch                    | + 230,00 € |
| <input type="checkbox"/> SSES   | Egg switch - black                     | + 116,00 € |
| <input type="checkbox"/> SSML   | Ultra light switch                     | + 295,00 € |

| Specialty driver control options   |  |  |
|--|--|--|
| ▼ Specialty driver control options all require the OMNI 2 enhanced display and digital interface box (EDIB). |  |  |

| ▼ Switch-It proximity head array  |   |                    |
|---|---|--------------------|
| <input type="checkbox"/> SCSIHAA  | Adult - 3 switch proximity head array with 1/8" mono jack for mode/reverse  | + 3 990,00 €       |
| <input type="checkbox"/> SCSRM  | Stealth rock-n-lock swingaway mount for mode switch<br>Indicate: <input type="checkbox"/> SWL swings left <input type="checkbox"/> SWR swings right | + 510,00 €         |
| <input type="checkbox"/> SSES-STD   | Egg switch for changing modes - black<br>Indicate: <input type="checkbox"/> MLH mount on left <input type="checkbox"/> MRH mount on right           | Without supplement |
| ▲ Required with the stealth rock-n-lock swingaway mount. The mode switch type can be changed from this selection in the SWITCHES & OPTIONS section. |   |                    |
| <input type="checkbox"/> SSBS-STD   | Buddy button switch - (stop switch) - red<br>▲ Required with the Switch-It proximity head array.  |                    |
| <input type="checkbox"/> SOMAH  | Multi axis headrest removable mounting hardware<br>▲ Required with the Switch-It proximity head array.  |                    |

| ▼ Proportional RIM head control  |   |            |
|--|---|------------|
| <input type="checkbox"/> SCPHC   | 3-axis proportional RIM head control package  | On request |
| <input type="checkbox"/> SCSRM   | Stealth rock-n-lock swing away mount for mode switch  |            |
| <input type="checkbox"/> SSES-STD  | Egg switch for changing modes - Black   |            |
| ▲ Required with the stealth rock-n-lock swing away mount. The Mode Switch type can be changed from this selection in the SWITCHES & OPTIONS section. |   |            |
| <input type="checkbox"/> SOMAH   | Multi-axis headrest removable mounting hardware<br>▲ Required with the proportional RIM head control. |            |

| ▼ Switch-It micro-pilot light touch proportional Mini-joystick for chin / lip control   |   | Public price excl. VAT |
|---|---|------------------------|
| <input type="checkbox"/> SCSIMP   | MicroPilot light touch mini proportional joystick   | + 3 870,00 €           |
| <input type="checkbox"/> SCSRMP   | Stealth rock-n-lock swingaway mount for chin MP<br>Indicate: <input type="checkbox"/> SWL swings left <input type="checkbox"/> SWR swings right | + 645,00 €             |
| ▲ Required with the Switch-It proximity micro-pilot   |   |                        |
| <input type="checkbox"/> SCSRMP   | Stealth rock-n-lock swing away mount for switch<br>Indicate: <input type="checkbox"/> SWL swings left <input type="checkbox"/> SWR swings right | + 510,00 €             |
| <input type="checkbox"/> SSES   | Egg switch - black<br>Indicate: <input type="checkbox"/> MLH mount on left <input type="checkbox"/> MRH mount on right                          | + 116,00 €             |
| ▲ Required with the stealth rock-n-lock swingaway mount. The mode switch type can be changed from this selection in the SWITCHES & OPTIONS section. |   |                        |
| <input type="checkbox"/> JCC  | Chin cup  | + 55,00 €              |
| <input type="checkbox"/> SOMAH  | Multi-axis headrest removable mounting hardware   | On request             |
| ▲ Required with the Switch-It proximity micro-pilot<br>▼ Choose one(1) headrest pad   |   |                        |
| <input type="checkbox"/> SOFHRS   | Small curved headrest pad   |                        |
| <input type="checkbox"/> SOPHRM   | Medium curved headrest pad  |                        |
| <input type="checkbox"/> SOPHRL   | Large curved headrest pad   |                        |

| ▼ Proportional compact or mini joystick for midline mount         |  |            |
|---|--|------------|
| <input type="checkbox"/> SCPGMJS                                  | PG Drives JC200 Proportional compact remote joystick for midline mount | On request |
| <input type="checkbox"/> SCGMJSM                                  | Gatlin midline swing-away mount for JC200                              |            |
| ▲ Must be selected for use with the PG Drives JC200 mini joystick |  |            |
| <input type="checkbox"/> SCSIMP                                   | Switch-It MicroPilot light touch mini proportional joystick            |            |
| <input type="checkbox"/> SCGMPPM                                  | Gatlin midline swing-away mount for MicroPilot                         |            |
| ▲ Must be selected for use with the Switch-It MicroPilot          |  |            |
| <input type="checkbox"/> SCBTM                                    | Bullet hand tray for MicroPilot  |            |
| ▲ This option is only compatible with the Switch-It MicroPilot    |  |            |

| ▼ Proportional compact or mini joystick for armrest mount         |  |            |
|---|--|------------|
| <input type="checkbox"/> SCPGMJS                                  | PG Drives JC200 proportional compact remote joystick for armrest mount | On request |
| <input type="checkbox"/> SCARMJSM                                 | Swing-away and multi-axis armrest mount                                |            |
| ▲ Must be selected for use with the PG Drives JC200 mini joystick |  |            |
| <input type="checkbox"/> SCSIMP                                   | Switch-It MicroPilot light touch mini proportional joystick            |            |
| <input type="checkbox"/> SCARMPM                                  | Swing-away and multi-axis armrest mount                                |            |
| ▲ Must be selected for use with the Switch-It MicroPilot          |  |            |
| <input type="checkbox"/> SCBTM                                    | Bullet hand tray for MicroPilot  |            |
| ▲ This option is only compatible with the Switch-It MicroPilot    |  |            |

Shipping and packing costs on request

Scustom section  
Lead times will increase depending on the custom order pipeline at the time the purchase order is received. Please call for quote and specifications.

Notes