

ALLTRACK M ASCENT - PUBLIC PRICE LIST

Power wheelchair with median traction and standing module

Use: indoor and outdoor

Modular seat and various options available

Max. weight user: 113 kg

Width: 645 mm


Length: 890 mm without footrest

Autonomy (battery) : 25 km (70A)

Motors: 2 AMT x 350W (10 km/h)

Two year warranty (except for wearing parts)

Except battery warranty 1 year



Professional order form - N° :

Date :

Billing address	Delivery address
Store:	Store:
Street:	Street:
PC:	PC:
City:	City:
Email :	Email :
Phone:	Phone:

Article	Designation	Public price excl. VAT
☐ IATV00000001	ALLTRACK M wheelchair with standing module	25 179,25 €
Standard options included		
☐ WCA3	Maximum user weight: 113kg (250lb)	☐ ADDPF Power centre mount elevating and articulating foot platform
☐ BCOB	Offboard battery charger	☐ JSMFH Joystick mount support bracket
☐ SFE-0	0° pre-set frame seat angle	☐ ECR120 R-Net 120 Amp expandable controller
☐ TTD4	4-Point wheelchair transport brackets	☐ ECRNH R-Net Harness for expandable controller
☐ SAABA-STD	Amyseat adjustable seat structure	☐ ECRJC35B Joystick full option R-net (bluetooth-infrarouge)
☐ EBXMAC	EBOX controller with intelligent cylinders	☐ SOAUTO Pelvic belt
☐ PTSX-A300	Power seat tilt with compensation (0° to 50°)	☐ SOPCS Chest belt
☐ PRX-300	Power tilting of the backrest	☐ SOKSSH Knee supports
▲ It is recommended to use the ergo NXT backrest option with power tilt		

User body for chair adjustments

Weight (kg):	Size (m.):	Comments :
--------------	------------	------------

New colors

☐ SCMOBM Onyx black matte	☐ SCMCRE Candy red	☐ SCMhab Habanero	Standard
☐ SCMCtB Cobalt blue	☐ SCMCAB Cabernet	☐ SCMLIM Sublime	
☐ SCMIoB Indigo blue	☐ SCMBGM Bubble gum metallic		

Optional hydrographics colors

☐ FCHDD Desert digital camo	☐ FCHWL Woodland camo	☐ FCHCF Carbon fiber	On request
--	--	---	------------

Motor assembly

☐ MP65B	4-pole motor unit at 10 km / h / with electro-brakes	Standard
☐ MP65-OPT	4-pole motor unit at 10 Km / h / with electro-brakes (requires the SMART-TRACK)	+ 395,00 €

Assistive driving package		Public price excl. VAT
☐ SMARTT	Smart-Track (This option requires the MP65-OPT)	+ 1 420,00 €
▲ Smart-Track technology provides increased tracking capabilities with enhanced traction and steering precision. This is ideal for those with marginal hand function or switch control. ▲ Requires the R-net PM 120 Amp Expandable Controller (ECR120)		

Battery holder and frame size		
☐ FS24B	Battery holder for 70Ah batteries - Total frame width: 645mm	Standard

Batteries		
☐ BAT24GEL	GEL Power Battery CG - Group 24 - 70 Ah	Standard

Drive wheel - black		
 DWI4PTB	355mm pneumatic	Standard
 DWI4PIB	355mm pneumatic tire	Without supplement
 DWI2PTB	305mm x 100mm extra-large pneumatic	
 DWI2PIB	305mm x 100mm extra-large pneumatic tire	
 DWI44PTB	355mm x 100mm extra-large pneumatic	+ 595,00 €
 DWI44PIB	355mm x 100mm extra-large pneumatic tire	
▲ Extra wide wheels increase the overall width of the base by 65mm		

Front casters - black		
☐ FC6S	150mm (6") Pneumatic casters with foam filled	Without supplement
▲ Not compatible with DWI44 tires		
☐ FC8PTMB	205mm (8") Pneumatic casters	Without supplement
☐ FC8PIMB	205mm (8") Pneumatic casters with foam filled	

Seat to floor height (Measurement to top of seat pan)		
► Options without a power elevating seat		
☐ STFHI675 (42.5cm) ► Requires DWI2 wheels	☐ STFHI775 (45.0cm)	Standard
► Options with a standard power elevating seat		
☐ STFHI185 (47cm) ► Requires DWI2 wheels	☐ STFHI195 (49.5cm)	Standard
► Seat to floor height specification other than standard		
☐ SOMHSS	Specific seat to floor height requirement other than standard Required at:	Without supplement

Lighting package		
☐ EOLP	LED Light Package (front beams, side flashers, rear tail light with flashers & brake light)	+ 937,00 €

Joystick		
☐ ECO	Omit joystick (Requires the OMNI 2 display - see EDIB option)	Without supplement

Joystick mount		
☐ JSMSA	Swing-away joystick mount - Height adjustable, angle adjustable and multi-axis ☐ Set-up with standard installation to swing-away sideways ☐ Set-up at 35° to swing-away sideways and downwards Indicate: ☐ HML (left hand side) ☐ HMR (right hand side)	Without supplement

Joystick handle		Public price excl. VAT
☐ JSH	Standard joystick gimble	Standard
☐ JBAT	Stick handle 75mm / 3" in length	+ 130,00 €
☐ JBH	Ball handle	+ 85,00 €
☐ JFBH	Foam ball handle	+ 70,00 €
☐ JGP	Bodypoint 100mm/4" U-shaped handle	+ 210,00 €
☐ JMUSH	Bodypoint - Mushroom Handle	+ 210,00 €
☐ JTH	T-handle	+ 155,00 €

Attendant drive control option		
☐ EADC	Attendant hand control	
Indicate:	☐ EADCL (left hand side) ☐ EADCR (right hand side)	+ 677,73 €

Enhanced digital displays OMNI 2		
☐ EDIB	OMNI 2 - enhanced display & digital interface box with infared	+ 1 915,00 €

Enhanced display mount OMNI 2		
☐ EDSAM	User swing away mount	
Indicate:	☐ EDML (left hand side) ☐ EDMR (right hand side)	Without supplement

Environmental control module		
☐ ECU	Environmental control module	+ 995,00 €

Power option seating		
☐ ADDPESX	28cm / 11" Power elevating seat	+ 2 148,00 €

EBOX electronic (intelligent cylinders)		
☐ EBXMAC	EBX electric seat controller with smart actuators	
Indicate:	☐ SWKEYPAD-T 5 rocker switch keypad ☐ SWKEYPAD-P Keypad with 5 push-button switches	+ 445,00 €
☐ MACMEMORY	Program for memorizing seat positions	
Indicate:	☐ User activation ☐ Attendant activation ☐ TSML (left) ☐ TSMR (right)	+ 175,00 €

Width adjustable seat width range between 380-510mm				
☐ SOWNI5-20-19	Width adjustment of 380-510mm with maximum depth of 485mm			Without supplement
☐ SOWNI5-20-22	Width adjustment of 380-510mm with maximum depth of 560mm			
☐ SOWNI5 (380mm)	☐ SOWNI7 (430mm)	☐ SOWNI9S (485mm)		Standard
☐ SOWNI6 (405mm)	☐ SOWNI8 (455mm)	☐ SOWN20S (510mm)		

Width adjustable seat width range between 485-610mm			
☐ SOWNI9-24-22	Width adjustment of 485-610mm with maximum depth of 560mm		Without supplement
☐ SOWNI9L (485mm)	☐ SOWN21 (535mm)	☐ SOWN23 (585mm)	Standard
☐ SOWN20L (510mm)	☐ SOWN22 (560mm)	☐ SOWN24 (610mm)	

Adjustable seat depth range between 380-560mm			
☐ SODNI5 (380mm)	☐ SODNI8 (455mm)	☐ SODN21 (535mm)	Standard
☐ SODNI6 (405mm)	☐ SODNI9 (485mm)	☐ SODN22 (560mm)	
☐ SODNI7 (430mm)	☐ SODN20 (510mm)		

Back cane height			Public price excl. VAT
▲ The back cane height measurement is taken from the seat pan to the top of the push handles			Standard
☐ SOBCH22 (560mm / 22")	☐ SOBCH24 (610mm / 24")	☐ SOBCH26 (660mm / 26")	
▲ 560 mm is the minimum back cane height required with a power recline			

Type of backrest		
▲ The minimum space between the back and seat pan is 75mm/3" with a fixed back and 155mm/6" with a reclining back.		
☐ STDSB	Standard backrest (380-610mm/15-24" wide with a maximum shell height of 560mm/22")	Standard
☐ NOACB	Ergo NXT Optima backrest with 8cm profile - 380-535mm wide	+ 639,25 €
☐ NOPCB	Ergo NXT Optima backrest with 15cm profile - 380-535mm wide	
☐ NOACB	Ergo NXT Optima backrest with 8cm profile - 560-610mm wide	+ 682,75 €
☐ NOPCB	Ergo NXT Optima backrest with 15cm profile - 560-610mm wide	
▲ The actual heights of the back shell only come to 330mm (13"), 405mm (16") or 485mm (19").		
☐ STDSBO	Backrest omission, specify the backrest model:	Without supplement
▲ It is recommended to use the Ergo backrest option with the power recline		

Back support total height		
☐ SOBH16 (405mm / 16")	☐ SOBH20 (510mm / 20")	☐ SOBH24 (610mm / 24")
☐ SOBH18 (455mm / 18")	☐ SOBH22 (560mm / 22")	☐ SOBH26 (660mm / 26")
▲ 560 mm is the minimum back cane height required with a power recline		
☐ SOBH28 (710mm / 28")		
▲ This height is not available with the NXT Optima option (NXTOPT and NXTOPTD)		

Seat Cushions		
☐ SCPSC	Standard padded foam cushion	Standard
☐ CGAIR	Therapeutic air cushion - CGAIR	On request
▲ Please complete and attach the CG AIR measurement sheet		
☐ NXTBIOFIT	NXT BIO FIT Cushion - 380-535mm wide	+ 368,16 €
☐ NXTBIOFIT	NXT BIO FIT Cushion - 560-610mm wide	+ 401,60 €

Armrests foldable back and adjustable in height		
☐ SOAFBFH	Long armrest Indicate: ☐ Left side ☐ Right side	Standard
▼ Only for manual backrest		
☐ SOAFBDH	Short armrest Indicate: ☐ Left side ☐ Right side	Without supplement

Armrest height adjustment	
Please set the armrest height at:	
▲ The armrest height is taken from the seat pan to the top of the armpad.	

Without supplement

Armpads				Public price excl. VAT
☐ SOGELF	Full length hybrid gel and foam flat armpad	☐ Left	☐ Right	Without supplement
☐ SOGELD	Desk length hybrid gel and foam flat armpad	☐ Left	☐ Right	
☐ SOWGELF	Full length hybrid gel and foam waterfall armpad	☐ Left	☐ Right	+ 40,00 €
☐ SOWGELD	Desk length hybrid gel and foam waterfall armpad	☐ Left	☐ Right	
☐ I000522	Desk length large foam cushion	☐ Left	☐ Right	+ 95,00 €
☐ I000523	Full lenght large foam cushion	☐ Left	☐ Right	
☐ I000524	Desk length large gel cushion	☐ Left	☐ Right	+ 114,00 €
☐ I000525	Full lenght large gel cushion	☐ Left	☐ Right	
▲ The waterfall armpads may interfere with flipping back the armrests when combined with lateral trunk supports				
☐ SOCAR	Armpad trough with hand support 455 x 118 mm (18" x 4 ½")	☐ Left	☐ Right	+ 170,00 €
▲ Arm trough armpads may interfere with Armrests flipping back.				

Central legrest and accessories		
☐ ADDPF	Power centre mount elevating and articulating foot platform Indicate the dimension of the leg segment: Indicate the length: ☐ SOFBPW16 (318-420mm) ☐ SOFBPW18 (420-520mm)	Standard
▼ Please select the one piece centre mount (SOFUFP) or the split footplates (SOAFPFB).		
☐ SOFUFP	Flip-up one piece foot platform	Without supplement
☐ SOAFPFB	Angle adjustable and flip-up split footplates for center mount	

Seat belts for stand-up module		
▼ Please select one pelvic belt and one chest belt		
☐ SOAUTO	Seatbelt, auto-buckle (140 cm / 55")	Standard
☐ SOBPHP2C	Pelvic belt, 32 cm / 12" cushion, 2 central adjustment points, bodypoint	+ 170,00 €
☐ SOPHB	Pelvic belt, padded, seat 35-43 cm, central magnetic attachment	+ 194,00 €
☐ SOBPCS	Chest belt, cushion 31 cm / 12", bodypoint	+ 262,00 €
☐ SOPCS	Chest belt, padded, seat 35-43 cm / 14-17", central magnetic attachment	+ 250,00 €

Knee supports for stand-up module		
▼ Requires with stand-up module		
☐ SOKSSH-LH	Removable and adjustable knee support	Standard
☐ SOKSSH-RH	Removable and adjustable knee support	

Headrests		
▼ Please select one of the headrest options with the mounting hardware and specify where the headrest will be installed		
☐ SOMAH	Multi-axis removable mounting hardware	Standard
☐ SOFHRS	Small curved headrest pad (100x230mm / 4x9")	
☐ SOFHRM	Medium curved headrest pad (125x255mm / 5x10")	
☐ SOFHRL	Large curved headrest pad (155x280mm / 6x11")	
☐ SOHRPR	To mount on the seat frame	

Trunk supports		
▼ Please select one of the lateral pads and the adjustable and removable hardware.		
☐ SOSLHM	Adjustable swing-away hardware mounts	+ 220,00 €
☐ SOSLS3	Adjustable laterals with small curved pads - 75x125mm/3x5"	+ 100,00 €
☐ SOSLM4	Adjustable laterals with medium curved pads - 100x155mm/4x6"	
☐ SOSLL5	Adjustable laterals with large curved pads - 125x180mm/5x7"	

Thigh supports		Public price excl. VAT
▼ Please select one of the lateral pads and the adjustable and removable hardware.		
☐ SOHTSARH	Adjustable and removable hip and thigh support hardware	+ 136,00 €
☐ SOHTSSI0	Adjustable hip and thigh support pads - Small 255x100mm/10x4"	+ 130,00 €
☐ SOHTSMI2	Adjustable hip and thigh support pads - Medium 305x125mm/12x5"	
☐ SOHTSLI4	Adjustable hip and thigh support pads - Large 355x155mm/14x6"	

Accessories			
☐ SOCH	Cup holder (self-leveling)		+ 115,00 €
☐ SOCPH	Ram mounts X-Grip mobile phone holder		+ 190,00 €
☐ SOTHS	Ram mounts X-Grip small tablet holder		+ 205,00 €
☐ SOTHL	Ram mounts X-Grip large tablet holder		+ 360,00 €
☐ SOBP	Backpack (Comes with durable straps that can be hooked around the back canes)		+ 90,00 €
☐ SOAP	Armrest side pouch	☐ Left side ☐ Right side	+ 53,00 €
☐ REFLECT	Red and white reflector kit stickers		Standard
▲ They will not be installed - Included in a bag with the owner's manual			

Switches and options		
☐ ASCPCP	PGDT RNET Dongle and PC programmer kit	+ 600,00 €
☐ SSBS	Buddy Button switch	+ 230,00 €
☐ SSES	Egg switch - black	+ 116,00 €
☐ SSML	Ultra light switch	+ 295,00 €

Specialty driver control options	
▼ Specialty driver control options all require the OMNI 2 enhanced display and digital interface box (EDIB).	

▼ Switch-It proximity head array		
☐ SCSIHAA	Adult - 3 switch proximity head array with 1/8" mono jack for mode/reverse	+ 3 990,00 €
☐ SCSRM	Stealth rock-n-lock swingaway mount for mode switch Indicate: ☐ SWL swings left ☐ SWR swings right	+ 510,00 €
☐ SSES-STD	Egg switch for changing modes - black Indicate: ☐ MLH mount on left ☐ MRH mount on right	Without supplement
▲ Required with the stealth rock-n-lock swingaway mount. The mode switch type can be changed from this selection in the SWITCHES & OPTIONS section.		
☐ SSBS-STD	Buddy button switch - (stop switch) - red	
▲ Required with the Switch-It proximity head array.		
☐ SOMAH	Multi axis headrest removable mounting hardware	
▲ Required with the Switch-It proximity head array.		

▼ Proportional RIM head control		
☐ SCPHC	3-axis proportional RIM head control package	On request
☐ SCSRM	Stealth rock-n-lock swing away mount for mode switch	
☐ SSES-STD	Egg switch for changing modes - Black	
▲ Required with the stealth rock-n-lock swing away mount. The Mode Switch type can be changed from this selection in the SWITCHES & OPTIONS section.		
☐ SOMAH	Multi-axis headrest removable mounting hardware	
▲ Required with the proportional RIM head control.		

▼ Switch-It micro-pilot light touch proportional Mini-joystick for chin / lip control		Public price excl. VAT
☐ SCSIMP	MicroPilot light touch mini proportional joystick	+ 3 870,00 €
☐ SCSRMMP	Stealth tock-n-lock swingaway mount for chin MP Indicate: ☐ SWL swings left ☐ SWR swings right	+ 645,00 €
▲ Required with the Switch-It proximity micro-pilot		
☐ SCSRM	Stealth rock-n-lock swing away mount for switch Indicate: ☐ SWL swings left ☐ SWR swings right	+ 510,00 €
☐ SSES	Egg switch - black Indicate: ☐ MLH mount on left ☐ MRH mount on right	+ 116,00 €
▲ Required with the stealth rock-n-lock swingaway mount. The mode switch type can be changed from this selection in the SWITCHES & OPTIONS section.		
☐ JCC	Chin cup	+ 55,00 €
☐ SOMAH	Multi-axis headrest removable mounting hardware	
▲ Required with the Switch-It proximity micro-pilot		
▼ Choose one(1) headrest pad		
☐ SOFHRS	Small curved headrest pad	On request
☐ SOPHRM	Medium curved heardrest pad	
☐ SOPHRL	Large curved headrest pad	

▼ Proportional compact or mini joystick for midline mount		
☐ SCPGMJS	PG Drives JC200 Proportional compact remote joystick for midline mount	On request
☐ SCGMJSM	Gatlin midline swing-away mount for JC200	
▲ Must be selected for use with the PG Drives JC200 mini joystick		
☐ SCSIMP	Switch-It MicroPilot light touch mini proportional joystick	
☐ SCGMPPM	Gatlin midline swing-away mount for MicroPilot	
▲ Must be selected for use with the Switch-It MicroPilot		
☐ SCBTM	Bullet hand tray for MicroPilot	
▲ This option is only compatible with the Switch-It MicroPilot		

▼ Proportional compact or mini joystick for armrest mount		
☐ SCPGMJS	PG Drives JC200 proportional compact remote joystick for armrest mount	On request
☐ SCARMJSM	Swing-away and multi-axis armrest mount	
▲ Must be selected for use with the PG Drives JC200 mini joystick		
☐ SCSIMP	Switch-It MicroPilot light touch mini proportional joystick	
☐ SCARMPM	Swing-away and multi-axis armrest mount	
▲ Must be selected for use with the Switch-It MicroPilot		
☐ SCBTM	Bullet hand tray for MicroPilot	
▲ This option is only compatible with the Switch-It MicroPilot		

Shipping and packing costs on request

Scustom section

Lead times will increase depending on the custom order pipeline at the time the purchase order is received. Please call for quote and specifications.

Notes