

ALLTRACK M - PUBLIC PRICE LIST

Power wheelchair (6 wheels)

Use: indoor and outdoor

Modular seat and various options available

Max. weight user: 136 kg

Width: 600 (50Ah) or 640 mm (70Ah)

Length: 910 mm without footrest

Autonomy (battery) : 20 km (50A) / 25 km (70A)

Motors: 2 AMT x 350W (10 km/h)

Two year warranty (except for wearing parts)

Except battery warranty 1 year



Professional order form - N° :

Date :

Billing address	Delivery address
Store:	Store:
Street:	Street:
PC:	PC:
City:	City:
Email :	Email :
Phone:	Phone:

Article		Designation		Public price excl. VAT	
	IATM00000001	ALLTRACK M wheelchair		13 040,50 €	
Standard options included					
WCA3	Maximum user weight: 136kg (300lb)		MCELR	Manual adjustable leg supports without tools	
BCOB	Offboard battery charger		JSMFH	Joystick mount support bracket	
SFE-0	0° pre-set frame seat angle		ECR120	R-Net 120 Amp expandable controller	
TTD4	4-Point wheelchair transport brackets		ECRNH	R-Net Harness for expandable controller	
SAABA-STD	Amyseat adjustable seat structure				
MAC	Multiple electric seat controller (2 to 6 actuators) interfaced via Electronics R-net				
PTSX-A300	Power seat tilt with compensation (0 ° to 50 °)				
PRX-300	Power tilting of the backrest with reduction of mechanical shear				
	▲ It is recommended to use the ergo NXT backrest option with power tilt				

User body for chair adjustments

Weight (kg):	Size (m.):	Comments :
--------------	------------	------------

New colors									
☐	SCMOBM	Onyx black matte	☐	SCMCRE	Candy red	☐	SCMHAB	Habanero	Standard
☐	SCMCTB	Cobalt blue	☐	SCMCAB	Cabernet	☐	SCMLIM	Sublime	
☐	SCMIOB	Indigo blue	☐	SCMBGM	Bubble gum metallic				

Optional hydrographics colors

☐ FCHDD	Desert digital camo	☐ FCHWL	Woodland camo	☐ FCHCF	Carbon fiber	On request
--------------------------------	---------------------	--------------------------------	---------------	--------------------------------	--------------	------------

Motor assembly

☐ MP65B	4-pole motor unit at 10 km / h / with electro-brakes	Standard
☐ MP65-OPT	4-pole motor unit at 10 Km / h / with electro-brakes (requires the SMART-TRACK)	+ 395,00 €

Assistive driving package		Public price excl. VAT
☐ SMARTT	Smart-Track (This option requires the MP65-OPT)	+ 1 420,00 €
▲ Smart-Track technology provides increased tracking capabilities with enhanced traction and steering precision. This is ideal for those with marginal hand function or switch control. ▲ Requires the R-net PM 120 Amp Expandable Controller (ECR120)		

Battery holder and frame size		
☐ FS22B	Battery holder for 50Ah batteries - Total frame width: 600mm	Standard
☐ FS24B	Battery holder for 70Ah batteries - Total frame width: 640mm	Without supplement

Batteries		
☐ BAT22NFGE	GEL Power Battery CG - Group 22NF - 50 Ah	Without supplement
☐ BAT24GEL	GEL Power Battery CG - Group 24 - 70 Ah	

Drive wheel - black		
☐ DWI4PTB	355mm pneumatic	Standard
☐ DWI4PIB	355mm pneumatic tire	Without supplement
☐ DWI2PTB	305mm x 100mm extra-large pneumatic	
☐ DWI2PIB	305mm x 100mm extra-large pneumatic tire	
☐ DWI44PTB	355mm x 100mm extra-large pneumatic	+ 595,00 €
☐ DWI44PIB	355mm x 100mm extra-large pneumatic tire	
▲ Extra wide wheels increase the overall width of the base by 65mm		

Front casters - black		
☐ FC6S	150mm (6") Pneumatic casters with foam filled	Without supplement
▲ Not compatible with DWI44 tires		
☐ FC8PTMB	205mm (8") Pneumatic casters	Without supplement
☐ FC8PIMB	205mm (8") Pneumatic casters with foam filled	

Seat to floor height (Measurement to top of seat pan)		
► Options for a power tilt or a power elevating seat		
☐ STFHI55 (39.5cm) ► Requires DWI2 wheels	☐ STFHI775 (45.0cm)	Standard
☐ STFHI625 (41.5cm)	☐ STFHI825 (46.5cm)	
☐ STFHI725 (44.0cm)	☐ STFHI875 (47.5cm)	
► Options for a combination power tilt with a standard power elevating seat		
☐ STFHI825 (46.5cm)		Standard
► Seat to floor height specification other than standard		
☐ SOMHSS	Specific seat to floor height requirement other than standard Required at:	Without supplement

Lighting package		
☐ EOLP	LED Light Package (front beams, side flashers, rear tail light with flashers & brake light)	+ 937,00 €
▲ Requires the upgraded Joystick with Light Operation or the OMNI 2 (ECELJL, ECRJCL, ECRJC35B or EDIB).		

Joysticks		
► Selection of one joystick option below is required with the expandable controller ECR120		
☐ ECO	Omit joystick (Requires the OMNI 2 display - see EDIB option)	Without supplement
☐ ECRJC	R-Net joystick with colour screen	Standard
☐ ECRJCL	R-Net joystick (LCD) with colour screen and lighting operation	+ 180,00 €
☐ ECRJC35B	R-Net Bluetooth joystick full option (90mm / 3 1/2" screen) lighting kit, switches and sockets	+ 1 105,00 €

Joystick mount		Public price excl. VAT
☐ JSMSA	Swing-away joystick mount - Height adjustable, angle adjustable and multi-axis ☐ Set-up with standard installation to swing-away sideways ☐ Set-up at 35° to swing-away sideways and downwards Indicate: ☐ HML (left hand side) ☐ HMR (right hand side)	Without supplement

Joystick handle		
☐ JSH	Standard joystick gimble	Standard
☐ JBAT	Stick handle 75mm / 3" in length	+ 130,00 €
☐ JBH	Ball handle	+ 85,00 €
☐ JFBH	Foam ball handle	+ 70,00 €
☐ JGP	Bodypoint 100mm/4" U-shaped handle	+ 210,00 €
☐ JMUSH	Bodypoint - Mushroom Handle	+ 210,00 €
☐ JTH	T-handle	+ 155,00 €

Attendant drive control option		
☐ EADC	Attendant hand control Indicate: ☐ EADCL (left hand side) ☐ EADCR (right hand side)	+ 677,73 €

Enhanced digital displays OMNI 2		
☐ EDIB	OMNI 2 - enhanced display & digital interface box with infared	+ 1 915,00 €

Enhanced display mount OMNI 2		
☐ EDSAM	User swing away mount Indicate: ☐ EDML (left hand side) ☐ EDMR (right hand side)	Without supplement

Environmental control module		
☐ ECU	Environmental control module	+ 995,00 €

Power option seating		
☐ ADDPESX	28cm / 11" Power elevating seat	+ 2 148,00 €

Electronics - (requires EJRJC35B)		
☐ EBXMAC	EBX electric seat controller with smart actuators Indicate: ☐ SWKEYPAD-T 5 rocker switch keypad ☐ SWKEYPAD-P Keypad with 5 push-button switches	+ 445,00 €
☐ MACMEMORY	Program for memorizing seat positions Indicate: ☐ User activation ☐ Attendant activation ☐ TSML (left) ☐ TSMR (right)	+ 175,00 €

Width adjustable seat width range between 380-510mm				
☐ SOWNI5-20-19	Width adjustment of 380-510mm with maximum depth of 485mm			Without supplement
☐ SOWNI5-20-22	Width adjustment of 380-510mm with maximum depth of 560mm			
☐ SOWNI5 (380mm)	☐ SOWNI7 (430mm)	☐ SOWNI9S (485mm)		Standard
☐ SOWNI6 (405mm)	☐ SOWNI8 (455mm)	☐ SOWN20S (510mm)		

Width adjustable seat width range between 485-610mm			
☐ SOWNI9-24-22	Width adjustment of 485-610mm with maximum depth of 560mm		Without supplement
☐ SOWNI9L (485mm)	☐ SOWN21 (535mm)	☐ SOWN23 (585mm)	Standard
☐ SOWN20L (510mm)	☐ SOWN22 (560mm)	☐ SOWN24 (610mm)	

Adjustable seat depth range between 380-560mm			Public price excl. VAT
☐ SODNI5 (380mm)	☐ SODNI8 (455mm)	☐ SODN21 (535mm)	Standard
☐ SODNI6 (405mm)	☐ SODNI9 (485mm)	☐ SODN22 (560mm)	
☐ SODNI7 (430mm)	☐ SODN20 (510mm)		

Back cane height			
▲ The back cane height measurement is taken from the seat pan to the top of the push handles			Standard
☐ SOBCH22 (560mm / 22")	☐ SOBCH24 (610mm / 24")	☐ SOBCH26 (660mm / 26")	
▲ 560 mm is the minimum back cane height required with a power recline			

Type of backrest			
▲ The minimum space between the back and seat pan is 75mm/3" with a fixed back and 155mm/6" with a reclining back.			
☐ STDSB	Standard backrest (380-610mm/15-24" wide with a maximum shell height of 560mm/22")		Standard
☐ ADDMR	Manual fixed backrest		Without supplement
☐ NOACB	Ergo NXT Optima backrest with 8cm profile - 480-535mm wide		+ 639,25 €
☐ NOPCB	Ergo NXT Optima backrest with 15cm profile - 480-535mm wide		
☐ NOACB	Ergo NXT Optima backrest with 8cm profile - 560-660mm wide		+ 682,75 €
☐ NOPCB	Ergo NXT Optima backrest with 15cm profile - 560-660mm wide		
▲ The actual heights of the back shell only come to 330mm (13"), 405mm (16") or 485mm (19").			
☐ STDSBO	Backrest omission, specify the backrest model:		Without supplement
▲ It is recommended to use the Ergo backrest option with the power recline			

Back support total height			
☐ SOBH16 (405mm / 16")	☐ SOBH20 (510mm / 20")	☐ SOBH24 (610mm / 24")	Standard
☐ SOBH18 (455mm / 18")	☐ SOBH22 (560mm / 22")	☐ SOBH26 (660mm / 26")	
▲ 560 mm is the minimum back cane height required with a power recline			
☐ SOBH28 (710mm / 28")			
▲ This height is not available with the NXT Optima option (NXTOPT and NXTOPTD)			

Seat Cushions			
☐ SCPCS	Standard padded foam cushion		Standard
☐ CGAIR	Therapeutic air cushion - CGAIR		On request
▲ Please complete and attach the CG AIR measurement sheet			
☐ NXTBIOFIT	NXT BIO FIT Cushion - 480-535mm wide		+ 368,16 €
☐ NXTBIOFIT	NXT BIO FIT Cushion - 560-660mm wide		+ 401,60 €

Armrests			
▼ Only for power backrest			Standard
☐ SOANIFH	Type “i” armrest for reclining backrest Indicate: ☐ Left side		

Armpads				Public price excl. VAT
☐ SOGELF	Full length hybrid gel and foam flat armpad	☐ Left	☐ Right	Without supplement
☐ SOGELD	Desk length hybrid gel and foam flat armpad	☐ Left	☐ Right	
☐ SOWGELF	Full length hybrid gel and foam waterfall armpad	☐ Left	☐ Right	+ 40,00 €
☐ SOWGELD	Desk length hybrid gel and foam waterfall armpad	☐ Left	☐ Right	
☐ I000522	Desk length large foam cushion	☐ Left	☐ Right	+ 95,00 €
☐ I000523	Full lenght large foam cushion	☐ Left	☐ Right	
☐ I000524	Desk length large gel cushion	☐ Left	☐ Right	+ 114,00 €
☐ I000525	Full lenght large gel cushion	☐ Left	☐ Right	
▲ The waterfall armpads may interfere with flipping back the armrests when combined with lateral trunk supports				
☐ SOCAR	Armpad trough with hand support 455 x 118 mm (18" x 4 ½")	☐ Left	☐ Right	+ 170,00 €
▲ Arm trough armpads may interfere with Armrests flipping back.				

Individual legrests and accessories		
☐ MCELR	Manual adjustable leg supports without tools Indicate the dimension of the leg segment:	Standard
☐ SOAAF	Adjustable manual leg supports with tools Indicate inclination: ☐ 60° ☐ 70° Indicate the length: ☐ SOFLHD12 (318-395mm) ☐ SOFLHD14 (368-495mm)	Without supplement
☐ ADDPL	Power retractable compensated legrests with calf pads Indicate function: ☐ Individual ☐ Combined Indicate the length: ☐ SOFLPW12 (318-395mm) ☐ SOFLPW14 (368-495mm)	+ 1 452,00 €
☐ SOSFAF	Flip-up footplates	Standard
☐ SOAFP	Angle adjustable and flip-up footplates	Without supplement
☐ SOAHL	Heel loops	

Central legrest and accessories		
☐ SOAAF 90	Adjustable manual central legrest (90 °) with tools Indiquer la dimension du segment jambier :	Without supplement
☐ ADDPF	Power centre mount elevating and articulating foot platform Indicate the dimension of the leg segment: Indicate the length: ☐ SOFBPW16 (318-420mm) ☐ SOFBPW18 (420-520mm)	+ 1 452,00 €
▼ Please select the one piece centre mount (SOFUFP) or the split footplates (SOAFPFB).		
☐ SOFUFP	Flip-up one piece foot platform	Without supplement
☐ SOAFPFB	Angle adjustable and flip-up split footplates for center mount	

Security options		
☐ SOAUTO	Seatbelt, auto-buckle (140 cm / 55")	Standard
☐ SOAUTO-LGS	Retractable seatbelt, auto-buckle (140 cm / 55")	+ 75,00 €
☐ SOBPHP2C	Pelvic belt, 32 cm / 12" cushion, 2 central adjustment points, bodypoint	+ 170,00 €
☐ SOPHB	Pelvic belt, padded, seat 35-43 cm, central magnetic attachment	+ 194,00 €
☐ SOBPCS	Chest belt, cushion 31 cm / 12", bodypoint	+ 250,00 €
☐ SOPCS	Chest belt, padded, seat 35-43 cm / 14-17", central magnetic attachment	+ 262,00 €

Headrests		Public price excl. VAT
▼ Please select one of the headrest options with the mounting hardware and specify where the headrest will be installed		
☐ SOMAH	Multi-axis removable mounting hardware	Standard
☐ SOFHRS	Small curved headrest pad (100x230mm / 4x9")	
☐ SOFHRM	Medium curved headrest pad (125x255mm / 5x10")	
☐ SOFHRL	Large curved headrest pad (155x280mm / 6x11")	
☐ SOHRPR	To mount on the seat frame	

Trunk supports		
▼ Please select one of the lateral pads and the adjustable and removable hardware.		
☐ SOSLHM	Adjustable swing-away hardware mounts	+ 220,00 €
☐ SOSLS3	Adjustable laterals with small curved pads - 75x125mm/3x5"	+ 100,00 €
☐ SOSLM4	Adjustable laterals with medium curved pads - 100x155mm/4x6"	
☐ SOSLL5	Adjustable laterals with large curved pads - 125x180mm/5x7"	

Thigh supports		
▼ Please select one of the lateral pads and the adjustable and removable hardware.		
☐ SOHTSARH	Adjustable and removable hip and thigh support hardware	+ 136,00 €
☐ SOHTSSI0	Adjustable hip and thigh support pads - Small 255x100mm/10x4"	+ 130,00 €
☐ SOHTSMI2	Adjustable hip and thigh support pads - Medium 305x125mm/12x5"	
☐ SOHTSLI4	Adjustable hip and thigh support pads - Large 355x155mm/14x6"	

Accessories			
☐	SOCH	Cup holder (self-leveling)	+ 115,00 €
☐	SOCPH	Ram mounts X-Grip mobile phone holder	+ 190,00 €
☐	SOTHS	Ram mounts X-Grip small tablet holder	+ 205,00 €
☐	SOTHL	Ram mounts X-Grip large tablet holder	+ 360,00 €
☐	SOBP	Backpack (Comes with durable straps that can be hooked around the back canes)	+ 90,00 €
☐	SOAP	Armrest side pouch ☐ Left side ☐ Right side	+ 53,00 €
☐	REFLECT	Red and white reflector kit stickers	Standard
▲ They will not be installed - Included in a bag with the owner's manual			

Switches and options		
☐ ASCPCP	PGDT RNET Dongle and PC programmer kit	+ 600,00 €
☐ SSBS	Buddy Button switch	+ 230,00 €
☐ SSES	Egg switch - black	+ 116,00 €
☐ SSML	Ultra light switch	+ 295,00 €

Specialty driver control options	Public price excl. VAT
▼ Specialty driver control options all require the OMNI 2 enhanced display and digital interface box (EDIB).	

▼ Switch-It proximity head array		
☐ SCSIHAA	Adult - 3 switch proximity head array with 1/8" mono jack for mode/reverse	+ 3 990,00 €
☐ SCSRM	Stealth rock-n-lock swingaway mount for mode switch Indicate: ☐ SWL swings left ☐ SWR swings right	+ 510,00 €
☐ SSES-STD	Egg switch for changing modes - black Indicate: ☐ MLH mount on left ☐ MRH mount on right	Without supplement
▲ Required with the stealth rock-n-lock swingaway mount. The mode switch type can be changed from this selection in the SWITCHES & OPTIONS section.		
☐ SSBS-STD	Buddy button switch - (stop switch) - red	
▲ Required with the Switch-It proximity head array.		
☐ SOMAH	Multi axis headrest removable mounting hardware	
▲ Required with the Switch-It proximity head array.		

▼ Proportional RIM head control			
☐	SCPHC	3-axis proportional RIM head control package	On request
☐	SCSRM	Stealth rock-n-lock swing away mount for mode switch	
☐	SSES-STD	Egg switch for changing modes - Black	
▲ Required with the stealth rock-n-lock swing away mount. The Mode Switch type can be changed from this selection in the SWITCHES & OPTIONS section.			
☐	SOMAH	Multi-axis headrest removable mounting hardware	
▲ Required with the proportional RIM head control.			

▼ Switch-It micro-pilot light touch proportional Mini-joystick for chin / lip control		
☐ SCSIMP	MicroPilot light touch mini proportional joystick	+ 3 870,00 €
☐ SCSRMMP	Stealth tock-n-lock swingaway mount for chin MP Indicate: ☐ SWL swings left ☐ SWR swings right	+ 645,00 €
▲ Required with the Switch-It proximity micro-pilot		
☐ SCSRM	Stealth rock-n-lock swing away mount for switch Indicate: ☐ SWL swings left ☐ SWR swings right	+ 510,00 €
☐ SSES	Egg switch - black Indicate: ☐ MLH mount on left ☐ MRH mount on right	+ 116,00 €
▲ Required with the stealth rock-n-lock swingaway mount. The mode switch type can be changed from this selection in the SWITCHES & OPTIONS section.		
☐ JCC	Chin cup	+ 55,00 €
☐ SOMAH	Multi-axis headrest removable mounting hardware	
▲ Required with the Switch-It proximity micro-pilot		
▼ Choose one(1) headrest pad		
☐ SOFHRS	Small curved headrest pad	On request
☐ SOPHRM	Medium curved heardrest pad	
☐ SOPHRL	Large curved headrest pad	

▼ Proportional compact or mini joystick for midline mount		Public price excl. VAT
☐ SCPGMJS	PG Drives JC200 Proportional compact remote joystick for midline mount	On request
☐ SCGMJSM	Gatlin midline swing-away mount for JC200	
▲ Must be selected for use with the PG Drives JC200 mini joystick		
☐ SCSIMP	Switch-It MicroPilot light touch mini proportional joystick	
☐ SCGMPPM	Gatlin midline swing-away mount for MicroPilot	
▲ Must be selected for use with the Switch-It MicroPilot		
☐ SCBTM	Bullet hand tray for MicroPilot	
▲ This option is only compatible with the Switch-It MicroPilot		

▼ Proportional compact or mini joystick for armrest mount		
☐ SCPGMJS	PG Drives JC200 proportional compact remote joystick for armrest mount	On request
☐ SCARMJSM	Swing-away and multi-axis armrest mount	
▲ Must be selected for use with the PG Drives JC200 mini joystick		
☐ SCSIMP	Switch-It MicroPilot light touch mini proportional joystick	
☐ SCARMPPM	Swing-away and multi-axis armrest mount	
▲ Must be selected for use with the Switch-It MicroPilot		
☐ SCBTM	Bullet hand tray for MicroPilot	
▲ This option is only compatible with the Switch-It MicroPilot		

Shipping and packing costs on request

Scustom section

▼ Lead times will increase depending on the custom order pipeline at the time the purchase order is received. Please call for quote and specifications.

Notes