

ALLTRACK R - PUBLIC PRICE LIST

Hybrid drive power wheelchair

Use: indoor and outdoor

Modular seat and various options available

Max. weight user: 136 kg

Width: 600 or 640 mm / Length: 910 mm

Autonomy : 20 km (50Ah) / 25 km (70Ah)

Battery : 50A or 70A

Motors: 2 AMT x 350W (10 km/h)

Two year warranty (except for wearing parts)

Except battery warranty 1 year



Professional order form - N° : _____ Date : _____

Billing address	Delivery address
Store:	Store:
Street:	Street:
PC:	PC:
City:	City:
Email :	Email :
Phone:	Phone:

Article	Designation	Public price excl. VAT
☐ IATR00000001	ALLTRACK R power wheelchair	15 998,75 €
Standard options included		
WCA3	Maximum user weight: 136kg (300lb)	MCELR Manual adjustable leg supports without tools
TTD4	Wheelchair transport brackets	JSMFH Joystick mount support bracket
BCOB	Offboard battery charger	ECR120 R-Net 120 Amp expandable controller
SFE-0	0° pre-set frame seat angle	ECRNH R-Net Harness for expandable controller
SAABA-STD	Amyseat adjustable seat structure	
MAC	Multiple electric seat controller (2 to 6 actuators) interfaced via Electronics R-net	
PTSX-A300	Power seat tilt with compensation (0 ° to 50 °)	
PRX-300	Power tilting of the backrest with reduction of mechanical shear	
	▲ It is recommended to use the ergo NXT backrest option with power tilt	

User body for chair adjustments
Weight (kg): _____ Size (m.): _____ Comments : _____

New colors									
☐	SCMOBM	Onyx black matte	☐	SCMCRE	Candy red	☐	SCMHAB	Habanero	Standard
☐	SCMCTB	Cobalt blue	☐	SCMCAB	Cabernet	☐	SCMLIM	Sublime	
☐	SCMIOB	Indigo blue	☐	SCMBGM	Bubble gum metallic				

Optional hydrographics colors			
☐ FCHDD	Desert digital camo	☐ FCHWL	Woodland camo
☐ FCHCF	Carbon fiber		On request

Motor assembly		
☐ MP65B	4-pole motor unit at 10 km / h / with electro-brakes	Standard
☐ MP65-OPT	4-pole motor unit at 10 Km / h / with electro-brakes (requires the SMART-TRACK)	+ 395,00 €

Assistive driving package		Public price excl. VAT
☐ SMARTT	Smart-Track (This option requires the MP65-OPT)	+ 1 420,00 €
▲ Smart-Track technology provides increased tracking capabilities with enhanced traction and steering precision. This is ideal for those with marginal hand function or switch control. ▲ Requires the R-net PM 120 Amp Expandable Controller (ECR120)		

Battery holder and frame size		
☐ FS22B	Battery holder for 50Ah batteries - Total frame width: 600mm	Standard
☐ FS24B	Battery holder for 70Ah batteries - Total frame width: 640mm	Without supplement

Batteries		
☐ BAT22NFGEL	GEL Power Battery CG - Group 22NF - 50 Ah	Without supplement
☐ BAT24GEL	GEL Power Battery CG - Group 24 - 70 Ah	

Drive wheel - black		
☐ DWI4PTB	355mm pneumatic	Standard
☐ DWI4PIB	355mm pneumatic tire	Without supplement
☐ DWI2PTB	305mm x 100mm extra-large pneumatic	
☐ DWI2PIB	305mm x 100mm extra-large pneumatic tire	
☐ DWI44PTB	355mm x 100mm extra-large pneumatic	+ 595,00 €
☐ DWI44PIB	355mm x 100mm extra-large pneumatic tire	
▲ Extra wide wheels increase the overall width of the base by 65mm		

Front casters - black		
☐ FC8PTRB	205mm (8") Pneumatic casters	Standard
☐ FC8PIRB	205mm (8") Pneumatic casters with foam filled	Without supplement
☐ FC9PTB	230mm (9") Pneumatic casters	+ 150,00 €
☐ FC9PIB	230mm (9") Pneumatic casters with foam filled	+ 175,00 €
▲ 230mm (9 ") casters increase the minimum seat-to-floor height by 15mm (1/2") and are NOT compatible with the 318mm (12 ½ ") drive wheel configuration and are NOT compatible with many front rig options, please see details in the front rig sections.		

Seat to floor height (Measurement to top of seat pan)		
► Options for a power tilt or a power elevating seat		
☐ STFHI575 (39,5cm) ► Requires DWI2 wheels	☐ STFHI775 (45.0cm)	Standard
☐ STFHI625 (41.5cm)	☐ STFHI825 (46.5cm)	
☐ STFHI725 (44.0cm)	☐ STFHI875 (47.5cm)	
► Options for a combination power tilt with a standard power elevating seat		
☐ STFHI825 (46.5cm)		Standard
► Seat to floor height specification other than standard		
☐ SOMHSS	Specific seat to floor height requirement other than standard Required at:	Without supplement

Lighting package		
☐ EOLP	LED Light Package (front beams, side flashers, rear tail light with flashers & brake light)	+ 937,00 €
▲ Requires the upgraded Joystick with Light Operation or the OMNI 2 (ECELJL, ECRJCL, ECRJC35B or EDIB).		

Joysticks		
► Selection of one joystick option below is required with the expandable controller ECR120		
☐ ECO	Omit joystick (Requires the OMNI 2 display - see EDIB option)	Without supplement
☐ ECRJC	R-Net joystick with colour screen	Standard
☐ ECRJCL	R-Net joystick (LCD) with colour screen and lighting operation	+ 180,00 €
☐ ECRJC35B	R-Net Bluetooth joystick full option (90mm / 3 ½" screen) lighting kit, switches and sockets	+ 1 105,00 €

Joystick mount		Public price excl. VAT
☐ JSMSA	Swing-away joystick mount - Height adjustable, angle adjustable and multi-axis ☐ Set-up with standard installation to swing-away sideways ☐ Set-up at 35° to swing-away sideways and downwards Indicate: ☐ HML (left hand side) ☐ HMR (right hand side)	Without supplement

Joystick handle		
☐ JSH	Standard joystick gimble	Standard
☐ JBAT	Stick handle 75mm / 3" in length	+ 130,00 €
☐ JBH	Ball handle	+ 85,00 €
☐ JFBH	Foam ball handle	+ 70,00 €
☐ JGP	Bodypoint 100mm/4" U-shaped handle	+ 210,00 €
☐ JMUSH	Bodypoint - Mushroom Handle	+ 210,00 €
☐ JTH	T-handle	+ 155,00 €

Attendant drive control option		
☐ EADC	Attendant hand control Indicate: ☐ EADCL (left hand side) ☐ EADCR (right hand side)	+ 677,73 €

Enhanced digital displays OMNI 2		
☐ EDIB	OMNI 2 - enhanced display & digital interface box with infared	+ 1 915,00 €

Enhanced display mount OMNI 2		
☐ EDSAM	User swing away mount Indicate: ☐ EDML (left hand side) ☐ EDMR (right hand side)	Without supplement

Environmental control module		
☐ ECU	Environmental control module	+ 995,00 €

Power option seating		
☐ ADDPESX	28cm / 11" Power elevating seat	+ 2 148,00 €

Electronics - (requires EJRJC35B)		
☐ EBXMAC	EBX electric seat controller with smart actuators Indicate: ☐ SWKEYPAD-T 5 rocker switch keypad ☐ SWKEYPAD-P Keypad with 5 push-button switches	+ 445,00 €
☐ MACMEMORY	Program for memorizing seat positions Indicate: ☐ User activation ☐ Attendant activation ☐ TSML (left) ☐ TSMR (right)	+ 175,00 €

Width adjustable seat width range between 380-510mm				
☐ SOWNI5-20-19	Width adjustment of 380-510mm with maximum depth of 485mm			Without supplement
☐ SOWNI5-20-22	Width adjustment of 380-510mm with maximum depth of 560mm			
☐ SOWNI5 (380mm)	☐ SOWNI7 (430mm)	☐ SOWNI9S (485mm)		Standard
☐ SOWNI6 (405mm)	☐ SOWNI8 (455mm)	☐ SOWN20S (510mm)		

Width adjustable seat width range between 485-610mm			
☐ SOWNI9-24-22	Width adjustment of 485-610mm with maximum depth of 560mm		Without supplement
☐ SOWNI9L (485mm)	☐ SOWN21 (535mm)	☐ SOWN23 (585mm)	Standard
☐ SOWN20L (510mm)	☐ SOWN22 (560mm)	☐ SOWN24 (610mm)	

Adjustable seat depth range between 380-560mm			Public price excl. VAT
☐ SODNI5 (380mm)	☐ SODNI8 (455mm)	☐ SODN21 (535mm)	Standard
☐ SODNI6 (405mm)	☐ SODNI9 (485mm)	☐ SODN22 (560mm)	
☐ SODNI7 (430mm)	☐ SODN20 (510mm)		

Back cane height			
▲ The back cane height measurement is taken from the seat pan to the top of the push handles			Standard
☐ SOBCH22 (560mm / 22")	☐ SOBCH24 (610mm / 24")	☐ SOBCH26 (660mm / 26")	
▲ 560 mm is the minimum back cane height required with a power recline			

Type of backrest			
▲ The minimum space between the back and seat pan is 75mm/3" with a fixed back and 155mm/6" with a reclining back.			
☐ STDSB	Standard backrest (380-610mm/15-24" wide with a maximum shell height of 560mm/22")		Standard
☐ ADDMR	Manual fixed backrest		Without supplement
☐ NOACB	Ergo NXT Optima backrest with 8cm profile - 480-535mm wide		+ 639,25 €
☐ NOPCB	Ergo NXT Optima backrest with 15cm profile - 480-535mm wide		
☐ NOACB	Ergo NXT Optima backrest with 8cm profile - 560-660mm wide		+ 682,75 €
☐ NOPCB	Ergo NXT Optima backrest with 15cm profile - 560-660mm wide		
▲ The actual heights of the back shell only come to 330mm (13"), 405mm (16") or 485mm (19").			
☐ STDSBO	Backrest omission, specify the backrest model:		Without supplement
▲ It is recommended to use the Ergo backrest option with the power recline			

Back support total height			
☐ SOBH16 (405mm / 16")	☐ SOBH20 (510mm / 20")	☐ SOBH24 (610mm / 24")	Standard
☐ SOBH18 (455mm / 18")	☐ SOBH22 (560mm / 22")	☐ SOBH26 (660mm / 26")	
▲ 560 mm is the minimum back cane height required with a power recline			
☐ SOBH28 (710mm / 28")			
▲ This height is not available with the NXT Optima option (NXTOPT and NXTOPTD)			

Seat Cushions			
☐ SCPCSC	Standard padded foam cushion		Standard
☐ CGAIR	Therapeutic air cushion - CGAIR		On request
▲ Please complete and attach the CG AIR measurement sheet			
☐ NXTBIOFIT	NXT BIO FIT Cushion - 480-535mm wide		+ 368,16 €
☐ NXTBIOFIT	NXT BIO FIT Cushion - 560-660mm wide		+ 401,60 €

Armrests			
▼ Only for power backrest			Standard
☐ SOANIFH	Type “i” armrest for reclining backrest Indicate: ☐ Left side		

Armpads					Public price excl. VAT
☐ SOGELF	Full length hybrid gel and foam flat armpad	☐ Left	☐ Right	Without supplement	
☐ SOGELD	Desk length hybrid gel and foam flat armpad	☐ Left	☐ Right		
☐ SOWGELF	Full length hybrid gel and foam waterfall armpad	☐ Left	☐ Right	+ 40,00 €	
☐ SOWGELD	Desk length hybrid gel and foam waterfall armpad	☐ Left	☐ Right		
☐ I000522	Desk length large foam cushion	☐ Left	☐ Right	+ 95,00 €	
☐ I000523	Full lenght large foam cushion	☐ Left	☐ Right		
☐ I000524	Desk length large gel cushion	☐ Left	☐ Right	+ 114,00 €	
☐ I000525	Full lenght large gel cushion	☐ Left	☐ Right		
▲ The waterfall armpads may interfere with flipping back the armrests when combined with lateral trunk supports					
☐ SOCAR	Armpad trough with hand support 455 x 118 mm (18" x 4 ½")	☐ Left	☐ Right	+ 170,00 €	
▲ Arm trough armpads may interfere with Armrests flipping back.					

Individual legrests and accessories		
☐ MCELR	Manual adjustable leg supports without tools Indicate the dimension of the leg segment:	Standard
☐ SOAAF	Adjustable manual leg supports with tools Indicate inclination: ☐ 60° ☐ 70° Indicate the length: ☐ SOFLHD12 (318-395mm) ☐ SOFLHD14 (368-495mm)	Without supplement
☐ ADDPL	Power retractable compensated legrests with calf pads Indicate function: ☐ Individual ☐ Combined Indicate the length: ☐ SOFLPW12 (318-395mm) ☐ SOFLPW14 (368-495mm)	+ 1 452,00 €
☐ SOSFAF	Flip-up footplates	Standard
☐ SOAFP	Angle adjustable and flip-up footplates	Without supplement
☐ SOAHL	Heel loops	

Central legrest and accessories		
☐ SOAAF 90	Adjustable manual central legrest (90 °) with tools Indiquer la dimension du segment jambier :	Without supplement
☐ ADDPF	Power centre mount elevating and articulating foot platform Indicate the dimension of the leg segment: Indicate the length: ☐ SOFBPW16 (318-420mm) ☐ SOFBPW18 (420-520mm)	+ 1 452,00 €
▼ Please select the one piece centre mount (SOFUFP) or the split footplates (SOAFPFB).		
☐ SOFUFP	Flip-up one piece foot platform	Without supplement
☐ SOAFPFB	Angle adjustable and flip-up split footplates for center mount	

Security options		
☐ SOAUTO	Seatbelt, auto-buckle (140 cm / 55")	Standard
☐ SOAUTO-LGS	Retractable seatbelt, auto-buckle (140 cm / 55")	+ 75,00 €
☐ SOBPHP2C	Pelvic belt, 32 cm / 12" cushion, 2 central adjustment points, bodypoint	+ 170,00 €
☐ SOPHB	Pelvic belt, padded, seat 35-43 cm, central magnetic attachment	+ 194,00 €
☐ SOBPCS	Chest belt, cushion 31 cm / 12", bodypoint	+ 250,00 €
☐ SOPCS	Chest belt, padded, seat 35-43 cm / 14-17", central magnetic attachment	+ 262,00 €

Headrests		
▼ Please select one of the headrest options with the mounting hardware and specify where the headrest will be installed		
☐ SOMAH	Multi-axis removable mounting hardware	Standard
☐ SOFHRS	Small curved headrest pad (100x230mm / 4x9")	
☐ SOFHRM	Medium curved headrest pad (125x255mm / 5x10")	
☐ SOFHRL	Large curved headrest pad (155x280mm / 6x11")	
☐ SOHRPR	To mount on the seat frame	

 Please send your orders to contact@logo-silver.fr

Logo Silver Europe - 22 chemin de l'Artisanat - 26540 Mours Saint Eusèbe - France - (+33) 4 76 21 22 19

Trunk supports		Public price excl. VAT
▼ Please select one of the lateral pads and the adjustable and removable hardware.		
☐ SOSLHM	Adjustable swing-away hardware mounts	+ 220,00 €
☐ SOSLS3	Adjustable laterals with small curved pads - 75x125mm/3x5"	+ 100,00 €
☐ SOSLM4	Adjustable laterals with medium curved pads - 100x155mm/4x6"	
☐ SOSLL5	Adjustable laterals with large curved pads - 125x180mm/5x7"	

Thigh supports		
▼ Please select one of the lateral pads and the adjustable and removable hardware.		
☐ SOHTSARH	Adjustable and removable hip and thigh support hardware	+ 136,00 €
☐ SOHTSSI0	Adjustable hip and thigh support pads - Small 255x100mm/10x4"	+ 130,00 €
☐ SOHTSMI2	Adjustable hip and thigh support pads - Medium 305x125mm/12x5"	
☐ SOHTSLI4	Adjustable hip and thigh support pads - Large 355x155mm/14x6"	

Accessories			
☐	SOCH	Cup holder (self-leveling)	+ 115,00 €
☐	SOCPH	Ram mounts X-Grip mobile phone holder	+ 190,00 €
☐	SOTHS	Ram mounts X-Grip small tablet holder	+ 205,00 €
☐	SOTHL	Ram mounts X-Grip large tablet holder	+ 360,00 €
☐	SOBP	Backpack (Comes with durable straps that can be hooked around the back canes)	+ 90,00 €
☐	SOAP	Armrest side pouch ☐ Left side ☐ Right side	+ 53,00 €
☐	REFLECT	Red and white reflector kit stickers	Standard
▲ They will not be installed - Included in a bag with the owner's manual			

Switches and options		
☐ ASCPCP	PGDT RNET Dongle and PC programmer kit	+ 600,00 €
☐ SSBS	Buddy Button switch	+ 230,00 €
☐ SSES	Egg switch - black	+ 116,00 €
☐ SSML	Ultra light switch	+ 295,00 €

Specialty driver control options	
▼ Specialty driver control options all require the OMNI 2 enhanced display and digital interface box (EDIB).	

▼ Switch-It proximity head array		
☐ SCSIHAA	Adult - 3 switch proximity head array with 1/8" mono jack for mode/reverse	+ 3 990,00 €
☐ SCSRM	Stealth rock-n-lock swingaway mount for mode switch Indicate: ☐ SWL swings left ☐ SWR swings right	+ 510,00 €
☐ SSES-STD	Egg switch for changing modes - black Indicate: ☐ MLH mount on left ☐ MRH mount on right	Without supplement
▲ Required with the stealth rock-n-lock swingaway mount. The mode switch type can be changed from this selection in the SWITCHES & OPTIONS section.		
☐ SSBS-STD	Buddy button switch - (stop switch) - red	
▲ Required with the Switch-It proximity head array.		
☐ SOMAH	Multi axis headrest removable mounting hardware	
▲ Required with the Switch-It proximity head array.		

▼ Proportional RIM head control		Public price excl. VAT
☐ SCPHC	3-axis proportional RIM head control package	On request
☐ SCSRM	Stealth rock-n-lock swing away mount for mode switch	
☐ SSES-STD	Egg switch for changing modes - Black	
▲ Required with the stealth rock-n-lock swing away mount. The Mode Switch type can be changed from this selection in the SWITCHES & OPTIONS section.		
☐ SOMAH	Multi-axis headrest removable mounting hardware	
▲ Required with the proportional RIM head control.		

▼ Switch-It micro-pilot light touch proportional Mini-joystick for chin / lip control		
☐ SCSIMP	MicroPilot light touch mini proportional joystick	+ 3 870,00 €
☐ SCSRMMP	Stealth tock-n-lock swingaway mount for chin MP Indicate: ☐ SWL swings left ☐ SWR swings right	+ 645,00 €
▲ Required with the Switch-It proximity micro-pilot		
☐ SCSRM	Stealth rock-n-lock swing away mount for switch Indicate: ☐ SWL swings left ☐ SWR swings right	+ 510,00 €
☐ SSES	Egg switch - black Indicate: ☐ MLH mount on left ☐ MRH mount on right	+ 116,00 €
▲ Required with the stealth rock-n-lock swingaway mount. The mode switch type can be changed from this selection in the SWITCHES & OPTIONS section.		
☐ JCC	Chin cup	+ 55,00 €
☐ SOMAH	Multi-axis headrest removable mounting hardware	
▲ Required with the Switch-It proximity micro-pilot		
▼ Choose one(1) headrest pad		
☐ SOFHRS	Small curved headrest pad	On request
☐ SOPHRM	Medium curved heardrest pad	
☐ SOPHRL	Large curved headrest pad	

▼ Proportional compact or mini joystick for midline mount		
☐ SCPGMJS	PG Drives JC200 Proportional compact remote joystick for midline mount	On request
☐ SCGMJSM	Gatlin midline swing-away mount for JC200	
▲ Must be selected for use with the PG Drives JC200 mini joystick		
☐ SCSIMP	Switch-It MicroPilot light touch mini proportional joystick	
☐ SCGMPM	Gatlin midline swing-away mount for MicroPilot	
▲ Must be selected for use with the Switch-It MicroPilot		
☐ SCBTM	Bullet hand tray for MicroPilot	
▲ This option is only compatible with the Switch-It MicroPilot		

▼ Proportional compact or mini joystick for armrest mount		
☐ SCPGMJS	PG Drives JC200 proportional compact remote joystick for armrest mount	On request
☐ SCARMJSM	Swing-away and multi-axis armrest mount	
▲ Must be selected for use with the PG Drives JC200 mini joystick		
☐ SCSIMP	Switch-It MicroPilot light touch mini proportional joystick	
☐ SCARMPM	Swing-away and multi-axis armrest mount	
▲ Must be selected for use with the Switch-It MicroPilot		
☐ SCBTM	Bullet hand tray for MicroPilot	
▲ This option is only compatible with the Switch-It MicroPilot		

Shipping and packing costs on request

Scustom section

Lead times will increase depending on the custom order pipeline at the time the purchase order is received. Please call for quote and specifications.

Notes